ZBE1015

single contact block for head Ø22 1NO silver alloy spring clamp terminals

Product availability: Stock - Normally stocked in distribution facility



Main	
Range of product	Harmony XB4 Harmony XB5
Product or component type	Contact block
Device short name	ZBE
Sale per indivisible quantity	4
IP degree of protection	IP20 IEC 60529
Contacts type and composition	1 NO
Contact operation	Slow-break
Contact block type	Single
Contacts usage	Standard contacts
Connections - terminals	Spring clamp terminals

Complementary

0.02 lb(US) (0.011 kg)	
Without	
0.1 in (2.6 mm) NO changing electrical state 0.17 in (4.3 mm) total travel	
2.3 N NO changing electrical state	
10000000 cycles	
Silver alloy (Ag/Ni)	
Λ < 10exp(-7) 1 mA in clean environment EN/IEC 60947-5-4 Λ < 10exp(-8) 5 mA in clean environment EN/IEC 60947-5-4	
Front mounting	
Mounting on push-button collar	
C11 <= 3 C14 <= 2 M10 <= 2	
ZBE	
	0.1 in (2.6 mm) NO changing electrical state 0.17 in (4.3 mm) total travel 2.3 N NO changing electrical state 10000000 cycles Silver alloy (Ag/Ni) \(\lambda < 10\text{exp}(-7) \) 1 mA in clean environment EN/IEC 60947-5-4 \(\lambda < 10\text{exp}(-8) \) 5 mA in clean environment EN/IEC 60947-5-4 Front mounting Mounting on push-button collar C11 <= 3 C14 <= 2 M10 <= 2

Environment

Protective treatment	TH
Ambient air temperature for storage	-40158 °F (-4070 °C)
Ambient air temperature for operation	-40158 °F (-4070 °C)
Standards	UL 508 JIS C 4520 EN/IEC 60947-5-4 EN/IEC 60947-1 EN/IEC 60947-5-1 CSA C22.2 No 14
Product certifications	GL BV CSA RINA UL DNV CCC GOST LROS (Lloyds register of shipping)

Vibration resistance	5 gn 2500 Hz IEC 60068-2-6
Shock resistance	30 gn 18 ms half sine wave acceleration IEC 60068-2-27 50 gn 11 ms half sine wave acceleration IEC 60068-2-27

Ordering and shipping details

0 11 0		
Category	22469 - PUSHBUTTON,22MM ACCESSORIES-NEW	
Discount Schedule	CS2	
GTIN	00785901928898	
Nbr. of units in pkg.	4	
Package weight(Lbs)	0.02	
Returnability	Υ	
Country of origin	FR	

Offer Sustainability

California proposition 65	WARNING: This product can expose you to chemicals including:
Substance 1	Nickel compounds, which is known to the State of California to cause cancer, and
Substance 2	Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm.
More information	For more information go to www.p65warnings.ca.gov

Contractual warranty

Warranty period	18 months

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Schneider Electric: ZBE1015