GS1AE2

TeSys GS - shaft extension - 320 mm - 30...400 A



Main	
Range	TeSys
Product or Component Type	Shaft extension
Device short name	GS1AE
Accessory / separate part category	Locking accessory
Product Compatibility	GS

Complementary

<u> </u>		
Switch rated current	400 A	
	160 A	
	50 A	
	63 A	
	125 A	
	200 A	
	100 A	
	60 A	
	250 A	
	315 A	
Type of operating handle	External	
Mounting Location	Front	
Length	12.60 in (320 mm)	
Shaft cross section	10 x 10 mm	
Net Weight	0.53 lb(US) (0.24 kg)	

Ordering and shipping details

Category	22640-IEC DISCONNECT-GS1,LK3
Discount Schedule	l11
GTIN	3389110563184
Nbr. of units in pkg.	1
Package weight(Lbs)	8.92 oz (253 g)
Returnability	No
Country of origin	FR

Packing Units

Facking Units	
Unit Type of Package 1	PCE
Package 1 Height	0.63 in (1.6 cm)
Package 1 width	0.63 in (1.6 cm)
Package 1 Length	12.60 in (32 cm)
Unit Type of Package 2	S03
Number of Units in Package 2	40
Package 2 Weight	23.57 lb(US) (10.691 kg)
Package 2 Height	11.81 in (30 cm)
Package 2 width	11.81 in (30 cm)
Package 2 Length	15.75 in (40 cm)
Package 3 Height	30.31 in (77 cm)

Offer Sustainability

California proposition 65	WARNING: Cancer - www.P65Warnings.ca.gov	
REACh free of SVHC	Yes	
EU RoHS Directive	Compliant	
Toxic heavy metal free	Yes	
Mercury free	Yes	
RoHS exemption information	₫Yes	
China RoHS Regulation	☑ China RoHS Declaration	

Contractual warranty

Warranty 18 months		
--------------------	--	--

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Schneider Electric: GS1AE2