


Product availability: Non-Stock - Not normally stocked in distribution facility



### Main

Range	TeSys
Product or component type	Fault discrimination device
Range compatibility	TeSys TeSys GV7

### Complementary

Function available	Differentiation of thermal overload and magnetic fault
Mounting location	Inside of the front panel
Auxiliary contacts operation	Fault signal
System Voltage	24 V AC 50/60 Hz control circuit 48 V AC 50/60 Hz control circuit 24 V DC control circuit 72 V DC control circuit
Product weight	0.22 lb(US) (0.1 kg)
Quantity per set	Set of 10

### Ordering and shipping details

Category	22366 - MAN STR PROTECTORS-GV1/GV3
Discount Schedule	I11
GTIN	00785901567288
Nbr. of units in pkg.	1
Package weight(Lbs)	8.0000000000000002E-2
Returnability	N
Country of origin	FR

### Offer Sustainability


RoHS (date code: YYWW)	Compliant - since 0744 - Schneider Electric declaration of conformity <a href="#">Schneider Electric declaration of conformity</a>
California proposition 65	WARNING: This product can expose you to chemicals including:
- - - - - Substance 1	Antimony oxide & Antimony trioxide, which is known to the State of California to cause cancer.
- - - - - More information	For more information go to <a href="http://www.p65warnings.ca.gov">www.p65warnings.ca.gov</a>

### Contractual warranty

Warranty period	18 months
-----------------	-----------


## Electric Trips

GV7AD111, AD112



## Recommended Application Schemes GV7AD111, AD112


### Fault indication



### Associated components

KA1: CA2KN or CADN

### Contactor opening on overload



### Associated components KA1: CAD + LAD6K10 or RHKKM1: LC1 D or LC1 F

KA1: CAD + LAD6K10 or RHK

KM1: LC1 D or LC1 F

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Schneider Electric:](#)

[GV7AD111](#)