Circuit Breaker for Equipment, thermal, Threaded-neck type, 1 pole



See below: Approvals and Compliances

References Last order date: 15.12.2021

Weblinks

pdf data sheet, html datasheet, General Product Information, Distributor-Stock-Check, Detailed request for product, Product News

TS-709

Approvals and Compliances

Detailed information on product approvals, code requirements, usage instructions and detailed test conditions can be looked up in Details about Approvals

SCHURTER products are designed for use in industrial environments. They have approvals from independent testing bodies according to national and international standards. Products with specific characteristics and requirements such as required in the automotive sector according to IATF 16949, medical technology according to ISO 13485 or in the aerospace industry can be offered exclusively with customer-specific, individual agreements by SCHURTER.

Detailed information on product approvals, code requirements, usage instructions and detailed test conditions can be looked up in Details about Approvals

SCHURTER products are designed for use in industrial environments. They have approvals from independent testing bodies according to national and international standards. Products with specific characteristics and requirements such as required in the automotive sector according to IATF 16949, medical technology according to ISO 13485 or in the aerospace industry can be offered exclusively with customer-specific, individual agreements by SCHURTER.

Compliances

The product complies with following Guide Lines

Identification	Details	Initiator	Description
ROHS	RoHS	SCHURTER AG	Directive RoHS 2011/65/EU, Amendment (EU) 2015/863
REACH	REÁCH	SCHURTER AG	On 1 June 2007, Regulation (EC) No 1907/2006 on the Registration, Evaluation, Authorization and Restriction of Chemicals 1 (abbreviated as "REACH") entered into force.

MISSING PICTURE: \\192.168.1.139\EPIMFS\produktion\export\Datasheets_PrGrp\DS_PrGrp_Protection\PrGrp_CBE\DS_PrGrp_PG17_18_19__TS-Line_\2021_12_09\20_50_45_983_540708\DC0001306-001.jpg

MISSING PICTURE: \\192.168.1.139\EPIMFS\produktion\export\Datasheets_PrGrp\DS_PrGrp_Protection\PrGrp_CBE\DS_PrGrp_PG17_18_19__TS-Line_\2021_12_09\20_50_45_983_540708\DC0001306-002.jpg

TS-709

MISSING PICTURE: \\192.168.1.139\EPIMFS\produktion\export\Datasheets_PrGrp\DS_PrGrp_Protection\PrGrp_CBE\DS_PrGrp_PG17_18_19__TS-Line_\2021_12_09\20_50_45_983_540708\DC0001306-003.jpg

MISSING PICTURE: \\192.168.1.139\EPIMFS\produktion\export\Datasheets_PrGrp\DS_PrGrp_Protection\PrGrp_CBE\DS_PrGrp_PG17_18_19__TS-Line_\2021_12_09\20_50_45_983_540708\DC0001306-004.jpg

TS-709

MISSING PICTURE: \\192.168.1.139\EPIMFS\produktion\export\Datasheets_PrGrp\DS_PrGrp_Protection\PrGrp_CBE\DS_PrGrp_PG17_18_19__TS-Line_\2021_12_09\20_50_45_983_540708\DC0001306-001.jpg

MISSING PICTURE: \\192.168.1.139\EPIMFS\produktion\export\Datasheets_PrGrp\DS_PrGrp_Protection\PrGrp_CBE\DS_PrGrp_PG17_18_19__TS-Line_\2021_12_09\20_50_45_983_540708\DC0001306-002.jpg

TS-709

MISSING PICTURE: \\192.168.1.139\EPIMFS\produktion\export\Datasheets_PrGrp\DS_PrGrp_Protection\PrGrp_CBE\DS_PrGrp_PG17_18_19__TS-Line_\2021_12_09\20_50_45_983_540708\DC0001306-003.jpg

MISSING PICTURE: \\192.168.1.139\EPIMFS\produktion\export\Datasheets_PrGrp\DS_PrGrp_Protection\PrGrp_CBE\DS_PrGrp_PG17_18_19_TS-Line_\2021_12_09\20_50_45_983_540708\DC0001306-004.jpg

The specifications, descriptions and illustrations indicated in this document are based on current information. All content is subject to modifications and amendments. Information furnished is believed to be accurate and reliable. However, users should independently evaluate the suitability and test each product selected for their own applications.



Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Schurter:

<u>TS-709-15</u> <u>TS-709-10</u> <u>TS-709-12</u> <u>TS-709-15K</u> <u>TS-709-12K</u> <u>TS-709-5</u> <u>TS-709-5H</u> <u>TS-709-10P</u> <u>TS-709-12H</u> <u>TS-709-12H</u> <u>TS-709-15H</u> <u>TS-709-10H</u> <u>TS-709-12.5H</u> <u>TS-709-15HK</u> <u>TS-709-6.3</u> <u>TS-709-8</u> <u>TS-709-3</u>