


SERPAC 152RCAC (exploded isometric)

Electronic Enclosures



PART NO.	DESCRIPTION (Included)	ACCESSORIES (Optional)
5-2RC	Clear Top	
15AC	AC Bottom	
1026	Access Door	
6005	#4X3/8" Self-Tapping Screw (4)	
6018	4-40 Screw (4)	
6102	4-40 Threaded Insert (4)	

- Notes:
- 1) Enclosure weight .35 lb / 161 g
 - 2) When used with SK5 the enclosure meets or exceeds IP 67 and NEMA 4X, 12 and 13 MIL-STD-810G 506.5 (.02 lb / 11g)
 - 3) Circuit Board drawings see sheet 3.
 - 4) All components are RoHS Compliant.

Electronic Enclosures




ALL DIMENSIONS ARE $\pm .010"$ 11/16/2020 (2 of 3)
2009 Wright Ave. La Verne, CA 91750
331-0517 Fx. (626) 331-8584 www.serpac.com


SERPAC PCB for 15X compartment enclosures

Electronic Enclosures


CIRCUIT BOARD FOR TOP



CIRCUIT BOARD FOR BOTTOM



SMALL CIRCUIT BOARD FOR BOTTOM



Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

SERPAC:

[152RCAC,AL](#) [152RCAC,BK](#) [152RCAC,GY](#)