

NOTE:

- 1. THIS ASSEMBLY CONSISTS OF A FRC-20 ANALOG CONTROLLER. SEE 670-3618 SCHEMATIC FOR ELECTRICAL CONNECTIONS.
- 2. SEE THE FRC-20 USER'S HANDBOOK, FORM #003-1922 FOR DETAILED INFORMATION.

<u>CONTROLS:</u> CONTROLLER ON/OFF SWITCH: THIS SWITCH TURNS OFF POWER TO THE CONTROLLER AND DIGITAL VOLTMETER


MOTOR ON/OFF SWITCH: THIS SWITCH TURNS OFF POWER TO THE CONTROLLER OUTPUT.

OUTPUT ADJUSTMENT: THIS POTENTIOMETER CONTROL IS ROTATED CLOCKWISE TO INCREASE OUTPUT VOLTAGE SET POINT AND COUNTERCLOCKWISE TO DECREASE THE OUTPUT VOLTAGE SET POINT.


VOLTMETER: THE DIGITAL VOLTMETER INDICATES THE REGULATED OUTPUT VOLTAGE.

UNLESS OT DECIMALS .XX .010 .XXX .005	HERWISE SPEC HOLES .005	IFIED. TOLER ANGLES 1°
MATERIAL :		
and is the p all patent, and sale r except to	ation and de property of ST, proprietary, c ights thereto the extent r ping does no	ACO ENERGY design, man , and to c ights are e

		DWG.	DWG. NO.
		SYM.	
			RELEASED TO PRODUCTION
R R <t< td=""><td>DIGITAL VOLIMETER</td><td></td><td></td></t<>	DIGITAL VOLIMETER		
R R <t< td=""><td></td><td></td><td></td></t<>			
R R <t< td=""><td></td><td></td><td></td></t<>			
R R <t< td=""><td></td><td></td><td></td></t<>			
R R <t< td=""><td></td><td></td><td></td></t<>			
R R <t< td=""><td></td><td></td><td></td></t<>			
R R <t< td=""><td>HANDLE (2)</td><td></td><td></td></t<>	HANDLE (2)		
RER			
RER			
RER			
RER			
RER			
DEFANCE IS ± 1-1/2 ² IN [mm] 1-1/2 ² TTLE: SPEC. CONTROL DRAWING FRC - 20 - RACK SEE SEC. SPEC. CONTROL DRAWING GRC - 20 - RACK ALL MERSIONS APPLY AFTER PLAINS MILE: SPEC. CONTROL DRAWING GRC - 20 - RACK SEE SEC. DRAWING CONTROL DIS	POIENHOMEIER		
DEFANCE IS ± 1-1/2 ² IN [mm] 1-1/2 ² TTLE: SPEC. CONTROL DRAWING FRC - 20 - RACK SEE SEC. SPEC. CONTROL DRAWING GRC - 20 - RACK ALL MERSIONS APPLY AFTER PLAINS MILE: SPEC. CONTROL DRAWING GRC - 20 - RACK SEE SEC. DRAWING CONTROL DIS			
DEFANCE IS ± 1-1/2 ² IN [mm] 1-1/2 ² TTLE: SPEC. CONTROL DRAWING FRC - 20 - RACK SEE SEC. SPEC. CONTROL DRAWING GRC - 20 - RACK ALL MERSIONS APPLY AFTER PLAINS MILE: SPEC. CONTROL DRAWING GRC - 20 - RACK SEE SEC. DRAWING CONTROL DIS			
DEFANCE IS ± 1-1/2 ² IN [mm] 1-1/2 ² TTLE: SPEC. CONTROL DRAWING FRC - 20 - RACK SEE SEC. SPEC. CONTROL DRAWING GRC - 20 - RACK ALL MERSIONS APPLY AFTER PLAINS MILE: SPEC. CONTROL DRAWING GRC - 20 - RACK SEE SEC. DRAWING CONTROL DIS			
DEFANCE IS ± 1-1/2 ² IN [mm] 1-1/2 ² TTLE: SPEC. CONTROL DRAWING FRC - 20 - RACK SEE SEC. SPEC. CONTROL DRAWING GRC - 20 - RACK ALL MERSIONS APPLY AFTER PLAINS MILE: SPEC. CONTROL DRAWING GRC - 20 - RACK SEE SEC. DRAWING CONTROL DIS			
DEFANCE IS ± 1-1/2 ² IN [mm] 1-1/2 ² TTLE: SPEC. CONTROL DRAWING FRC - 20 - RACK SEE SEC. SPEC. CONTROL DRAWING GRC - 20 - RACK ALL MERSIONS APPLY AFTER PLAINS MILE: SPEC. CONTROL DRAWING GRC - 20 - RACK SEE SEC. DRAWING CONTROL DIS			
DEFANCE IS ± 1-1/2 ² IN [mm] 1-1/2 ² TTLE: SPEC. CONTROL DRAWING FRC - 20 - RACK SEE SEC. SPEC. CONTROL DRAWING GRC - 20 - RACK ALL MERSIONS APPLY AFTER PLAINS MILE: SPEC. CONTROL DRAWING GRC - 20 - RACK SEE SEC. DRAWING CONTROL DIS			
DEFANCE IS ± 1-1/2 ² IN [mm] 1-1/2 ² TTLE: SPEC. CONTROL DRAWING FRC - 20 - RACK SEE SEC. SPEC. CONTROL DRAWING GRC - 20 - RACK ALL MERSIONS APPLY AFTER PLAINS MILE: SPEC. CONTROL DRAWING GRC - 20 - RACK SEE SEC. DRAWING CONTROL DIS			
DEFANCE IS ± 1-1/2 ² IN [mm] 1-1/2 ² TTLE: SPEC. CONTROL DRAWING FRC - 20 - RACK SEE SEC. SPEC. CONTROL DRAWING GRC - 20 - RACK ALL MERSIONS APPLY AFTER PLAINS MILE: SPEC. CONTROL DRAWING GRC - 20 - RACK SEE SEC. DRAWING CONTROL DIS			
DEFANCE IS ± 1-1/2 ² IN [mm] 1-1/2 ² TTLE: SPEC. CONTROL DRAWING FRC - 20 - RACK SEE SEC. SPEC. CONTROL DRAWING GRC - 20 - RACK ALL MERSIONS APPLY AFTER PLAINS MILE: SPEC. CONTROL DRAWING GRC - 20 - RACK SEE SEC. DRAWING CONTROL DIS			
DEFANCE IS ± 1-1/2 ² IN [mm] 1-1/2 ² TTLE: SPEC. CONTROL DRAWING FRC - 20 - RACK SEE SEC. SPEC. CONTROL DRAWING GRC - 20 - RACK ALL MERSIONS APPLY AFTER PLAINS MILE: SPEC. CONTROL DRAWING GRC - 20 - RACK SEE SEC. DRAWING CONTROL DIS			
DEFANCE IS ± 1-1/2 ² IN [mm] 1-1/2 ² TTLE: SPEC. CONTROL DRAWING FRC - 20 - RACK SEE SEC. SPEC. CONTROL DRAWING GRC - 20 - RACK ALL MERSIONS APPLY AFTER PLAINS MILE: SPEC. CONTROL DRAWING GRC - 20 - RACK SEE SEC. DRAWING CONTROL DIS			
DEFANCE IS ± 1-1/2 ² IN [mm] 1-1/2 ² TTLE: SPEC. CONTROL DRAWING FRC - 20 - RACK SEE SEC. SPEC. CONTROL DRAWING GRC - 20 - RACK ALL MERSIONS APPLY AFTER PLAINS MILE: SPEC. CONTROL DRAWING GRC - 20 - RACK SEE SEC. DRAWING CONTROL DIS			
DEFANCE IS ± 1-1/2 ² IN [mm] 1-1/2 ² TTLE: SPEC. CONTROL DRAWING FRC - 20 - RACK SEE SEC. SPEC. CONTROL DRAWING GRC - 20 - RACK ALL MERSIONS APPLY AFTER PLAINS MILE: SPEC. CONTROL DRAWING GRC - 20 - RACK SEE SEC. DRAWING CONTROL DIS			
DEFANCE IS ± 1-1/2 ² IN [mm] 1-1/2 ² TTLE: SPEC. CONTROL DRAWING FRC - 20 - RACK SEE SEC. SPEC. CONTROL DRAWING GRC - 20 - RACK ALL MERSIONS APPLY AFTER PLAINS MILE: SPEC. CONTROL DRAWING GRC - 20 - RACK SEE SEC. DRAWING CONTROL DIS	KFR		
ES DRAFT 1-1/2° UNITS IN [mm] SPEC. CONTROL DRAWING ALL DIMENSIONS APPLY AFTER PLATING SPEC. CONTROL DRAWING SPEC. FRC-20-RACK SPEC. PRODUCTS CO. VICTOR ALL DIMENSIONS APPLY AFTER PLATING DATE J. MAVIS FIRST USED ON 5/1/18 DO NOT SCALE DWG. Components Corporation of America Company 301 Gaddis Boulevard Dayton, Ohio 45403 USA			
ES DRAFT 1-1/2° UNITS IN [mm] SPEC. CONTROL DRAWING ALL DIMENSIONS APPLY AFTER PLATING SPEC. CONTROL DRAWING SPEC. FRC-20-RACK SPEC. PRODUCTS CO. VICTOR ALL DIMENSIONS APPLY AFTER PLATING DATE J. MAVIS FIRST USED ON 5/1/18 DO NOT SCALE DWG. Components Corporation of America Company 301 Gaddis Boulevard Dayton, Ohio 45403 USA			
ES DRAFT 1-1/2° UNITS IN [mm] SPEC. CONTROL DRAWING ALL DIMENSIONS APPLY AFTER PLATING SPEC. CONTROL DRAWING SPEC. FRC-20-RACK SPEC. PRODUCTS CO. VICTOR ALL DIMENSIONS APPLY AFTER PLATING DATE J. MAVIS FIRST USED ON 5/1/18 DO NOT SCALE DWG. Components Corporation of America Company 301 Gaddis Boulevard Dayton, Ohio 45403 USA			
ES DRAFT 1-1/2° UNITS IN [mm] SPEC. CONTROL DRAWING ALL DIMENSIONS APPLY AFTER PLATING SPEC. CONTROL DRAWING SPEC. FRC-20-RACK SPEC. PRODUCTS CO. VICTOR ALL DIMENSIONS APPLY AFTER PLATING DATE J. MAVIS FIRST USED ON 5/1/18 DO NOT SCALE DWG. Components Corporation of America Company 301 Gaddis Boulevard Dayton, Ohio 45403 USA			
ES DRAFT 1-1/2° UNITS IN [mm] SPEC. CONTROL DRAWING ALL DIMENSIONS APPLY AFTER PLATING SPEC. CONTROL DRAWING SPEC. FRC-20-RACK SPEC. PRODUCTS CO. VICTOR ALL DIMENSIONS APPLY AFTER PLATING DATE J. MAVIS FIRST USED ON 5/1/18 DO NOT SCALE DWG. Components Corporation of America Company 301 Gaddis Boulevard Dayton, Ohio 45403 USA			
ES DRAFT 1-1/2° UNITS IN [mm] SPEC. CONTROL DRAWING ALL DIMENSIONS APPLY AFTER PLATING SPEC. CONTROL DRAWING SPEC. FRC-20-RACK SPEC. PRODUCTS CO. VICTOR ALL DIMENSIONS APPLY AFTER PLATING DATE J. MAVIS FIRST USED ON 5/1/18 DO NOT SCALE DWG. Components Corporation of America Company 301 Gaddis Boulevard Dayton, Ohio 45403 USA			
ES DRAFT 1-1/2° UNITS IN [mm] SPEC. CONTROL DRAWING ALL DIMENSIONS APPLY AFTER PLATING SPEC. CONTROL DRAWING SPEC. FRC-20-RACK SPEC. PRODUCTS CO. VICTOR ALL DIMENSIONS APPLY AFTER PLATING DATE J. MAVIS FIRST USED ON 5/1/18 DO NOT SCALE DWG. Components Corporation of America Company 301 Gaddis Boulevard Dayton, Ohio 45403 USA			
ES DRAFT 1-1/2° UNITS IN [mm] SPEC. CONTROL DRAWING ALL DIMENSIONS APPLY AFTER PLATING SPEC. CONTROL DRAWING SPEC. FRC-20-RACK SPEC. PRODUCTS CO. VICTOR ALL DIMENSIONS APPLY AFTER PLATING DATE J. MAVIS FIRST USED ON 5/1/18 DO NOT SCALE DWG. Components Corporation of America Company 301 Gaddis Boulevard Dayton, Ohio 45403 USA			
ES DRAFT 1-1/2° UNITS IN [mm] SPEC. CONTROL DRAWING ALL DIMENSIONS APPLY AFTER PLATING SPEC. CONTROL DRAWING SPEC. FRC-20-RACK SPEC. PRODUCTS CO. VICTOR ALL DIMENSIONS APPLY AFTER PLATING DATE J. MAVIS FIRST USED ON 5/1/18 DO NOT SCALE DWG. Components Corporation of America Company 301 Gaddis Boulevard Dayton, Ohio 45403 USA			
ES DRAFT 1-1/2° UNITS IN [mm] SPEC. CONTROL DRAWING ALL DIMENSIONS APPLY AFTER PLATING SPEC. CONTROL DRAWING SPEC. FRC-20-RACK SPEC. PRODUCTS CO. VICTOR ALL DIMENSIONS APPLY AFTER PLATING DATE J. MAVIS FIRST USED ON 5/1/18 DO NOT SCALE DWG. Components Corporation of America Company 301 Gaddis Boulevard Dayton, Ohio 45403 USA			
ALL DIMENSIONS APPLY AFTER PLATING FRC-20-RACK Image: Components of the company sclosed herein was originated by RGY PRODUCTS CO., which reserves manufacturing, reproduction, use to any article disclosed therein re expressly granted to others. DRAWN BY DATE 5/1/18 FIRST USED ON SCALE DWG. DO NOT SCALE DWG. A components Corporation of America Company 301 Gaddis Boulevard Dayton, Ohio 45403 USA		NG	STACO
PLATING PRODUCTS CO. inclosed herein was originated by RGY PRODUCTS CO., which reserves manufacturing, reproduction, use to any article disclosed therein re expressly granted to others. DRAWN BY DATE FIRST USED ON DO NOT A Components Corporation of America Company 301 Gaddis Boulevard Dayton, Ohio 45403 USA CHECKER DATE DATE FIRST USED ON CAGE CODE DWG. DWG. NO. K. WELKER 5/24/18 WEIGHT APPROX. CAGE CODE DWG. DWG. NO.	All Dimensions Apply After FRC-20-RACK	_	
manufacturing, reproduction, use to any article disclosed therein re expressly granted to others. y to vendor proprietary parts. CHECKER	PLATING DRAWN BY DATE FIRST USED ON DO	NOT E DWG.	A Components Corporation of America Company
J. MAVIS 5/29/18 SCALE 1/1 SHEET 1 OF 2 0 924-0595	manufacturing, reproduction, use to any article disclosed therein are expressly granted to others. It to vender proprietary parts	code 008	DWG. DWG. NO. SIZE
	J. MAVIS 5/29/18 SCALE 1/1 SHEET 1	1 ^{of} 2	U 924-0595



PANEL DETAILED VIEW



ERANCE IS ± 5 DRAFT 1-1/2°	UNITS IN [mm]	SPEC.	CONTF	STACO				
	ALL DIMENSIONS APPLY AFTER PLATING	FRC-20-RACK						
losed herein was originated by GY PRODUCTS CO., which reserves anufacturing, reproduction, use any article disclosed therein expressly granted to others.		drawn by J. MAVIS	date 5/1/18	FIRST USED ON	DO NOT SCALE DWG.	A Components Corporation of America Company 301 Gaddis Boulevard Dayton, Ohio 45403 USA		
		CHECKER K. WELKER	date 5/24/18	WEIGHT APPROX.	cage code 83008	DWG. SIZE	DWG. NO.	
to vendor proprie	prietary parts.	engineer J. MAVIS	date 5/29/18	scale 1/1	SHEET 2 OF 2	D	924-0595	

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Staco: FRC-20-RACK