

32F429IDISCOVERY

Discovery kit with STM32F429ZI MCU

Data brief

Features

- STM32F429ZIT6 microcontroller featuring 2 Mbytes of Flash memory, 256 Kbytes of RAM in an LQFP144 package
- 2.4" QVGA TFT LCD
- USB OTG with Micro-AB connector
- I3G4250D, ST MEMS motion sensor 3-axis digital output gyroscope
- Six LEDs:
 - LD1 (red/green) for USB communication
 - LD2 (red) for 3.3 V power-on
 - Two user LEDs: LD3 (green), LD4 (red)
 - Two USB OTG LEDs: LD5 (green) V_{BUS} and LD6 (red) OC (over-current)
- Two push-buttons (user and reset)
- 64-Mbit SDRAM
- Extension header for LQFP144 I/Os for a quick connection to the prototyping board and an easy probing
- On-board ST-LINK/V2-B
- USB functions:
 - Debug port
 - Virtual COM port
 - Mass storage
- Mbed Enabled[™] (see http://mbed.org)
- Board power supply: through the USB bus or from an external 3 V or 5 V supply voltage
- Comprehensive free software including a variety of examples, part of STM32CubeF4 MCU Package or STSW-STM32138, for using legacy standard libraries



Picture is not contractual.

Description

The 32F429IDISCOVERY Discovery kit leverages the capabilities of the STM32F429 high-performance microcontrollers, to allow users to develop rich applications easily with advanced graphic user interfaces.



1 Ordering information

To order the Discovery kit with the STM32F429ZI microcontroller, refer to *Table 1*.

Table 1. Ordering information

Order code	Board reference	User manual	Target STM32
STM32F429I-DISC1 ⁽¹⁾	MB1075	UM1670	STM32F429ZIT6

Mbed Enabled TM STM32F429I-DISC1 with ST-LINK/V2-B replaces obsolete STM32F429I-DISCO with ST-LINK/V2

1.1 Product marking

Evaluation tools marked as 'ES' or 'E' are not yet qualified and therefore they are not ready to be used as reference design or in production. Any consequences deriving from such usage will not be at ST charge. In no event, ST will be liable for any customer usage of these engineering sample tools as reference design or in production.

'E' or 'ES' marking examples of location:

- On the targeted STM32 that is soldered on the board (for illustration of STM32 marking, refer to the section "Package information" of the STM32 datasheet available at www.st.com).
- Next to the evaluation tool ordering part number that is stuck or silk-screen printed on the board.

1.2 Codification

The meaning of the codification is explained in Table 2.

Table 2. Codification explanation

32XXYYZDISCOVERY	Description	Example: 32F429IDISCOVERY
32XX	MCU series in STM32 32-bit Arm Cortex MCUs	STM32F4 Series
YY	MCU product line in the series	STM32F429
Z	STM32 Flash memory size: – I for 2 Mbytes	2 Mbytes
DISCOVERY	Discovery kit	Discovery kit

2 Development environment

2.1 System requirements

- Windows® OS (7, 8, or 10)
- USB Type-A to Mini-B cable

2.2 Development toolchains

- IAR™ EWARM^(a)
- Keil® MDK-ARM^(a)
- STMicroelectronics STM32CubeIDE
- Arm[®] Mbed^{™(b)} online

2.3 Demonstration software

The demonstration software, included in the STM32Cube MCU Package, is preloaded in the STM32 Flash memory for easy demonstration of the device peripherals in standalone mode. The latest versions of the demonstration source code and associated documentation can be downloaded from the www.st.com/stm32f4-discovery web page.

b. Arm and Mbed are registered trademarks or trademarks of Arm Limited (or its subsidiaries) in the US and or elsewhere.



DB2042 Rev 5 3/5

a. On Windows® only.

Revision history 32F429IDISCOVERY

Revision history

Table 3. Document revision history

Date	Revision	Changes	
06-Sep-2013	1	Initial version.	
29-Sep-2014	2	Updated <i>Features</i> and <i>Description</i> to introduce STM32cubeF4 and STSW-STM32138. Updated ST MEMS feature. Updated <i>System requirements</i> and <i>Development toolchains</i> .	
23-Oct-2015	3	Updated Features, Description, and Product marking.	
28-Oct-2016	4	Updated <i>Features</i> and <i>Description</i> to inform that the new STM32F429I-DISC1 order code has replaced the old STM32F429I-DISCO order code.	
22-Apr-2020	5	Removed all references to obsolete STM32F429I-DISCO. Updated ST MEMS details in <i>Features</i> . Reorganized the entire document: – Updated <i>Features</i> , <i>Description</i> , <i>Ordering information</i> , and <i>Development toolchains</i> – Added <i>Codification</i>	

32F429IDISCOVERY Revision history

IMPORTANT NOTICE - PLEASE READ CAREFULLY

STMicroelectronics NV and its subsidiaries ("ST") reserve the right to make changes, corrections, enhancements, modifications, and improvements to ST products and/or to this document at any time without notice. Purchasers should obtain the latest relevant information on ST products before placing orders. ST products are sold pursuant to ST's terms and conditions of sale in place at the time of order acknowledgement.

Purchasers are solely responsible for the choice, selection, and use of ST products and ST assumes no liability for application assistance or the design of Purchasers' products.

No license, express or implied, to any intellectual property right is granted by ST herein.

Resale of ST products with provisions different from the information set forth herein shall void any warranty granted by ST for such product.

ST and the ST logo are trademarks of ST. For additional information about ST trademarks, please refer to www.st.com/trademarks. All other product or service names are the property of their respective owners.

Information in this document supersedes and replaces information previously supplied in any prior versions of this document.

© 2020 STMicroelectronics - All rights reserved



DB2042 Rev 5 5/5

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

STMicroelectronics: STM32F429I-DISC1