

SPC5-EV-ADIS

M0-7 adapter board

Data brief



Features

- Board size 100 x 55 mm
- Two extension headers (2 x 36 pin 100 mil) for quick connection to SPC560B-DIS discovery board
- Extension headers for quick connection of M0-7 easy board
- Extension headers for quick connection of H-Bridge easy board
- Controllable by dedicated GUI for HSD or for H-Bridge available on www.st.com
- Free ready to run application firmware for HSD or for H-Bridge available on www.st.com, to support quick evaluation and development

Description

The SPC5-EV-ADIS adapter board extends the range of Automotive Discovery Ecosystem enabling the connection of M0-7 high side driver and H-bridge easy boards (EV-xxxx) to SPC560B-DIS control board. Easy board functionality is controlled through a dedicated Graphic user interface connected to control board with USB cable. Control board requires a dedicated application firmware.

Table 1. Device summary

Order code	Reference
SPC5-EV-ADIS	M0-7 adapter board

1/7

For further information contact your local STMicroelectronics sales office.

1

System requirements

- Windows PC (2000, XP, Vista, 7)
- USB type A to mini-B cable
- SPC560B-DIS discovery board
- STSW-SPC5EV-ADIS GUI




Figure 1. Snapshot of the GUI



2 Hardware configuration

VIP-M07-ADIS can be sold stand alone or with microcontroller discovery board SPC560B-DIS. For more information, please refer to ST website www.st.com.



3 GUI

GUI is available to control the entire system, that is to say SPC560B-DIS Discovery board connected with the VIP-M07-ADIS application board. For more information, and download of the latest version available, please refer to ST web www.st.com.

life.augmented			Lighting	START
Single Device		V	.	
© Single Channel © Dual Channel © Quad Channel	VN7004AH 🔽		Operative (V)oltage: Max Supply (V)oltage: Max On-State resistance: Current Limitation:	4-28V 38V 4m0hm 130A
C Multi Devices				

Figure 2. Gui interface



4 Demonstration software

Firmware is available for easy demonstration. For more information, and download of the latest version available, please refer to ST web.



5 Revision history

Table 2. Document revision history			
Date	Revision	Changes	
17-Nov-2015	1	Initial release.	
01-Dec-2015	2	Changed figure in the cover page. Add Figure 2.	
12-Apr-2016	3	Updated <i>Features</i> and <i>Description</i> in Cover page. Updated Section 1: System requirements. Added Section 2: Hardware configuration.	
23-Mar-2017	4	Updated: – Section 2: Hardware configuration; – Section 3: GUI.	

Table 2. Document revision history



IMPORTANT NOTICE - PLEASE READ CAREFULLY

STMicroelectronics NV and its subsidiaries ("ST") reserve the right to make changes, corrections, enhancements, modifications, and improvements to ST products and/or to this document at any time without notice. Purchasers should obtain the latest relevant information on ST products before placing orders. ST products are sold pursuant to ST's terms and conditions of sale in place at the time of order acknowledgement.

Purchasers are solely responsible for the choice, selection, and use of ST products and ST assumes no liability for application assistance or the design of Purchasers' products.

No license, express or implied, to any intellectual property right is granted by ST herein.

Resale of ST products with provisions different from the information set forth herein shall void any warranty granted by ST for such product.

ST and the ST logo are trademarks of ST. All other product or service names are the property of their respective owners.

Information in this document supersedes and replaces information previously supplied in any prior versions of this document.

© 2017 STMicroelectronics – All rights reserved



DocID028641 Rev 4

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

STMicroelectronics: SPC5-EV-ADIS