

NFC Dynamic Tag sensor node evaluation board



Features

- **ST25DV64K** dynamic NFC tag solution based on 64K-bit (8K-Byte) EEPROM and with I²C interface, Fast Transfer Mode and Energy Harvesting features
- **STM32L031K6** ultra-low-power ARM Cortex-M0+ MCU running at 32 MHz with 32-Kbytes Flash and 8-Kbytes RAM
- **LIS2DW12** ultra-low-power high-performance three-axis linear accelerometer
- **LPS22HB** ultra-compact piezo-resistive absolute pressure sensor which functions as a digital output barometer: 260-1260 hPa
- **HTS221** capacitive digital sensor for relative humidity and temperature
- **STLQ015** low drop linear regulator power management
- CR2032 Battery powered (not included)
- STM32Cube function pack (**FP-SNS-SMARTAG1**)
- Android (Google Play) and iOS demo apps (ST SmarTag)
- Suitable for the following applications:
 - Internet of Things
 - Supply Chain and Cold-Chain Management
 - Smart building, home and city
 - Retail and apparel
 - Smart packaging
 - Medical and pharmaceutical
 - Batteryless sensing
 - Smart agriculture (soil control, animal tracking, etc.)

Product summary table

STEVAL-SMARTAG1 NFC Dynamic Tag sensor node evaluation board
ST25DV64K 64-Kbit dynamic NFC/RFID tag NFC Forum type V with I2C interface, fast transfer mode and energy harvesting
STM32L031K6 ultra-low-power ARM Cortex-M0+ MCU with 32-Kbytes Flash, 32 MHz CPU
LIS2DW12 3-axis MEMS accelerometer, ultra low power, configurable single/double-tap recognition, free-fall, wakeup, portrait/landscape, 6D/4D orientation detections
LPS22HB ultra-compact piezoresistive absolute pressure sensor, 260-1260 hPa, digital output barometer, full-mold, holed LGA package (HLGA)
HTS221 capacitive digital sensor for relative humidity and temperature
STLQ015 150 mA - ultra low quiescent current linear voltage regulator

Description

This smart and flexible NFC Tracker evaluation board with sensors includes a comprehensive software library and a sample application to monitor and log sensor data over NFC from an Android or iOS device.

The ultra-low power sensor node evaluation board mounts an ST25DV NFC Tag, an STM32L0 ARM Cortex M0+, environment sensors (temperature, humidity and pressure) and motion (accelerometer) sensor.

The evaluation board features NFC harvesting to supply power and a battery cradle for a CR2032 battery.

1 Schematic diagrams, bill of materials and other resources

For schematic diagrams, bill of materials and other resources, please visit the [STEVAL-SMARTAG1 page](#) on www.st.com

1.1 Application development

For further resources to help you build your application, you can try the [Connectivity application page](#) on www.st.com

Revision history

Table 1. Document revision history

Date	Version	Changes
19-Feb-2018	1	Initial release.
07-Mar-2018	2	Updated Features .
22-Jun-2018	3	Updated cover image.

IMPORTANT NOTICE – PLEASE READ CAREFULLY

STMicroelectronics NV and its subsidiaries ("ST") reserve the right to make changes, corrections, enhancements, modifications, and improvements to ST products and/or to this document at any time without notice. Purchasers should obtain the latest relevant information on ST products before placing orders. ST products are sold pursuant to ST's terms and conditions of sale in place at the time of order acknowledgement.

Purchasers are solely responsible for the choice, selection, and use of ST products and ST assumes no liability for application assistance or the design of Purchasers' products.

No license, express or implied, to any intellectual property right is granted by ST herein.

Resale of ST products with provisions different from the information set forth herein shall void any warranty granted by ST for such product.

ST and the ST logo are trademarks of ST. All other product or service names are the property of their respective owners.

Information in this document supersedes and replaces information previously supplied in any prior versions of this document.

© 2018 STMicroelectronics – All rights reserved

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[STMicroelectronics:](#)

[STEVAL-SMARTAG1](#)