




MFG. ENG. *John* 2/17/05




SIZE: 10SL-4
2-#16 CONTACTS




SIZE: 10SL-3
3-#16 CONTACTS




SIZE: 12S-3
2-#16 CONTACTS




SIZE: 14S-9
2-#16 CONTACTS




SIZE: 14S-1
3-#16 CONTACTS




SIZE: 14S-7
3-#16 CONTACTS




SIZE: 14S-2
4-#16 CONTACTS




SIZE: 14S-5
5-#16 CONTACTS




SIZE: 14S-6
6-#16 CONTACTS



SIZE: 16-10
3-#12 CONTACTS



SIZE: 16S-8
5-#16 CONTACTS



SIZE: 16S-1
7-#16 CONTACTS


WIRE VIEWS
(FOR PIN CONTACTS)

COPY


PART NUMBER: HPMQSTD

A	RCS	11-12-03	CREATED DRAWING PER ECR #2672
REV.	INIT.	DATE	DESCRIPTION
			ORIG. DRAWN BY: DATE: RCS 11-12-03
ALL INFORMATION ILLUSTRATED IS THE PROPERTY OF CONNELL CORPORATION. UNAUTHORIZED DUPLICATION OR DISTRIBUTION OF THIS DOCUMENT IS PROHIBITED.			
ALL UNITS ARE IN FEET, INCHES, FRACTION OF INCHES AND DECIMALS.			
UNLESS OTHERWISE SPECIFIED TOLERANCES: 3 PLACE DECIMALS ±.005 ANGLES ±1° FRACTIONS ±1/16			601 E. WILLOWOOD VILLA PARK, IL 60181
- CRITICAL CHARACTERISTIC FLAG PER SPEC. XXXX			TITLE: HOLE PATTERNS MIL-E-QUAL SIZES: 10SL, 12S, 14S, 16 & 16S
FILE:	DIRECTORY:	PART NUMBER:	REV.:
HPMQSTDH1	DETAILS	HPMQSTD	A


MFG. ENG. *Rahn* 2/17/05




SIZE: 10SL-4
2-#16 CONTACTS




SIZE: 10SL-3
3-#16 CONTACTS




SIZE: 12S-3
2-#16 CONTACTS




SIZE: 14S-9
2-#16 CONTACTS




SIZE: 14S-1
3-#16 CONTACTS




SIZE: 14S-7
3-#16 CONTACTS




SIZE: 14S-2
4-#16 CONTACTS




SIZE: 14S-5
5-#16 CONTACTS




SIZE: 14S-6
6-#16 CONTACTS



SIZE: 16-10
3-#12 CONTACTS



SIZE: 16S-8
5-#16 CONTACTS



SIZE: 16S-1
7-#16 CONTACTS


FACE VIEWS
(FOR PIN CONTACTS)

COPY


PART NUMBER: HPMQSTD

REV.	INIT.	DATE	DESCRIPTION
A	RCS	11-12-03	CREATED DRAWING PER ECR #2672
<small>ALL INFORMATION ILLUSTRATED IS THE PROPERTY OF "CONNALL CORPORATION." UNAUTHORIZED DUPLICATION OR DISTRIBUTION OF THIS DOCUMENT IS PROHIBITED.</small>			<small>ORIG. DRAWN BY: DATE:</small> RCS 11-12-03
<small>ALL UNITS ARE IN FEET, INCHES, FRACTION OF INCHES AND DECIMALS.</small>			<small>CHECKED BY:</small> <i>RCS 2/17/05</i>
<small>UNLESS OTHERWISE SPECIFIED TOLERANCES:</small> 3 PLACE DECIMALS ±.005 ANGLES ±1° FRACTIONS ±1/16			<small>APPROVED BY:</small> <i>RCS 2/17/05</i>
<small>CRITICAL CHARACTERISTIC FLAG PER SPEC. XXXX</small>			<small>601 E. WILDWOOD VILLA PARK, IL 60181</small> TITLE: HOLE PATTERNS MIL-E-QUAL SIZES: 10SL, 12S, 14S, 16 & 16S
SCALE	SIZE	SHEET	CUSTOMER:
NTS	B	2 OF 8	
FILE:	DIRECTORY:	PART NUMBER:	REV.:
HPMQSTD	HPMQSTD	HPMQSTD	A


MFG. ENG. *Kahr* 2/17/05




SIZE: 18-4
4-#16 CONTACTS




SIZE: 18-10
4-#12 CONTACTS




SIZE: 18-11
5-#12 CONTACTS



SIZE: 18-12
6-#16 CONTACTS



SIZE: 18-8
7-#16 CONTACTS
1-#12 CONTACTS



SIZE: 20-7
8-#16 CONTACTS


COPY

WIRE VIEWS
(FOR PIN CONTACTS)


PART NUMBER: HPMQSTD

A	RCS	11-12-03	CREATED DRAWING PER ECR #2672
REV.	INIT.	DATE	DESCRIPTION
			ALL INFORMATION ILLUSTRATED IS THE PROPERTY OF CONZALL CORPORATION. UNAUTHORIZED DUPLICATION OR DISTRIBUTION OF THIS DOCUMENT IS PROHIBITED.
			ORIG. DRAWN BY: RCS DATE: 11-12-03
			CHECKED BY: <i>Kahr</i> 2/17/05
			APPROVED BY: <i>Kahr</i> 2/17/05
			ALL UNITS ARE IN FEET, INCHES, FRACTION OF INCHES AND DECIMALS.
			UNLESS OTHERWISE SPECIFIED: TOLERANCES: 3 PLACE DECIMALS ±.003 ANGLES ±1° FRACTIONS ±1/16
			SCALE: NTS SIZE: B SHEET: 3 OF 8
			FILE: HPMQSTD SH3 DIRECTORY: DETAILS
			601 E. WILDWOOD VILLA PARK, IL 60181
			TITLE: HOLE PATTERNS MIL-E-QUAL SIZES: 18 & 20
			CUSTOMER: HPMQSTD PART NUMBER: HPMQSTD REV. A


MFG. ENG. *Calvin* 2/17/05
 APPROVED BY: DATE:




SIZE: 18-4
 4-#16 CONTACTS




SIZE: 18-10
 4-#12 CONTACTS




SIZE: 18-11
 5-#12 CONTACTS



SIZE: 18-12
 6-#16 CONTACTS



SIZE: 18-8
 7-#16 CONTACTS
 1-#12 CONTACTS



SIZE: 20-7
 8-#16 CONTACTS


FACE VIEWS
 (FOR PIN CONTACTS)

COPY


PART NUMBER: HPMQSTD

A	RCS	11-12-03	CREATED DRAWING PER ECR #2672
REV.	INIT.	DATE	DESCRIPTION
<small>ALL INFORMATION ILLUSTRATED IS THE PROPERTY OF CONZALL CORPORATION. UNAUTHORIZED DUPLICATION OR DISTRIBUTION OF THIS DOCUMENT IS PROHIBITED.</small>			<small>ORIG. DRAWN BY: DATE:</small> RCS 11-12-03
<small>ALL UNITS ARE IN FEET, INCHES, FRACTION OF INCHES AND DECIMALS.</small>			
<small>UNLESS OTHERWISE SPECIFIED TOLERANCES:</small> 3 PLACE DECIMALS ±.005 ANGLES ±1° FRACTIONS ±1/16			
<small>3 PLACE DECIMALS ±.005</small> <small>ANGLES ±1°</small> <small>FRACTIONS ±1/16</small>			<small>CHECKED BY:</small> <i>ROL 2/17/05</i>
<small>APPROVED BY:</small> <i>MC 2/17/05</i>			<small>601 E. WILDWOOD VILLA PARK, IL 60181</small>
SCALE	SIZE	SHEET	TITLE: HOLE PATTERNS
NTS	B	4 OF 8	MIL-E-QUAL
FILE:	DIRECTORY:	PART NUMBER:	SIZES: 18 & 20
HPMQSTD4	DETAILS	HPMQSTD	
<small>CRITICAL CHARACTERISTIC FLAG PER SPEC. XXXX</small>			REV. A


MFG. APPROVED BY: DATE:
 ENG. *Jahn* 2/17/05




SIZE: 20-16
 7-#16 CONTACTS
 2-#12 CONTACTS




SIZE: 18-1
 10-#16 CONTACTS



SIZE: 18-19
 10-#16 CONTACTS



SIZE: 20-27
 14-#16 CONTACTS



SIZE: 20-29
 17-#16 CONTACTS


COPY

PART NUMBER: HPMQSTD


WIRE VIEWS
 (FOR PIN CONTACTS)

A	RCS	11-12-03	CREATED DRAWING PER ECR #2672
REV.	INIT.	DATE	DESCRIPTION
<small>ALL INFORMATION ILLUSTRATED IS THE PROPERTY OF CONXAL CORPORATION. UNAUTHORIZED DUPLICATION OR DISTRIBUTION OF THIS DOCUMENT IS PROHIBITED.</small>			<small>ORIG. DRAWN BY: DATE:</small> RCS 11-12-03
<small>ALL UNITS ARE IN FEET, INCHES, FRACTION OF INCHES AND DECIMALS.</small>			 601 E. WILDWOOD VILLA PARK, IL 60181
<small>UNLESS OTHERWISE SPECIFIED TOLERANCES: 3 PLACE DECIMALS ±.005 ANGLES ±1° FRACTIONS ±1/16</small>			
<small>▷ CRITICAL CHARACTERISTIC FLAG PER SPEC. XXXX</small>			<small>CUSTOMER:</small> HPMQSTD
<small>SCALE</small> SIZE B SHEET 5 OF 8		<small>FILE:</small> HPMQSTD5	<small>REV.:</small> A


MFG. ENG. *gahr* APPROVED BY: DATE: 2/17/05




SIZE: 20-16
7-#16 CONTACTS
2-#12 CONTACTS




SIZE: 18-1
10-#16 CONTACTS



SIZE: 18-19
10-#16 CONTACTS



SIZE: 20-27
14-#16 CONTACTS



SIZE: 20-29
17-#16 CONTACTS

FACE VIEWS
(FOR PIN CONTACTS)






COPY

PART NUMBER: HPMQSTD


A	RCS	11-12-03	CREATED DRAWING PER ECR #2672
REV.	INIT.	DATE	DESCRIPTION
ALL INFORMATION ILLUSTRATED IS THE PROPERTY OF CONXALL CORPORATION. UNAUTHORIZED DUPLICATION OR DISTRIBUTION OF THIS DOCUMENT IS PROHIBITED.			ORIG. DRAWN BY: RCS DATE: 11-12-03 CHECKED BY: <i>gahr</i> DATE: 2/17/05 APPROVED BY: <i>gahr</i> DATE: 2/17/05
ALL UNITS ARE IN FEET, INCHES, FRACTION OF INCHES AND DECIMALS. UNLESS OTHERWISE SPECIFIED TOLERANCES: 3 PLACE DECIMALS ±.005 ANGLES ±1° FRACTIONS ±1/16 ▽ = CRITICAL CHARACTERISTIC FLAG PER SPEC. XXXX			CONXALL 601 E. WILDWOOD VILLA PARK, IL 60181 TITLE: HOLE PATTERNS MIL-E-QUAL SIZES: 18 & 20 CUSTOMER:
SCALE	SIZE	SHEET	FILE: HPMQSTD SHG DETAILS
NTS	B	6 OF 8	PART NUMBER: HPMQSTD
			REV. A

APPROVED BY: *John* DATE: 2/17/05
 MFG. ENG.

PART NUMBER: HPMQSTD




WIRE VIEWS
 (FOR PIN CONTACTS)




COPY

A	RCS	11-12-03	CREATED DRAWING PER ECR #2672
REV.	INIT.	DATE	DESCRIPTION
			ORIG. DRAWN BY: DATE: RCS 11-12-03
ALL INFORMATION ILLUSTRATED IS THE PROPERTY OF CONZALL CORPORATION. UNAUTHORIZED DUPLICATION OR DISTRIBUTION OF THIS DOCUMENT IS PROHIBITED.			CHECKED BY: <i>John</i> 2/17/05
ALL UNITS ARE IN FEET, INCHES, FRACTION OF INCHES AND DECIMALS.			APPROVED BY: <i>John</i> 2/17/05
UNLESS OTHERWISE SPECIFIED TOLERANCES:			601 E. WILDWOOD VILLA PARK, IL 60181
3 PLACE DECIMALS ±.005			TITLE: HOLE PATTERNS
ANGLES ±1°			MIL-E-QUAL
FRACTIONS ±1/16			SIZES: 22, 24 & 28
CRITICAL CHARACTERISTIC FLAG PER SPEC. XXXX			CUSTOMER:
FILE:	DIRECTORY:	PART NUMBER:	REV.:
HPMQSTD7	DETAILS	HPMQSTD	A


MFG. ENG. APPROVED BY: DATE: 5/14/15




SIZE: 28-2
12-#16 CONTACTS
2-#12 CONTACTS




SIZE: 24-28
24-#16 CONTACTS




SIZE: 24-2
7-#12 CONTACTS



SIZE: 22-14
19-#16 CONTACTS



SIZE: 28-12
26-#16 CONTACTS



SIZE: 28-21
37-#16 CONTACTS

FACE VIEWS
(FOR PIN CONTACTS)

COPY

PART NUMBER: HPMQSTD

A	RCS	11-12-03	CREATED DRAWING PER ECR #2672
REV.	INIT.	DATE	DESCRIPTION
<small>ALL INFORMATION ILLUSTRATED IS THE PROPERTY OF CONXALL CORPORATION. UNAUTHORIZED DUPLICATION OR DISTRIBUTION OF THIS DOCUMENT IS PROHIBITED.</small>			<small>ORIG. DRAWN BY: DATE:</small> RCS 11-12-03
<small>ALL UNITS ARE IN FEET, INCHES, FRACTION OF INCHES AND DECIMALS.</small>			
<small>UNLESS OTHERWISE SPECIFIED TOLERANCES: 3 PLACE DECIMALS ±.005 ANGLES ±1° FRACTIONS ±1/16</small>			
<small>APPROVED BY:</small> 		<small>CHECKED BY:</small> 	<small>601 E. WILDWOOD VILLA PARK, IL 60181</small> <small>TITLE: HOLE PATTERNS MIL-E-QUAL SIZES: 22, 24 & 28</small>
<small>SCALE: SIZE: SHEET</small> NTS B 8 OF 8		<small>CUSTOMER:</small> HPMQSTD	<small>FILE: HPMQSTD</small> <small>DIRECTORY: DETAILS</small>
<small>△ = CRITICAL CHARACTERISTIC FLAG PER SPEC. XXXX</small>			<small>PART NUMBER: HPMQSTD</small> <small>REV. A</small>

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Switchcraft:](#)

[CXC3106A14S6S](#)