
MFG. APPROVED BY: DATE: ENG. ADDA 21705


- 0.091 [2.31]

<u>SIZE: 10SL-4</u>


2-#16 CONTACTS




3-#16 CONTACTS




<u>SIZE: 12S-3</u> 2-#16 CONTACTS



SIZE: 145-9 2-#16 CONTACTS





SIZE: 14S-1 3-#16 CONTACTS

- 0.180 [4.57] 0.145


[3.68] 0.105 -[2.67] <u>SIZE: 165-8</u> 5-#16 CONTACTS

COP!

•--- 0.138 [3.50] - 0.145 [3.68] 0.117 -0.045 — [1.14] [2.97] 0.085 —= [2.16]

> <u>SIZE: 14S-5</u> 5-#16 CONTACTS

PART NUMBER: HPMQSTD




<u>SIZE: 14S-6</u> 6-#16 CONTACTS

- 0.125 [3.17] 0.145 [3.68] -+-0.075 -[1.90]


> SIZE: 16-10 3-#12 CONTACTS

WIRE VIEWS (FOR PIN CONTACTS)





MFG. APPROVED BY: DATE: ENG. Yahn 2/17/05

PART NUMBER: HPMQSTD




4-#16 CONTACTS







<u>SIZE: 18–10</u> 4–#12 CONTACTS <u>SIZE: 18–11</u> 5–#12 CONTACTS



<u>SIZE: 18–12</u> 6–#16 CONTACTS



<u>SIZE: 18-8</u> 7-#16 CONTACTS 1-#12 CONTACTS




8-#16 CONTACTS


WIRE VIEWS (FOR PIN CONTACTS)






Α	RCS	11-12-03	CREA	TED	DRAWING P	ER ECR	#2672		
REV.	INIT.	DATE	DESC	riptio	N				
THE CORPO			ORIG. OR RCS CHECKED		11-12-03				
ALL UNITS ARE IN FEET, INCHES, FRACTION OF INCHES AND DECIMALS. UNLESS OTHERWISE SPECIFIED			APPROVED BY:			601 E. WILDWOOD VILLA PARK, IL 6018 TTLE: HOLE PATTERNS MIL-E-QUAL			
	ACE DEC	ANCES: SIMALS ±.005 S ±1' S ±1/16	SCALE NTS	5ize B	SHEET <u>3 OF</u> 8	CUSTOMER:		18 & 20	
> _ñ	CRITICAL AG PER S	CHARACTERISTIC	RUE: HPMQS	TDSH	DIRECTORY:	PART NUMBER:	HPM	IQSTD	REV.








COP

A RCS 11-12-03	CREATED DRAWING PER ECR #2672						
REV. INIT. DATE	DESCRIPTION						
ALL INFORMATION ILLUSTRATED IS THE PROPERTY OF "CONXAL CORFORATION." UNAUTHORIZED	ORIG. DRAWN BY: DATE: RCS 11-12-03						
DUPLICATION OR DISTRIBUTION OF THIS DOCUMENT IS PROHIBITED.							
ALL UNITS ARE IN FEET, INCHES, FRACTION OF INCHES	601 E. WILDWOOD VILLA PARK, IL 60181						
AND DECIMALS.	APPROVED (BY: / TITLE: HOLE PATTERNS						
UNLESS OTHERWISE SPECIFIED	MIL-E-QUAL						
3 PLACE DECIMALS ±.005	SCALE SIZE 4 SHEET SIZES: 18 & 20						
ANGLES ±1" FRACTIONS ±1/16	NTS B 5 OF 8 CUSTOMER:						
- CRITICAL CHARACTERISTIC FLAG PER SPEC. XXXX	HPMQSTDSH5 DETAILS NUMBER; HPMQSTD A						









Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Switchcraft: CXS3102A14S6S