

## **SPECIFICATION**

Part No. : **CGGBP.25.4.A.02** 

Product Name : Embedded 25mm GPS/GLONASS/BEIDOU

Patch Antenna, 1561/1575/1602MHz

Feature : 25\*25\*4mm Ceramic patch

High Gain (up to 3.5dBi)

Excellent stability on the three GNSS systems

Optimized radiation patterns

Pin Mount

**RoHS Compliant** 





#### 1. Introduction

This 25mm square embedded ceramic GPS/GLONASS/BEIDOU patch antenna's wide band of operation leads to excellent gain and radiation pattern stability on all three common commercial GNSS systems worldwide.

Compared to using a smaller antenna, this will translate into the GNSS system having much higher location accuracy, improved reliability of lock in urban areas, better signal reception, with more satellites acquired and a quicker time to first fix.

The patch is mounted via pin and double-sided adhesive.




# 2. Specification

ELECTRICAL					
Frequency	BeiDou:1561.098MHz $\pm$ 2.046MHz GPS: 1575.42 $\pm$ 1.023MHz GLONASS: 1602 $\pm$ 5MHz				
Centre Frequency	Centre Frequency 1582MHz ± 3MHz				
VSWR	BeiDou: 2.5 max. GPS: 2.5 max. GLONASS: 1.8 max.				
Zenith Gain	BeiDou: +2.5 dBi typ. GPS: +1.5dBi typ. GLONASS: +3.5 dBi typ.				
Impedance	50 Ω				
MECHANICAL					
Dimensions	25 x 25 x 4mm				
Material	Ceramic				
Pin Diameter	0.9mm				
Pin Length	1.65mm				
ENVIRONMENTAL					
Operation Temperature	-40°C to 85°C				
Storage Temperature	-40°C to 105°C				
Humidity	Non-condensing 65°C 95% RH				




### 3. Antenna Characteristics

#### 3.1 S11 Impedance






#### 3.2 Return Loss






## 4.2D Antenna Radiation






#### 4.1 1575.42MHz



	Peak Gain (dBi)	Average Gain (dBi)
XZ Plane	2.39	-2.26
YZ Plane	2.38	-2.25




### 4.2 1561MHz



	Peak Gain (dBi)	Average Gain (dBi)
XZ Plane	3.41	-1.20
YZ Plane	3.36	-1.19




#### 4.3 1602MHz



	Peak Gain (dBi)	Average Gain (dBi)
XZ Plane	4.21	-0.48
YZ Plane	3.95	-0.73




# **5. Mechanical Drawing-Patch**






#### **5.1 Adhesive Thickness**




Red Line shows the adhesive without Liner – thickness 0.08~0.1mm



### 6. CGGBPD.25.A EVB



	Name	Material	Finish	QTY
1	Patch(25x25x4mm)	Ceramic	Clear	1
2	Ground-Plane(70x70x0.3mm)	Brass	Silver	1
3	SMA(F) ST	Brass	Gold	1










CGGBP.25.4.A.02 Patch on 70\*70mm Ground Plane




# 7. PCB Footprint Recommendation





## 8. Packaging

#### 8.1 Inner Tray




50 pieces per tray

- 4 Trays per Inside Box = 200
- 4 Inside Boxes per Outer Carton -Outer Carton contains 800 pieces



#### 8.2 Carton



## **Mouser Electronics**

**Authorized Distributor** 

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Taoglas:

CGGBPD.25.A