

Foam-Backed Blue Sealant LNCL-GTS-1030-1X25 FT




Table of Dimensions:

PART NUMBER	L (Min. Exp.)	T Ref.	W ± .125 [3.2 mm]
LNCL-GTS-1030-1X25FT	25 ft. [7.8 m]	0.030 [0.75 mm]	1.00 [25.4 mm]

Material:

Open-cell-foam-backed (one side tacky) for handling ability of top surface.
Blue strip: pre-cured silicone gel.
Release paper: 5-mil thickness paper.

Requirements:

Except as specified above, the product will meet the requirements of Specification RT-1065.
Acceptance tests shall consist of measuring roll width and thickness.

Notes:

Open-cell foam is 0.030" thick. When compressed to less than the nominal gel thickness, gel penetrates through the open-cell foam to seal substrates on both sides.

Specification Control Drawing

tyco <i>Electronics</i>		Tyco Electronics Corporation 300 Constitution Drive Menlo Park, CA 94025 USA		Raychem	Title: Foam-Backed Blue Sealant	
Tyco Electronics reserves the right to amend this drawing at any time. Users should evaluate the suitability of the product for their application				Document No. LNCL-GTS-1030-1X25FT		
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES. METRIC DIMENSIONS ARE SHOWN IN BRACKETS				Rev.: B	Rev. Date: July 20, 2004	
DRAWN BY: U. NGUYEN	CAGE CODE: 06090	Org. Date: Dec. 4, 2003	File name: Inclgts10301x25ft	SCALE: None	SIZE: A	SHEET: 1 of 1

©2004 Tyco Electronics Corporation. All rights reserved

If this document is printed it becomes uncontrolled. Check for the latest revision.

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[LNCL-GTS-1030-1X25FT](#)