

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	AA4	REVISED PER ECR-18-005503	30MAY2018	BDA	SG




- 1
- MATING CONN P/N: □-1123722-□
- 2
- APPLICABLE P.C.B LAYOUT: SEE FIG. 1
- 3
- APPLICABLE P.C.B THICKNESS: 1.60
- 4
- SKETCHES SHOW NO PINS MISSING.

- 6
- PIN: POST TIN OVER BRASS
- 7
- HOUSING: PBT, 30% GLASS, UL94-V0.
- 8
- : WITH PIN,  
X : WITHOUT PIN.

- 10
- SUPERSEDED BY 1744489-2.
- 11
- SUPERSEDED BY 1744489-4.
- 12
- SUPERSEDED BY 1744489-5.
- 13
- SUPERSEDED BY 1744489-6.
- 14
- SUPERSEDED BY 1744489-7.
- 15
- SUPERSEDED BY 1744489-8.
- 16
- SUPERSEDED BY 1744489-9.
- 17
- SUPERSEDED BY 1-1744489-0.
- 18
- SUPERSEDED BY 1-1744489-1.

VALUES FOR UL 61800-5-1

Flam	RTIe deg C	HWI	HAI	CTI
V0	130	PLC 2	PLC 4	PLC 2_UL746







2 FIG.1



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN N.YAMASAKI 13MAR'01	TE Connectivity		
DIMENSIONS: mm		CHK M.SHINDO 13MAR'01			
	TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME		
	0 PLC ± 1 PLC ± 0.50 2 PLC ± 0.30 3 PLC ± 4 PLC ±		PRODUCT SPEC		
	FINISH		APPLICATION SPEC		
MATERIAL SEE TABLE		WEIGHT	SIZE A2		
SEE TABLE		CUSTOMER DRAWING	CAGE CODE 00779		
			DRAWING NO 1123723		
			RESTRICTED TO —		
			SCALE 5:1		
			SHEET 1 OF 2		
			REV AA4		

THIS DRAWING IS UNPUBLISHED.	RELEASED FOR PUBLICATION
© COPYRIGHT - By - ALL RIGHTS RESERVED.	

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	—	SEE SHEET 1	—	—	—

											27.72	29.12	31.62	NATURAL	8		7-1123723-8
														GREEN		6-1123723-8	
														BLACK		5-1123723-8	
														RED		4-1123723-8	
														BLUE		3-1123723-8	
														YELLOW		2-1123723-8	
														NATURAL		1-1123723-8	
														NATURAL			7-1123723-7
											GREEN	6-1123723-7					
											BLACK	5-1123723-7					
											RED	4-1123723-7					
											BLUE	3-1123723-7					
											YELLOW	2-1123723-7					
											NATURAL	1-1123723-7					
											NATURAL		7-1123723-6				
											GREEN	6-1123723-6					
											BLACK	5-1123723-6					
											RED	4-1123723-6					
											BLUE	3-1123723-6					
											YELLOW	2-1123723-6					
											NATURAL	1-1123723-6					
											NATURAL		7-1123723-5				
											GREEN	6-1123723-5					
											BLACK	5-1123723-5					
											RED	4-1123723-5					
											BLUE	3-1123723-5					
											YELLOW	2-1123723-5					
											NATURAL	1-1123723-5					
											NATURAL		7-1123723-4				
											GREEN	6-1123723-4					
											BLACK	5-1123723-4					
											RED	4-1123723-4					
											BLUE	3-1123723-4					
											YELLOW	2-1123723-4					
											NATURAL	1-1123723-4					
											NATURAL		7-1123723-3				
											GREEN	6-1123723-3					
											BLACK	5-1123723-3					
											RED	4-1123723-3					
											BLUE	3-1123723-3					
											YELLOW	2-1123723-3					
											NATURAL	1-1123723-3					
											NATURAL		7-1123723-2				
											GREEN	6-1123723-2					
											BLACK	5-1123723-2					
											RED	4-1123723-2					
											BLUE	3-1123723-2					
											YELLOW	2-1123723-2					
											NATURAL	1-1123723-2					
1	2	3	4	5	6	7	8	9	10	11	"C"	"B"REF	"A"REF	COLOR	POS	ASS'Y P/N	
PIN POSITION											DIMENSION						

											39.60	41.00	43.50	NATURAL	11		8-1123723-1		
																	GREEN		6-1123723-1
																	BLACK		5-1123723-1
																	RED		4-1123723-1
																	BLUE		3-1123723-1
																	YELLOW		2-1123723-1
																	NATURAL		1-1123723-1
											35.64	37.04	39.54	NATURAL	10		7-1123723-0		
																	GREEN		6-1123723-0
																	BLACK		5-1123723-0
																	RED		4-1123723-0
																	BLUE		3-1123723-0
																	YELLOW		2-1123723-0
																	NATURAL		1-1123723-0
											31.68	33.08	35.58	NATURAL	9		7-1123723-9		
	X				X						39.60	41.00	43.50	NATURAL			7-1123723-1		
											31.68	33.08	35.58	GREEN			6-1123723-9		
																	BLACK		5-1123723-9
																	RED		4-1123723-9
																	BLUE		3-1123723-9
																	YELLOW		2-1123723-9
													NATURAL		1-1123723-9				
1	2	3	4	5	6	7	8	9	10	11	"C"	"B"	REF	"A"	REF	COLOR	POS	ASS'Y P/N	
PIN POSITION 											DIMENSION				COLOR	POS	ASS'Y P/N		

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN N.YAMASAKI 13MAR'01 CHK M.SHINDO 13MAR'01		 TE Connectivity	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ± 0.50 2 PLC ± 0.30 3 PLC ± 4 PLC ± ANGLES ±		NAME 3.96MM PITCH ECONOMY POWER(EP) CONN HEADER ASSY	
		APVD Y.KASHIWA 13MAR'01 PRODUCT SPEC 108-5609 APPLICATION SPEC —		SIZE A2	
MATERIAL SEE TABLE		FINISH SEE TABLE WEIGHT		CAGE CODE 00779	
		CUSTOMER DRAWING		DRAWING NO C-1123723	
				RESTRICTED TO —	
				SCALE 5:1	
				SHEET 2 of 2	
				REV AA4	

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[7-1123724-5](#)