


AMP 4805 REV 31MAR2000





THESE SURFACES WILL NOT BE PLATED THE NOTED DIMENSIONS APPLY AT THE INTERSECTION OF THE POST AND THE HOUSING POINT OF MEASUREMENT FOR PLATING THICKNESS 0BSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI

OBSOLETE OBSOLETE		0 0	5.415 5.259	5.304 5.148	34 33	35 34	3-87113-5 3-87113-4	-
OBSOLETE	_	0	5.103	4.992	32	33	3-87113-3	-
OBSOLETE		0	4.947	4.836	31	32	3-87113-2	_
OBSOLETE	—	0	4.791	4.680	30	31	3-87113-1	_
OBSOLETE OBSOLETE	—	0	4.635	4.524	29 28	30 29	3-87113-0	_
OBSOLETE		0	4.479	4.212	20	29	<u>2-87113-9</u> 2-87113-8	_
OBSOLETE		0	4.167	4.056	26	27	2-87113-8	_
OBSOLETE		0	4.011	3.900	25	26	2-87113-6	
		1 1	3.855	3.744	23	25	2-87113-5	~
4 Obsolete	A,C,E,G,J,L,N,Q,S,U,W,Y	12	3.699	3.588	23	23	2-87113-4	
	$\begin{array}{c} A, C, L, Q, J, L, N, Q, S, U, W, T \\ A, D, G, K, N, R, U, X \end{array}$	8	3.543	3.432	22	23	2-87113-3	
	A, D, G, R, N, R, O, X $A, C, E, G, J, L, N, Q, S, U, W$	11	3.387	3.276	21	20	2-87113-2	_
		7	3.231	3.120	20	21		
	A, D, G, K, N, R, D	,	3.075	2.964	19	20	2-87113-1	
	A,C,E,G,J,L,N,Q,S,U	10			18		2-87113-0	
	B,D,F,J,L,N,Q,S	8	2.919	2.808	17	19	1-87113-9	
	A, D, F, J, M, P, S	7	2.763	2.652		18	1-87113-8	
	A,D,G,K,N,R	6	2.667	2.496	16	17	1-87113-7	
	A,C,E,G,J,L,N,Q	8	2.451	2.340	15	16	1-87113-6	
	A,D,G,K,N	5	2.295	2.184	14	15	1-87113-5	-
	A,C,E,G,J,L,N	7	2.139	2.028	13	14	1-87113-4	-
	A, D, J, M	4	1.983	1.872	12	13	1-87113-3	-
	A, C, E, G, J, L	6	1.827	1.716	11	12	1-87113-2	_
	A,D,G,K	4	1.671	1.560	10	11	1-87113-1	-
	A,C,E,G,J	5	1.515	1.404	9	10	1-87113-0	
	A,D,G	3	1.359	1.248	8	9	87113-9	-
	A,C,E,G	4	1.203	1.092	7	8	87113-8	_
	A,C,E	3	1.047	.936	6	7	87113-7	-
	A,C,E	3	.891	.780	5	6	87113-6	-
OBSOLETE	A,D	2	.735	.624	4		87113-5	
A	A,C	2	.579	.468	2	4 3	87113-4	
	Α	1	.423	.156	1	2	87113-3 87113-2	_
OBSOLETE	A	0	.111		1	1	87113-2	_
	KEYWAY LOCATIONS	NO OF	C	B	A	NO OF POSN	ASSEMBLY PART	
		KEYWAY					NUMBER	
	THIS DRAWING IS A CONTROLLED DO	DCUMENT.	A MAYER	⁹⁻⁸⁷ <i>tyc</i>	0	Tyco Electronics	L Corporation	1
		СНК		^{2–87} <i>Electro</i>		Harrisburg, Pa		
		INCHES		IUBBEN EIGCU NAME				
	0 PLC ±				HEADER ASSEMBLY, MOD I, Vertical, single row, .156 cl.			
	2 PLC ±							
	4 PLC ± ANGLES	.000			GE CODE DRAWING N		RESTRICTED TO	7
	MATERIAL FINISH HOUSING – FLAME POSTS: .000030 GO RETARDENT THERMOPLASTIC, AREA GOLD FLASH (WEIGI	HT	A1 oc)779 C- 8	7113	_	
	RETARDENT THERMOPLASTIC, AREA GOLD FLASH (COLOR-BLACK OF POST ALL OVER NICKEL	.000050	STOMER DRAWIN	IG	I	SCALE 4:1	HEET OF REV]
								-

REVISIONS AD 39 P LTR DESCRIPTION DATE DWN AP\ L1 REVISED PER ECO-09-020932 08SEP09 KK AE

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

TE Connectivity: 87113-4