




REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-




AEC16-40SAE-E019
KEY 'A'




AEC16-40SBE-E019
KEY 'B'



AEC16-40SCE-E019
KEY 'C'



AEC16-40SDE-E019
KEY 'D'



AEC16-40SUE-E019
KEY 'U'

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
INCH[mm]

MATERIAL

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±-

1 PLC ±-

2 PLC ±-

3 PLC ±.025[.64]

4 PLC ±-

ANGLES ±0°30'0"

FINISH -

DWN J. APOSTOL 04FEB2008

CHK D. HASIBUAN 07NOV2012

APVD D. MEYER 08NOV2012

PRODUCT SPEC -

APPLICATION SPEC -

WEIGHT 91 g

CUSTOMER DRAWING

TE Connectivity

NAME
PLUG 40 SIZE 16
KEYS: A,B,C,D,U
E SEAL -E019 MOD AEC SERIES

SIZE A3 CAGE CODE 4AFU8 DRAWING NO. AEC16-40SXE-E019 RESTRICTED TO -

SCALE 1.5:1 SHEET 2 OF 2 REV B

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[AEC16-40SUE-E019](#)