




LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
A	66	-	-	SEE SHEET 1	-	-	-



RAM AND HOLDDOWN SET-UP




CAM POSITION




AIR FEED

FEED TYPE

PNEUMATIC



FEED SPRING
SETTING POSITION




DETAIL A

ATLANTIC VERSION
Shown on sheets 1 of 4 & 2 of 4
(Pacific version shown on sheets 3 of 4 & 4 of 4)

1ST PUBLISHED BY: COMPANY/ISSUE/REVISION FOR: TYCO ELECTRONICS CORPORATION IT IS SUBJECT TO CHANGE/REVISION/CONTROL AND END-USERING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.				DWN: BOB HIGMAN 23DEC2014	TE Connectivity Harrisburg, PA 17105-3608	
				CHK: T. ELBIN 23DEC2014		
				APVD: T. ELBIN 23DEC2014	NAME: Ocean End Feed Applicator	
				PRODUCT SPEC		
				APPLICATION SPEC		
				WEIGHT	A1 00779 ©=2150523	
				Customer Accessible Production Drawing	SCALE: 1:1 SHEET 2 OF 4 REV B	


LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
A	66	-	-	SEE SHEET 1	-	-	-




RAM AND HOLDDOWN SET-UP

FEED TYPE

PNEUMATIC




FEED SPRING
SETTING POSITION




DETAIL A

CAM POSITION



AIR FEED



PACIFIC VERSION
Shown on sheets 3 of 4 & 4 of 4
(Atlantic version shown on sheets 1 of 4 & 2 of 4)

1ST PUBLISHED BY: COMPANY/REVISED BY: FOR: TYCO ELECTRONICS CORPORATION IT IS SUBJECT TO CHANGE/REVISED WITHOUT NOTICE/NO ENDORSEMENT ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.		DWN: BOB HIGMAN 23DEC2014 CHK: T. ELBIN 23DEC2014 APVD: T. ELBIN 23DEC2014	TE Connectivity Harrisburg, PA 17105-3608	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±.1 1 PLC ±.1 2 PLC ±.1 3 PLC ±.1 4 PLC ±.1 ANGLES ±.1 FINISH -	NAME: Ocean End Feed Applicator	
MATERIAL: -		PRODUCT SPEC: - APPLICATION SPEC: - WEIGHT: -	SIZE: A1 CAGE CODE: 00779 DRAWING NO: C-2150523	
		Customer Accessible Production Drawing	SCALE: 1:1 SHEET: 4 OF 4 REV: B	

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[2150523-2](#)