



THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

1998

© COPYRIGHT 1998

BY AMP INCORPORATED.ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

変更

DESCRIPTION

ECN

DATE

DWN

APVD

SEE 1 OF 2

回路番号

CIRCUIT NO

デートコード

DATE CODE

シーケンシャルマーク

SEQUENTIAL MARK

列番号

ROW ID

リテンションレグ

RETENTION REG

シリーズマーク

SERIES MARK

AMP マーク

AMP MARK

1-1376009-1;AS SHOWN  
SEQUENTIAL TYPE

Ground post

Signal post

Ground post

Signal post

POINT OF SEQUENTIAL  
1-1376009-1  
(KEYING X)

NOTES

1. MATERIAL:HOUSING:GLASS FILED THERMO PLASTIC  
POLYESTER(94V-0),COLOR:BLACK  
TAB CONTACT:COPPER ALLOY  
RETENTION LEG:BRASS  
2. FINISH(CONTACT AREA):0.38μmMIN GOLD PLATING  
OVER NI PLATING  
3. FINISH(RETENTION LEG): TIN PLATED  
(CONTACT TAIL) OVER NICKEL

注記

1. 材料:ハウジング:ガラス入り熱可塑性  
ポリエステル樹脂 (94V-0),色:黒  
タブ コンタクト:銅合金  
リテンション レグ:黄銅  
2. めっき:コンタクト:全面Ni下地  
接触部:0.38μm MIN金めっき  
3. めっき:リテンションレグとコンタクト半田付部  
:ニッケル下地の上にスズめっき

1-1376009-1  
(KEYING X)

コンタクト 半田付部

CONTACT TAIL

1-1376009-1  
(KEYING X)

コンタクト 半田付部

CONTACT TAIL

THIS DRAWING IS A CONTROLLED DOCUMENT FOR AMP INCORPORATED  
IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING  
ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.

DWN

24/FEB/'00

CHK

28/FEB/'00

Y.KATO

APVD

28/FEB/'00

I.HASEGAWA

PRODUCT SPEC

108-5619

APPLICATION SPEC

114-5258

WEIGHT

CUSTOMER DRAWING

tyco  
Electronics

Tyco Electronics AMP K.K.  
Kawasaki,Japan

NAME

2列 ヘッダーアセンブリー 8P

(水平タイプ)

DOUBLE ROW HEADER ASS'Y 8P ("H"TYPE)

<DYNAMIC D-2100D>

SIZE

A3

CAGE CODE

00779

DRAWING NO

C= 1376009

RESTRICTED TO

SCALE

4-1

SHEET

2

OF

2

REV

B

AMP1470-19 REV 10/93

(CUSTOMER DRAWING) 顧客用図面

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1376009-1](#)