





REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
AD	REVISED	PER ECO-17-002583	08APR2017	RS	MM
AE	REVISED	PER ECO-20-001323	17JUN2020	SM	JO



SECTION A-A



RECOMMENDED HOLE LAYOUT

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN
R BROWN

09FEB01

CHK
K WRIGHT

09FEB01

APVD
K WRIGHT

09FEB01

DIMENSIONS:
mm

0 PLC ± -

1 PLC ± -

2 PLC ± 0.13[.005]

3 PLC ± -

4 PLC ± -

ANGLES ± -

FINISH
SEE TABLE

TOLERANCES UNLESS OTHERWISE SPECIFIED:

PRODUCT SPEC
108-25034

APPLICATION SPEC
114-25026

MATERIAL

7

DWN
R BROWN

09FEB01

CHK
K WRIGHT

09FEB01

APVD
K WRIGHT

09FEB01

NAME

HDR ASSY, RTANG, SINGLE ROW
2.54[.100] CL, 0.64[.025] SQ POST,
WITH PLZN & HOLD DOWNS, AMPMODU MTE

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

CUSTOMER DRAWING

SCALE
4:1

SHEET
1 OF 2

REV
AE

STE

TE Connectivity

8

7

6

5

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT - By -

ALL RIGHTS RESERVED.

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
		SEE SHEET 1	-	-	-

11

8

25.91
[1.020]

27.81
[1.095]

9

10

3-103672-0

15.75
[.620]

17.65
[.695]

5

6

2-103672-9

5.59
[.220]

7.493
[.295]

1

2

2-103672-8

13.21
[.520]

15.11
[.595]

4

5

2-103672-7

10.67
[.420]

12.57
[.495]

3

4

2-103672-6

8.13
[.320]

10.03
[.395]

2

3

2-103672-5

11

12

64.01
[2.520]

65.91
[2.595]

24

25

7-103672-4

61.47
[2.420]

63.37
[2.495]

23

24

7-103672-3

58.93
[2.320]

60.83
[2.395]

22

23

7-103672-2

56.39
[2.220]

58.29
[2.295]

21

22

7-103672-1

53.85
[2.120]

55.75
[2.195]

20

21

7-103672-0

51.31
[2.020]

53.21
[2.095]

19

20

6-103672-9

48.77
[1.920]

50.67
[1.995]

18

19

6-103672-8

46.23
[1.820]

48.13
[1.895]

17

18

6-103672-7

43.69
[1.720]

45.59
[1.795]

16

17

6-103672-6

41.15
[1.620]

43.05
[1.695]

15

16

6-103672-5

38.61
[1.520]

40.51
[1.595]

14

15

6-103672-4

36.07
[1.420]

37.97
[1.495]

13

14

6-103672-3

33.53
[1.320]

35.43
[1.395]

12

13

6-103672-2

30.99
[1.220]

32.89
[1.295]

11

12

6-103672-1

28.45
[1.120]

30.35
[1.195]

10

11

6-103672-0

25.91
[1.020]

27.81
[1.095]

9

10

5-103672-9

23.37
[.920]

25.27
[0.995]

8

9

5-103672-8

20.83
[.820]

22.73
[.895]

7

8

5-103672-7

18.29
[.720]

20.19
[.795]

6

7

5-103672-6

15.75
[.620]

17.65
[.695]

5

6

5-103672-5

13.21
[.520]

15.11
[.595]

4

5

5-103672-4

10.67
[.420]

12.57
[.495]

3

4

5-103672-3

8.13
[.320]

10.03
[.395]

2

3

5-103672-2

5.59
[.220]

7.49
[.295]

1

2

5-103672-1

REMARKS

PLATING

C

B

A

NO.
OF
POSN

PART NO.

11

1

25.91
[1.020]

27.81
[1.095]

9

10

3-103672-0

15.75
[.620]

17.65
[.695]

5

6

2-103672-9

5.59
[.220]

7.493
[.295]

1

2

2-103672-8

13.21
[.520]

15.11
[.595]

4

5

2-103672-7

10.67
[.420]

12.57
[.495]

3

4

2-103672-6

8.13
[.320]

10.03
[.395]

2

3

2-103672-5

11

12

64.01
[2.520]

65.91
[2.595]

24

25

7-103672-4

61.47
[2.420]

63.37
[2.495]

23

24

7-103672-3

58.93
[2.320]

60.83
[2.395]

22

23

7-103672-2

56.39
[2.220]

58.29
[2.295]

21

22

7-103672-1

53.85
[2.120]

55.75
[2.195]

20

21

7-103672-0

51.31
[2.020]

53.21
[2.095]

19

20

6-103672-9

48.77
[1.920]

50.67
[1.995]

18

19

6-103672-8

46.23
[1.820]

48.13
[1.895]

17

18

6-103672-7

43.69
[1.720]

45.59
[1.795]

16

17

6-103672-6

41.15
[1.620]

43.05
[1.695]

15

16

6-103672-5

38.61
[1.520]

40.51
[1.595]

14

15

6-103672-4

36.07
[1.420]

37.97
[1.495]

13

14

6-103672-3

33.53
[1.320]

35.43
[1.395]

12

13

6-103672-2

30.99
[1.220]

32.89
[1.295]

11

12

6-103672-1

28.45
[1.120]

30.35
[1.195]

10

11

6-103672-0

25.91
[1.020]

27.81
[1.095]

9

10

5-103672-9

23.37
[.920]

25.27
[0.995]

8

9

5-103672-8

20.83
[.820]

22.73
[.895]

7

8

5-103672-7

18.29
[.720]

20.19
[.795]

6

7

5-103672-6

15.75
[.620]

17.65
[.695]

5

6

5-103672-5

13.21
[.520]

15.11
[.595]

4

5

5-103672-4

10.67
[.420]

12.57
[.495]

3

4

5-103672-3

8.13
[.320]

10.03
[.395]

2

3

5-103672-2

5.59
[.220]

7.49
[.295]

1

2

5-103672-1

REMARKS

PLATING

C

B

A

NO.
OF
POSN

PART NO.

11

1

25.91
[1.020]

27.81
[1.095]

9

10

3-103672-0

15.75
[.620]

17.65
[.695]

5

6

2-103672-9

5.59
[.220]

7.493
[.295]

1

2

2-103672-8

13.21
[.520]

15.11
[.595]

4

5

2-103672-7

10.67
[.420]

12.57
[.495]

3

4

2-103672-6

8.13
[.320]

10.03
[.395]

2

3

2-103672-5

11

12

64.01
[2.520]

65.91
[2.595]

24

25

7-103672-4

61.47
[2.420]

63.37
[2.495]

23

24

7-103672-3

58.93
[2.320]

60.83
[2.395]

22

23

7-103672-2

56.39
[2.220]

58.29
[2.295]

21

22

7-103672-1

53.85
[2.120]

55.75
[2.195]

20

21

7-103672-0

51.31
[2.020]

53.21
[2.095]

19

20

6-103672-9

48.77
[1.920]

50.67
[1.995]

18

19

6-103672-8

46.23
[1.820]

48.13
[1.895]

17

18

6-103672-7

43.69
[1.720]

45.59
[1.795]

16

17

6-103672-6

41.15
[1.620]

43.05
[1.695]

15

16

6-103672-5

38.61
[1.520]

40.51
[1.595]

14

15

6-103672-4

36.07
[1.420]

37.97
[1.495]

13

14

6-103672-3

33.53
[1.320]

35.43
[1.395]

12

13

6-103672-2

30.99
[1.220]

32.89
[1.295]

11

12

6-103672-1

28.45
[1.120]

30.35
[1.195]

10

11

6-103672-0

25.91
[1.020]

27.81
[1.095]

9

10

5-103672-9

23.37
[.920]

25.27
[0.995]

8

9

5-103672-8

20.83
[.820]

22.73
[.895]

7

8

5-103672-7

18.29
[.720]

20.19
[.795]

6

7

5-103672-6

15.75
[.620]

17.65
[.695]

5

6

5-103672-5

13.21
[.520]

15.11
[.595]

4

5

5-103672-4

10.67
[.420]

12.57
[.495]

3

4

5-103672-3

8.13
[.320]

10.03
[.395]

2

3

5-103672-2

5.59
[.220]

7.49
[.295]

1

2

5-103672-1

REMARKS

PLATING

C

B

A

NO.
OF
POSN

PART NO.

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm

0 PLC ± -

1 PLC ± -

2 PLC ± 0.13[.005]

3 PLC ± -

4 PLC ± -

ANGLES ± -

MATERIAL

TOLERANCES UNLESS OTHERWISE SPECIFIED:

FINISH

SEE TABLE

DWN
R BROWN
09FEB01

CHK
K WRIGHT
09FEB01

APVD
K WRIGHT
09FEB01

PRODUCT SPEC
108-25034

APPLICATION SPEC
114-25026

WEIGHT

TE Connectivity

HDR ASSY, RTANG, SINGLE ROW
2.54[.100] CL, 0.64[.025] SQ POST,
WITH PLZN & HOLD DOWNS, AMPMODU MTE

SIZE
A1

CAGE CODE
00779

DRAWING NO
C=103672

RESTRICTED TO
-

CUSTOMER DRAWING

SCALE
4:1

SHEET
2

OF
2

REV
AE

4805 (1/15)

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[5-103672-1](#)