






LOC		DIST		REVISIONS			
P	LTR	DESCRIPTION		DATE	DWN	APVD	
	T	UPDATE PER ECO-06-001864		25 JAN 06	MJS	MKS	

SIZE	B DIM	C DIM ±.0050	(L DIM)
05	.233	.3085	(.100)
09	.333	.4085	(.200)
15	.483	.5585	(.350)
25	.733	.8085	(.600)
37	1.033	1.1085	(.900)
51	1.383	1.4585	(1.250)

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN D. RYAN 06-22-00		tyco Electronics Tyco Electronics Corporation Harrisburg, PA 17105											
		CHK M. STORRY 06-22-00													
DIMENSIONS: INCHES		TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD —		NAME									
	0 PLC ± —		PRODUCT SPEC		RECEPTACLE ASSEMBLY, HORIZONTAL MOUNT, THROUGH HOLE, 1 ROW TO 2 ROW, .050 SPACING, PLASTIC OR METAL										
	1 PLC ± —		—												
	2 PLC ± .010		APPLICATION SPEC												
	3 PLC ± .005		—												
4 PLC ± —		ANGLES ± 1°		SIZE		CAGE CODE		DRAWING NO		RESTRICTED TO					
MATERIAL		FINISH		WEIGHT —		A2		OPJN9		C=1589469		—			
SEE NOTES		SEE NOTES		CUSTOMER DRAWING						SCALE 8:1		SHEET 1 of 2		REV T	



TYPICAL PCB LAYOUT
SIZE 09 SHOWN FOR REFERENCE

9.

POSITIONAL TOLERANCES FOR BASIC DIMENSIONED FEATURES ARE RELATIVE TO FIDUCIALS OR SOME SIMILAR DATUM REFERENCES DEFINED BY PCB DESIGNER.
10.

PLATED THROUGH HOLES
11.

SOLDER PADS
12.

ALL THROUGH HOLE LAYOUTS ARE AS VIEWED FROM TOP OF PCB.

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN D. RYAN 06-22-00		tyco Electronics Tyco Electronics Corporation Harrisburg, PA 17105	
DIMENSIONS: INCHES		CHK M. STORRY 06-22-00			
	TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD —	NAME RECEPTACLE ASSEMBLY, HORIZONTAL MOUNT, THROUGH HOLE, 1 ROW TO 2 ROW, .050 SPACING, PLASTIC OR METAL	
	0 PLC ± —		PRODUCT SPEC —		
	1 PLC ± —		APPLICATION SPEC —		
	2 PLC ± .010		—		
3 PLC ± .005		—	—	SIZE A2	CAGE CODE 0PJN9
4 PLC ± —		—	—	DRAWING NO C=1589469	
ANGLES ± 1°		—	—	RESTRICTED TO —	
FINISH		WEIGHT —	A2 OPJN9 C=1589469		
SEE NOTES		CUSTOMER DRAWING		SCALE 8:1	SHEET 2 of 2
SEE NOTES				REV T	

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1-1589469-0](#)