










ISOMETRIC VIEWS
SCALE 4:1




DETAIL F
SCALE 4:1



DETAIL A
SCALE 4:1



DETAIL E
SCALE 4:1



DETAIL B
SCALE 4:1

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
A		RELEASED PER ECO-11-007933	14APR2011	DLD	DLD
B		REVISED PER ECO-12-008641	10MAY2012	MBH	RH
B1		REVISED PER ECO-12-022332	27DEC2012	DLD	CJS
B2		REVISED PER ECO-20-009235	05AUG2020	JMS	CS

△ POLYESTER PBT, 15% GLASS FILLED.

2. -PLUG HOUSING POSITIONS 1 AND 3 WILL ACCEPT TE MPQ RECEPTACLE PART NUMBER 968074-2, 968075-2, 968678-2.


-PLUG HOUSING POSITIONS 2 AND 4 WILL ACCEPT TE FEMALE CONTACT PART NUMBER 1924955-X.

3. SEE 2035077-MXCU FOR INTERFACE DETAILS.





△ PENDING OBSOLESCENCE. REPLACED BY THE 1-2035077-X VERSION. SEE SHEET 2

△ 4	PER DETAIL B	B	BROWN	2035077-4
△ 4	PER DETAIL E	E	DARK GRAY	2035077-3
△ 4	PER DETAIL A	A	LIGHT GRAY	2035077-2
△ 4	PER DETAIL F	F	BLACK	2035077-1
KEYING		KEY CODE	COLOR	PART NUMBER


THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN D.J. HARDY 08FEB2008	TE Connectivity	
DIMENSIONS:		CHK R.D. HETRICK 07MAY2008	NAME PLUG HOUSING, 4 POSITION (2x0.64mm - 2x2.8mm), UNSEALED, GENERATION Y/2.8 HYBRID	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD R.D. HETRICK 07MAY2008	SIZE A100779	
mm		PRODUCT SPEC	CAGE CODE C=2035077	
0 PLC ±		APPLICATION SPEC	RESTRICTED TO	
1 PLC ±		WEIGHT	SCALE 8:1	
2 PLC ±		CUSTOMER DRAWING	SHEET 1 OF 2	
3 PLC ±			REV B2	
4 PLC ±				
ANGLES ±				
FINISH				




ISOMETRIC VIEWS
SCALE 4:1




DETAIL F
SCALE 4:1



DETAIL A
SCALE 4:1



DETAIL E
SCALE 4:1



DETAIL B
SCALE 4:1

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
A		RELEASED PER ECO-11-007933	14APR2011	DLD	DLD
B		REVISED PER ECO-12-008641	10MAY2012	MBH	RH
B1		REVISED PER ECO-12-022332	27DEC2012	DLD	CJS
B2		REVISED PER ECO-20-009235	05AUG2020	JMS	CS

△ POLYESTER PBT, 15% GLASS FILLED.

2. -PLUG HOUSING POSITIONS 1 AND 3 WILL ACCEPT TE MPQ RECEPTACLE PART NUMBER 968074-2, 968075-2, 968678-2.

-PLUG HOUSING POSITIONS 2 AND 4 WILL ACCEPT TE FEMALE CONTACT PART NUMBER 1924955-X.

3. SEE 2035077-MXCU FOR INTERFACE DETAILS.

4. PART NUMBER 1-2035077-1 SHOWN ON THIS SHEET.

△ PART NUMBER MARKING IN THIS GENERAL AREA.

PER DETAIL B	B	BROWN	1-2035077-4
PER DETAIL E	E	DARK GRAY	1-2035077-3
PER DETAIL A	A	LIGHT GRAY	1-2035077-2
PER DETAIL F	F	BLACK	1-2035077-1
KEYING	KEY CODE	COLOR	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN D.J. HARDY CHK R.D. HETRICK APVD R.D. HETRICK	08FEB2008 07MAY2008 07MAY2008	TE Connectivity	
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME	
mm		0 PLC ±.01 1 PLC ±.01 2 PLC ±.01 3 PLC ±.01 4 PLC ±.01 ANGLES ±.01		PRODUCT SPEC	
MATERIAL		FINISH		APPLICATION SPEC	
△		-		WEIGHT	
CUSTOMER DRAWING		SCALE 8:1		SHEET 2 OF 2	
				REV B2	



PLUG HOUSING,
4 POSITION (2x0.64mm - 2x2.8mm),
UNSEALED, GENERATION Y/2.8 HYBRID

SIZE A | 00779 | C=2035077

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[2035077-2](#)