



4

3


2

1


LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-		BA	NEW DRAWING	24APR2012	KR	ST.P





FOR FURTHER INFORMATION SEE DATA SHEET FOR
3650 SERIES-LOW INDUCTANCE,HIGH FREQUENCY CHIP INDUCTOR



SERIES	A Max.	B Max.	C Max.	E	F	G	H	I	J
3654 1E	1.15	0.70	0.60	0.45	0.20	0.60	0.65	0.35	0.50



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 24APR2012 RAGHAVENDRA K	 TE Connectivity			
DIMENSIONS: mm		CHK 24APR2012 ALLAN P				
		APVD 24APR2012 STEPHEN.P	NAME - CHIP INDUCTOR TYPE 3654 0201 SERIES			
		PRODUCT SPEC -	RESTRICTED TO -			
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APPLICATION SPEC -	SIZE A 3	CAGE CODE 00779	DRAWING NO C=2176086	REV BA
MATERIAL -		WEIGHT 0.001 GRAM	SCALE 32:1			
FINISH -		CUSTOMER DRAWING	SHEET 1 OF 1			

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[2-2176086-8](#)