





LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION		DATE	APVD
-	-		BA	NEW DRAWING		24APR2012	ST.P





FOR FURTHER INFORMATION SEE DATA SHEET FOR  
3650 SERIES-LOW INDUCTANCE,HIGH FREQUENCY CHIP INDUCTOR



SERIES	A Max.	B Max.	C Max.	E	F	G	H	I	J
3654 1E	1.15	0.70	0.60	0.45	0.20	0.60	0.65	0.35	0.50



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN RAGHAVENDRA K 24APR2012	 TE Connectivity			
DIMENSIONS:  mm		CHK ALLAN P 24APR2012	NAME			
	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD STEPHEN.P 24APR2012	CHIP INDUCTOR TYPE 3654 0201 SERIES			
	0 PLC ± 1 PLC ±0.5 2 PLC ±0.2 3 PLC ±0.1 4 PLC ±0.0001 ANGLES ±	PRODUCT SPEC  -	-			
		APPLICATION SPEC  -	-			
	MATERIAL -	FINISH -	WEIGHT 0.001 GRAM	SIZE A 3	CAGE CODE 00779	DRAWING NO C=2176086
CUSTOMER DRAWING			SCALE 32:1	SHEET 1	OF 1	REV BA

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[3-2176086-5](#)