




REVISIONS		DESCRIPTION	DATE	DWN	APVD
P	LTR				


B REVISED PER ECO-20-013368

23SEP2020 RZ HL



RECOMMENDED CIRCUIT PATTERN  
PER IPC-D300 TYPE II, CLASS C  
(COMPONENT SIDE)

- 1 HOUSING MATERIAL: LIQUID CRYSTAL POLYMER.  
COLOR: NATURAL.
- 2 CONTACT MATERIAL: PHOSPHOR BRONZE.
- 3 CONTACT FINISH:(B)  
UNDERPLATE (ENTIRE CONTACT):  
0.00127 MIN NICKEL PER SAE-AMS-QQ-N-290  
ON MATING SURFACES:  
CONFORMS TO ALL TESTING SPECIFIED FOR TELCORDIA  
UNCONTROLLED ENVIRONMENT.  
ON LEADS:  
0.0006 MIN MATTE TIN PER ASTM B 545 OVER UNDERPLATE.  
LUBRICATION (MIN MATING SURFACES):  
SURFACE CONDITIONER AFTER PLATING.
- 4 PART MARKING, LOCATED APPROXIMATELY AS SHOWN.



Obsolete	46.00	23	47.88	96	5223633-3
	22.00	11	23.88	48	5223633-2
	10.00	5	11.88	24	5223633-1

C	B	A	NUMBER OF POSITIONS	PART NUMBER
1	2	3	1	5223633-3
2	3	4	2	5223633-2
3	4	5	3	5223633-1
4	5	6	4	5223633-0

THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN: B.MCMASTER	15DEC04	TE Connectivity
DIMENSIONS:	mm	15DEC04	15DEC04	
0	PLC	± -	APVD: R.WERTZ	
1	PLC	± 0.13	APVD: R.WERTZ	
2	PLC	—	PRODUCT SPEC	
3	PLC	—	APPLICATION SPEC	
4	PLC	± -		
MATERIAL	ANNEALED FINISH	—		
1	2	3	4	
WEIGHT	0	5	6	
CAGE CODE	DRAWING NO	7	8	9
A1 00779	C-5223633	1	2	3
CUSTOMER DRAWING		SCALE	4:1	1 OF 2 REV B

GG	5.00	13.60
CONTACT LETTER	DIM Y	DIM Z

FOR P/N 5223633-1

FOR P/N 5223633-2

FOR P/N 5223633-3 OBSOLETE

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN B.MCMASTER CHK R.WERTZ	15DEC04 15DEC04	 <b>TE</b> Connectivity			
DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD R.WERTZ	15DEC04				
	0 PLC	± -	PRODUCT SPEC	NAME PIN ASSY Z-PACK 2mm FB SIGNAL VERTICAL 4R MULTI POS FEED THROUGH PRESS FIT LEADS			
	1 PLC	± -					
	2 PLC	± 0.13	—				
	3 PLC	± -	APPLICATION SPEC				
	4 PLC	± -					
ANGLES		± -	—				
MATERIAL	FINISH		WEIGHT —	SIZE <b>A1</b>	CAGE CODE 00779	DRAWING NO <b>C-5223633</b>	RESTRICTED TO —
CUSTOMER DRAWING				SCALE 4:1	SHEET 2 OF 2	REV B	

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[5223633-3](#)