

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT

BY TYCO ELECTRONICS CORPORATION, ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P

LTR

DESCRIPTION

DATE

DWN

APVD

C

REVISED (ECR-17-005900)

26.APR.'17

KT, J

KT, L

"A"

"A"

9.8

7.42

7.8

6.1

4.0

0.4

21.9 ±0.2

1.06

4.0

2.7

Ø 2.9

2.8

SECTION "A-A"

"C"

"B"

"B"

"C"

3.95

Ø2.05

SECTION "B-B"

Scale 10/1

5.35

5.55

Ø3.3

SECTION "C-C"

Scale 10/1

NOTE;

△ THREE SERRATIONS CENTERED IN WIRE BARREL.

2 WIRE SIZE EQUIV 3.0SQ/12AWG

APPLICATION SPEC: 114-61033

△ WELDING POINT

PRE-TINNED

CuNiSi Alloy 0.32THK.

1743465-1

FINISH

MATERIAL

PART NO

DWN

02NOV2005

CHK

YH CHOI

APVD

JK SONG

PRODUCT SPEC

-

APPLICATION SPEC

114-61033

WEIGHT

-

NAME

2.8mm MCP-E NON SEALED
RECEP CONTACT (LL)

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A3

00779

C-1743465

-

CUSTOMER DRAWING

SCALE 5/1

SHEET 1


OF 1

REV C

THIS DRAWING IS A CONTROLLED DOCUMENT FOR TYCO ELECTRONICS CORPORATION
IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION
SHOULD BE CONTACTED FOR THE LATEST REVISION.

DIMENSIONS:
MM

TOLERANCES UNLESS
OTHERWISE SPECIFIED:



0 <XX<10 ± 0.25
10<XX<30 ± 0.3
ANGLES ± 3°

MATERIAL

SEE TABLE

FINISH

SEE TABLE

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1743465-1](#)