




-  DIMENSION ONLY APPLIES TO "LAST MATE" PINS.
-  CARD THICKNESS APPLIES ACROSS PAD SURFACES AND INCLUDES PLATING AND/OR METALIZATION.
-  CHAMFER EDGES MUST BE FREE OF CUTTING BURRS.
-  NO TIE BAR PERMITTED FROM CARD EDGE TO LEADING EDGE OF "LAST MATE" PADS.
-  GOLD CONTACT PADS: ELECTROLESS GOLD PLATE
0.76 μm MIN THICK OVER ELECTROLESS NICKEL PLATING
2 μm MIN THICK.
12. PC BOARD SUPPLIER IS RESPONSIBLE FOR MAINTAINING ALL DIMENSIONS OF PC BOARD EDGE.
-  FLATNESS REQUIREMENT APPLIES FROM EDGE OF PC BOARD TO TOP OF KEY

THIS DRAWING IS A CONTROLLED DOCUMENT FOR TYCO ELECTRONICS CORPORATION IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.		DWN R. TREA 09SEP2004		 Tyco Electronics Harrisburg, PA 17105-3608	
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME	
mm		0 PLC ±.5 1 PLC ±0.13 2 PLC ±0.13 3 PLC ±0.013 4 PLC ±.5 ANGLES ±2°		PCI EXPRESS CARD EDGE CONNECTOR	
		PRODUCT SPEC - APPLICATION SPEC -		ASSEMBLY, RIGHT ANGLE, 5.8mm SLOT HEIGHT, THROUGH HOLE, ExpressModule TYPE	
MATERIAL		WEIGHT		SIZE	RESTRICTED TO
		-		A2 00779 C-1761465	
RESTRICTED CUSTOMER				SCALE 3.1	SHEET 3 OF 3 REV D1

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[4-1761465-2](#)