




D

C



B

A




NOTES:


1. PACKAGED IN TAPE AND REEL PER IEA-481 SPECIFICATIONS.
2. MATERIAL AND FINISH:
  - HOUSING: THERMAL PLASTIC
  - PIN CONTACT:BRASS
  - SOCKET CONTACT:COPPER ALLOY
  - FINISH:TIN OVER NICKEL.
3. SUITABLE FOR SMT PROCESS.
4. TO ENSURE THE FUNCTION OF THE MINIATURE HERMAPHRODITIC B-B CONNECTORS, THE PCB WITH MINIATURE HERMAPHRODITIC B-B CONNECTORS SHOULD BE FIXED ON THE HEAT SINK OR SOME OTHER RIGID SUBSTRATE. CUSTOMER CAN USE SCREW (SHOW AS APPLICATION VIEW), GLUE, OR SOME OTHER METHOD TO FIX THE PCBs. FOR DETAIL PLEASE REFER TO INSTRUCTION SHEET 411-106013



1971567-1(2 MATING PARTS)  
SCALE 6:1





1971567-2(2 MATING PARTS)  
SCALE 6:1





1971567-3(2 MATING PARTS)  
SCALE 6:1

NATURAL	6P	19.0	1971567-3
NATURAL	4P	13.0	1971567-2
NATURAL	2P	7.0	1971567-1
COLOR	POSITION	DIM A	PART NO

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-		B	ECR-10-011153	27APR2010	K. J	J. Z
			C	ECR-11-000286	6JAN2011	K. J	X. X
			D	ECR-11-009157	3MAY2011	K. J	X. X
			E	REVISED PER ECR-12-008975	26JUL2012	RS	DD



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 23MAY2011 KEVIN JIANG CHK 23MAY2011 TRACY TAO APVD 23MAY2011 XIANG XU		TE TE Connectivity	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME	
		0 PLC ±- 1 PLC ±0.5 2 PLC ±0.13 3 PLC ±0.013 4 PLC ±0.0001 ANGLES ±-		MINIATURE HERMAPHRODITIC BOARD TO BOARD CONNECTOR	
MATERIAL		FINISH		SIZE CAGE CODE DRAWING NO RESTRICTED TO	
-		-		A200779 C-1971567 -	
Customer Drawing				SCALE 3:1	SHEET 1 OF 2 REV E



# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1971567-1](#)