



202W232

a) Part as supplied



b) Part after unrestricted recovery



#### DIMENSIONS {in millimetres {in inches, for reference}

|          | ł            | +              | `            | J             | Ρ            | R            | S             | Т             | JO           | ΗW            | JW            | Х            | Y            |
|----------|--------------|----------------|--------------|---------------|--------------|--------------|---------------|---------------|--------------|---------------|---------------|--------------|--------------|
| Part No. | Min          | Max            | Min          | Max           | ±10%         | Ref          | ±10%          | ±10%          | Ref          | ±20%          | ±20%          | ±20%         | ±20%         |
|          | а            | b              | a            | b             | b            | b            | b             | b             | b            | b             | b             | b            | b            |
| 202W232  | 15<br>{0.59} | 11.7<br>{0.46} | 15<br>{0.59} | 4.3<br>{0.17} | 50<br>{1.97} | 15<br>{0.59} | 2.5<br>{0.10} | 0.5<br>{0.02} | 15<br>{0.59} | 2.0<br>{0.08} | 1.5<br>{0.06} | 12<br>{0.47} | 20<br>{0.79} |

Potting Port X at 90° to Potting Port Y


Copyright(!)

The copyright in this drawing is the property of Tyco Electronics UK Ltd. The drawing is issued on the condition that it is not copied, reproduced or disclosed to a third party, either in whole or in part without the prior written consent of Tyco Electronics UK Ltd.

| Drawn A.LILLEY     | . Checked | Issue 4 | e December 2006 Conforms to ISO Recommendations |
|--------------------|-----------|---------|-------------------------------------------------|
| Approval<br>Design | MKTG.     | Q.A.    | 3rd Angle Projection<br>Not to Scale            |

| R                | aychem                                                       | Specificat<br>Control Dr                   |                                                                                                      | Part Number $202W232$ Issue 4 |  |  |  |  |
|------------------|--------------------------------------------------------------|--------------------------------------------|------------------------------------------------------------------------------------------------------|-------------------------------|--|--|--|--|
| Iss.             | Date                                                         | E.C.R.<br>No.                              | Deto                                                                                                 | ails of Change                |  |  |  |  |
| 2<br>3<br>4<br>4 | February 1988<br>July 1998<br>December 2006<br>December 2006 | 5247<br>****<br>CR06-DM-104<br>CR06-HM-012 | Potting Ports added<br>Redrawn<br>-12 Material description name changed<br>Imperial dimensions added |                               |  |  |  |  |
|                  |                                                              |                                            |                                                                                                      |                               |  |  |  |  |

# (Ordering Information)



### COMPATIBILITY CHART)

| Material Dash Number | Material Description            | SPEC Number      | Coating Slash Number |
|----------------------|---------------------------------|------------------|----------------------|
| -3                   | POLYOLEFIN, SEMI-RIGID          | RT-301, RK-6703  | /42 ,/86, /180       |
| -4                   | POLYOLEFIN, FLEXIBLE            | RT-1304 RT-1050  | /42 ,/86, /180       |
| -6                   | SILICON                         | RT-602, RK-6706  | N∕A                  |
| -12                  | FLUOROELASTOMER, FLEXIBLE       | RT-1312, RW-2071 | /225                 |
| -25                  | ELASTOMER, FLUID RESISTANT      | RT-1325, RK-6713 | /42, /86, /225       |
| -100                 | ZERO HALOGEN                    | RT-1323, RK-6717 | /86, /180            |
| -130                 | POLYOLEFIN, COMMERCIAL FLEXIBLE | RW-2008          | /42                  |

#### NOTES

- As supplied dimensions are for uncoated parts, when coating is added entry diameters will reduce by 1.5mm Max.
- (2) Potting Ports are optional, when specified by suffix "-00" they will be located as shown.

| Tyco Electronics UK Ltd.<br>Faraday Road,<br>Swindon, Wiltshire, SN3 5HH<br>England<br>Telephone: (01793) 528171 Fax: 572516 | Tyco Electronics Corporation<br>300, Constitution Drive,<br>Menlo Park, CA 94025<br>USA<br>Telephone (650) 361-3860 Fax: (650) 361-5579 |
|------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|
| Cage Code K1010                                                                                                              | Cage Code 06090                                                                                                                         |

## **Mouser Electronics**

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

TE Connectivity: 746431-000