


P	LTR	DESCRIPTION	DATE	DWN	APVD
	6	REV PER ECO-18-006382	10MAR2016	EG	DM



KEY OPTIONS	KEY ROTATION	
NORMAL	"R"	"S"
A	150°	210°
B	140°	215°
	132°	248°

.288 [7.31]	4	A	2	1-2102351-4
.288 [7.31]	4	NORMAL	2	1-2102351-3
.125 [3.18]	3	B	2	2102351-6
.125 [3.18]	3	B	1	2102351-5
.125 [3.18]	3	A	2	2102351-4
.125 [3.18]	3	A	1	2102351-3
.125 [3.18]	3	NORMAL	2	2102351-2
.125 [3.18]	3	NORMAL	1	2102351-1
DIM B ±.010 [±0.25]	O-RING	KEYING OPTION	FINISH	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.	DWN MCKIBBEN, JOHN CHK DOWHOWER, KENNETH APVD DOWHOWER, KENNETH	04OCT2011 04OCT2011 04OCT2011
DIMENSIONS: INCHES [mm]	TOLERANCES UNLESS OTHERWISE SPECIFIED:	PRODUCT SPEC
	0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ±.005 [0.13] 4 PLC ± ANGLES ± FINISH	108-2482 APPLICATION SPEC 114-32025 WEIGHT -
MATERIAL - -	- -	CUSTOMER DRAWING

TE Connectivity		PCB MOUNT KIT	
SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A2	00779	C-2102351	-
SCALE 2:1		SHEET 1 OF 2	REV G

1471-9 (3/13)	
---------------	--

1

FINISH: ELECTROLESS NICKEL PLATE PER MIL-C-26074.

2

FINISH: BLACK ZINC NICKEL PER AMS-2417.



3

MATERIAL: FLUROSILICONE


4

MATERIAL: CONDUCTIVE FLOUROSILICONE.

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-



MOUNTING HOLE INFORMATION
RECOMMENDED BOARD LAYOUT



PC BOARD TOP VIEW
SOLDER TAIL HOLE INFORMATION

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
INCHES [mm]

MATERIAL
-

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±
1 PLC ±
2 PLC ±
3 PLC ±.005 [0.13]
4 PLC ±
ANGLES ±
FINISH -

DWN 04OCT2011
MCKIBBEN, JOHN
CHK 04OCT2011
DOWHOWER, KENNETH
APVD 04OCT2011
DOWHOWER, KENNETH

PRODUCT SPEC
108-2482
APPLICATION SPEC
114-32025
WEIGHT -

CUSTOMER DRAWING

TE Connectivity

NAME PCB MOUNT KIT

SIZE CAGE CODE DRAWING NO RESTRICTED TO
A200779C-2102351 -

SCALE 5:1 SHEET 2 OF 2 REV G

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[2102351-6](#)