


LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-		A	RELEASED	21NOV2013	JW	SH

D






1 MATERIAL:
CONTACT: COPPER ALLOY
HOUSING: THERMOPLASTIC

2 FINISH :
CONTACT AREA: GOLD FLASH OVER PALLADIUM-NICKEL
OR GOLD PLATING, 0.76um MIN TOTAL
SOLDER AREA: GOLD FLASH
UNDERPLATING: 2.54um MIN NICKEL OVER ALL



3 FINISH :
CONTACT AREA: GOLD FLASH OVER PALLADIUM-NICKEL
OR GOLD PLATING, 0.38um MIN TOTAL
SOLDER AREA: GOLD FLASH
UNDERPLATING: 2.54um MIN NICKEL OVER ALL

4 PART NUMBER AND DATE CODE APPROXIMATELY
MARKED IN THIS AREA.


C



B




SECTION B-B




3	2170088-2
4	2170088-1
FINISH	TE PART NO.

A

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 28MAR2011 ALEX SHOAL		 TE Connectivity		
DIMENSIONS:		CHK 28MAR2011 MANQIAN WANG				
mm		APVD 28MAR2011 MANQIAN WANG		NAME		
		PRODUCT SPEC		ASSEMBLY DRAWING SMT, 20POS, ZSFP+		
		108-60099				
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APPLICATION SPEC		SIZE		
0 PLC ±-		114-13120		CAGE CODE		DRAWING NO
1 PLC ±0.25		WEIGHT		A200779		RESTRICTED TO
2 PLC ±0.13		-		C=2170088		-
3 PLC ±-		Customer Drawing		SCALE 8:1		SHEET 1 OF 2
4 PLC ±-						REV A
ANGLES						
FINISH						



LOC		DIST		REVISIONS			
P	LTR	DESCRIPTION		DATE	DWN	APVD	
-	-	SEE SHEET 1		-	-	-	



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 28MAR2011 CHK 28MAR2011 APVD 28MAR2011	STE TE Connectivity			
DIMENSIONS: mm		PRODUCT SPEC 108-60099	NAME ASSEMBLY DRAWING SMT, 20POS, ZSFP+			
MATERIAL -		APPLICATION SPEC 114-13120	SIZE A200779	CAGE CODE C-2170088	DRAWING NO -	RESTRICTED TO -
		WEIGHT -	SCALE 8:1		SHEET 2 OF 2	REV A
		Customer Drawing				

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[2170088-1](#)