





- NOTES:
- PRODUCT MEET CONTROLLED SUBSTANCES SPEC. ROHS 2.0
1. MATERIAL:
- 1.1 HOUSING: HIGH TEMPERATURE THERMOPLASTIC, UL94 V-0
- 1.2 LATCH: HIGH TEMPERATURE THERMOPLASTIC, UL94 V-0
- 1.3 CONTACT: COPPER ALLOY
- 1.4 BOARD LOCK: STAINLESS STEEL
2. INTERFACE FINISH:
- (1) 0.00038 MIN THK GOLD OVER 0.00127 MIN THK NICKEL.
- (2) GOLD FLASH OVER 0.00127 MIN THK NICKEL.
- (3) 0.00076 MIN THK GOLD OVER 0.00127 MIN THK NICKEL
3. SOLDER AREA: 2.54um[100u"] MIN. MATTE TIN PLATING.
4. WAVE SOLDER CAPABLE TO 270°C 10S.
5. KEEP OUT AREA RESERVED FOR SOCKET EXTRACTORS, BOTH ENDS.
6. SLOT LENGTH SHOULD BE INSPECTED AFTER SOLDERING.

DUAL LONG LATCH

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN DAVID ZHAO 15AUG2016	TE Connectivity	
		CHK SIMON LI 15AUG2016		
		APVD COREL WANG 15AUG2016	NAME	
		PRODUCT SPEC	SOCKET ASSEMBLY	
		108-115124	DDR4 DIMM,T/H TYPE	
		APPLICATION SPEC	288 POSITION	
		WEIGHT 7.3g	SIZE A2	RESTRICTED TO
		CUSTOMER DRAWING	CAGE CODE 00779	
			DRAWING NO C-2308107	
			SCALE 1:1	
			SHEET 1 of 8	
			REV 29	



D

C

B









A

D


C



B

A



LEFT ACTIVITY LATCH

NATURAL	NATURAL	BLUE(2935U)	15u" MIN.	3.85	2.67	9-2308107-2			
		BLACK		3.85	2.67	9-2308107-1			
FIXED LATCH COLOR	ACTIVITY LATCH COLOR	HOUSING COLOR	CONTACT GOLD INTERFACE 	DIM H	DIM L	PART NUMBER			
		THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN DAVID ZHAO 15AUG2016					
		DIMENSIONS: mm		CHK SIMON LI 15AUG2016		 TE Connectivity			
				APVD COREL WANG 15AUG2016					
				PRODUCT SPEC		NAME SOCKET ASSEMBLY DDR4 DIMM,T/H TYPE 288 POSITION			
				108-115124					
MATERIAL		TOLERANCES UNLESS OTHERWISE SPECIFIED:		APPLICATION SPEC		SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
-		0 PLC ± - 1 PLC ± 0.25 2 PLC ± 0.15 3 PLC ± -0.10 4 PLC ± - ANGLES ± -		- WEIGHT 7.6g		A2	00779	C-2308107	-
		FINISH		CUSTOMER DRAWING		SCALE 1:1		SHEET 4 of 8	REV 29



THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED:
mm	0 PLC $\pm$ -
	1 PLC $\pm$ 0.25
	2 PLC $\pm$ 0.15
	3 PLC $\pm$ -0.10
	4 PLC $\pm$ -
	ANGLES $\pm$ -
MATERIAL	FINISH

DWN DAVID ZHAO	15AUG2016
CHK SIMON LI	15AUG2016
APVD COREL WANG	15AUG2016
PRODUCT SPEC	108
APPLICATION SPEC	-
WEIGHT	-
CUSTOMER DRAWING	

NAME	SOCKET ASSEMBLY DDR4 DIMM,T/H TYPE 288 POSITION		
SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A2	00779	C=2308107	-
SCALE 1:1		SHEET 5 of 8	REV 29

TE Connectivity

1471-9 (1/15)

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

D

C

B


A

D

C


B

A




5.4kg	3.5kg	50	10	500	SEE PAGE 3
GROSS WEIGHT	NET WEIGHT	PCS/ TRAY	TRAY/ BOX	PCS/ BOX	PART NUMBER

Each box has 10 plastic trays and 1 plastic lid. Each plastic tray has 50 products.
500 products in a box in total, and then with PE film to fix around it.



SOFT TRAY I

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN DAVID ZHAO 15AUG2016	TE Connectivity			
		CHK SIMON LI 15AUG2016				
		APVD COREL WANG 15AUG2016	NAME			
		PRODUCT SPEC	SOCKET ASSEMBLY			
		108	DDR4 DIMM,T/H TYPE			
		APPLICATION SPEC	288 POSITION			
		WEIGHT -	SIZE A2	CAGE CODE 00779	DRAWING NO C=2308107	RESTRICTED TO -
		CUSTOMER DRAWING	SCALE 1:1	SHEET 6 of 8	REV 29	




REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-

4.8kg	3.92kg	28	20	560	SEE PAGE 3
GROSS WEIGHT	NET WEIGHT	PCS/ TRAY	TRAY/ BOX	PCS/ BOX	PART NUMBER

HARD TRAY

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN DAVID ZHAO 15AUG2016	TE Connectivity		
		CHK SIMON LI 15AUG2016			
		APVD COREL WANG 15AUG2016	NAME		
		PRODUCT SPEC 108	SOCKET ASSEMBLY		
		APPLICATION SPEC -	DDR4 DIMM,T/H TYPE		
		WEIGHT -	288 POSITION		
		CUSTOMER DRAWING	SIZE A2	CAGE CODE 00779	RESTRICTED TO -
			DRAWING NO C=2308107		
			SCALE 1:1	SHEET 7 of 8	REV 29



REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

4.3kg	2.4kg	40	10	400	5-2308107-9
GROSS WEIGHT	NET WEIGHT	PCS/ TRAY	TRAY/ BOX	PCS/ BOX	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN DAVID ZHAO 15AUG2016		 TE Connectivity			
		CHK SIMON LI 15AUG2016					
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD COREL WANG 15AUG2016		NAME	
		0 PLC ± -		PRODUCT SPEC		SOCKET ASSEMBLY DDR4 DIMM,T/H TYPE 288 POSITION	
		1 PLC ± 0.25		108			
		2 PLC ± 0.15		APPLICATION SPEC			
		3 PLC ± -0.10		—			
		4 PLC ± -		—			
ANGLES ± -				SIZE		CAGE CODE	
MATERIAL		FINISH		WEIGHT		DRAWING NO	
—		—		—		RESTRICTED TO	
				A2		00779	
				C=		2308107	
				CUSTOMER DRAWING		SCALE	
						1:1	
						SHEET	
						8 of 8	
						REV	
						29	

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1-2308107-0](#)