REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	RELEASED PER ECO 18-016587	10-23-18	CT	FB











SCALE 5:1

1. MATERIAL:
   MODULE BODIES - SEE TABLE
   SCREWS - 300 SERIES STAINLESS STEEL
2. FINISH:
   MODULE BODIES - SEE TABLE
   SCREWS - PASSIVATED
3. SHIPPED IN KIT FORM.
4. CIRCUIT IDENTIFICATION MARKING

MODULE FINISH 2	MODULE MATERIAL 1	PART NUMBER
CLEAR CHROMATE CONVERSION COATING	ALUMINUM ALLOY 7075	2313225-2
PASSIVATED	STAINLESS STEEL PER UNS S30300	2313225-1

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: INCHES/mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±-
1 PLC ±-
2 PLC ±-
3 PLC ±.005[0.13]
4 PLC ±-
ANGLES ±-

MATERIAL 1

FINISH 2

DWN K. MILLER 19JUN2017
CHK K. DOWHOWER 19JUN2017
APVD K. DOWHOWER 19JUN2017
PRODUCT SPEC 108-163006
APPLICATION SPEC 408-163016
WEIGHT -

TE Connectivity

NAME 12 POSITION NanoRF MODULE P.C.B. MOUNT - DAUGHTERCARD VITA

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A1	00779	C-2313225	

CUSTOMER DRAWING | SCALE 8:1 | SHEET 1 OF 2 | REV A

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-



DESIGNED FOR VITA 67.1 PCB LAYOUT
(VIEW FROM TOP SIDE)

P2A	2.187[55.55]
P2B	2.743[69.67]
P3A	3.875[98.42]
P3B	4.431[112.54]
P4A	5.009[127.22]
P4B	5.565[141.34]
P5A	6.142[156.02]
P5B	6.698[170.14]
P6A	7.276[184.82]
P6B	7.832[198.94]
POSITION	DIM "X"

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: INCHES/mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±-
1 PLC ±-
2 PLC ±-
3 PLC ±.005[0.13]
4 PLC ±-
ANGLES ±-

MATERIAL

FINISH

DWN K. MILLER 19JUN2017
CHK K. DOWHOWER 19JUN2017
APVD K. DOWHOWER 19JUN2017
PRODUCT SPEC 108-163006
APPLICATION SPEC 408-163016
WEIGHT -

TE Connectivity

NAME 12 POSITION NanoRF MODULE P.C.B. MOUNT - DAUGHTERCARD VITA

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A1	00779	C-2313225	

CUSTOMER DRAWING | SCALE 5:1 | SHEET 2 OF 2 | REV A

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

TE Connectivity:

2313225-2