




REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
A		PER ECO-18-020143	31DEC2018	MY	GF
B		REV PER ECO-19-012141	06AUG2019	TS	GF
C		REVISED PER ECO-19-012364	09AUG2019	AP	GF
-	-	-	-	-	-



△ LABEL INFORMATION FOR 25 GIG PNS (-1 THRU -4): -1 SHOWN.




2. SEE SHEET 2 FOR WIRING SCHEMATIC.
3. PRODUCT AND PROCESSING MUST MEET THE REQUIREMENTS OF TE SPECIFICATION TEC-138-702.
4. CABLE ASSEMBLY TO BE TESTED FOR OPENS, SHORTS AND PROPER EEPROM PROGRAM.
- △ 5. TEST IN ACCORDANCE WITH IEEE802.3bj.
- △ 6. DASH NUMBER 41 THRU 43 CONFORM TO 56G, PAM-4 IEEE802.3CD PERFORMANCE REQUIREMENTS.
- △ 7. LABEL INFORMATION FOR 56 GIG PNS (-41 THRU -43): -41 SHOWN.




△ 6	32	1500 +50/-0	4-2336313-3
	32	1000 +50/-0	4-2336313-2
	32	500 +50/-0	4-2336313-1
△ 5	32	2000 +80/-0	2336313-4
	32	1500 +50/-0	2336313-3
	32	1000 +50/-0	2336313-2
	32	500 +50/-0	2336313-1
STANDARD	GAGE	"L" mm	PART NO

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN M YI 03MAY2018	TE Connectivity	
DIMENSIONS:		CHK G. FRANKLIN 03MAY2018	NAME CABLE ASSEMBLY, DIRECT ATTACH QSFP 25GIG ,32 AWG	
mm		APVD G. FRANKLIN 03MAY2018		
		PRODUCT SPEC	SIZE CAGE CODE DRAWING NO	
		APPLICATION SPEC		
MATERIAL		WEIGHT	A100779C=2336313	
-		-		
-		RESTRICTED CUSTOMER	SCALE 1:3 SHEET 1 OF 2 REV C	

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-



WIRING PATTERN

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	M. YI	03MAY2018	 TE Connectivity	
		CHK	G. FRANKLIN	03MAY2018		
DIMENSIONS:		APVD	G. FRANKLIN	03MAY2018	NAME	
mm		PRODUCT SPEC				
		APPLICATION SPEC			CABLE ASSEMBLY, DIRECT ATTACH QSFP 25G1G , 32 AWG	
		WEIGHT				
		RESTRICTED CUSTOMER				
TOLERANCES UNLESS OTHERWISE SPECIFIED:		0 PLC ±			CAGE CODE	
		1 PLC ±				
		2 PLC ±				
		3 PLC ±				
		4 PLC ±			DRAWING NO	
		ANGLES ±				
		FINISH				
MATERIAL					RESTRICTED TO	
					SCALE	
					1:3	
					SHEET	
					2	
					OF	
					2	
					REV	
					C	

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[2336313-2](#)