



REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	REVISED PER ECR-19-012197	02AUG2019	NN	DZ



1. ALL MATERIALS, COMPONENTS AND PROCESS SHALL COMPLY WITH TEC-138-702. (CONTAINS NO BANNED OR RESTICTED SUBSTANCES).
2. NO REACH SvHC SHALL BE CONTAINED ABOVE THE THRESHOLD AS DEFINED IN REACH SvHC COMPLIANCE DEFINITION IN ANNEX A OF TEC-138-702.
3. ASSEMBLY TESTED FOR CONTINUITY, OPENS, SHORTS, AND SIGNAL INTEGRITY.
4. CABLE BEND RADIUS 5X BUNDLED CABLE OD.
5. SEE SHEETS 2 FOR WIRING SCHEMATIC.
6. CONNECTORS ARE GEN-Z COMPATIBLE.

1. LABEL INFORMATION SHOWN BELOW:



8. CABLE CONNECTOR MATES WITH TE SLIVER RECEPTACLE P/N 2332141-X, OR 2332208-X.

500	1000 +10/-0	2343284-2
250	500 +10/-0	2343284-1
"M"	"L"	TE P/N

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN T. SMITH 10DEC2018	TE Connectivity	
DIMENSIONS:		CHK GLEN GUITGOLD 10DEC2018		
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD GLEN GUITGOLD 10DEC2018	NAME SLIVER 2.0 1C 33 AWG LATERAL TO LATERAL	
	0 PLC ±	PRODUCT SPEC	SIZE CAGE CODE DRAWING NO. RESTRICTED TO	
	1 PLC ±	APPLICATION SPEC		
MATERIAL SEE BOM	FINISH	WEIGHT	A100779C=2343284	
CUSTOMER DRAWING		SCALE 7:4	SHEET 1 OF 2	REV A

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[2343284-1](#)