


	1					
REVISIONS						
DESCRIPTION		DATE	DWN	APVD		
0-17-007400		19DEC2017	RS	DR		
0-19-007720		21MAY2020	KR	DR	D	
E13288 Listed 6 Certified						
22—16 AWG Stranded	22–16 AWG Solid or stranded					
-18* APPROX AS SHOWN LS ARE STAMPED 22-18 IN TH MILITARY SPEC SAE AS7928 RE RANGE IS 22-16. N : $\emptyset 2.032 - 3.175 [\emptyset.080125]$ . THK: 0.787 $\pm 0.051 [.031 \pm .002]$ . EDGE OF METAL WIRE BARREL STUD HOLE.						
ON TAPE, REE LOOSE PIECE		2-320 320	572 572	-1	В	
PACKAGE TYPI		PART		)		
<b>ETE</b> TE Connectivity						
TERMINAL, RING TONGUE, PIDG <sup>TM</sup> , Wire size, 22–16 AWG						
age code drawing no 0779 C-320572	5:1 <sup>S⊦</sup>	HEET 1 OF 2	-	TED TO		



	1						
REVISIC	INS						
DESCRIPT	ION	DATE	DWN	APVD			
		_	_	_			
					D		
	A (R) LR718	39					
NGE	6 Certi	ified					
BLE	WIRE SIZE PE						
ED	TABLE STRAND	ED					
AS SHC	)WN SEE TABLE	BFLOW					
-	794[ø.038–.110] FOR 22 AWG 794[ø.046–.110] FOR 20 AWG						
					_		
.794[ø.056110] FOR 18 AWG.							
0.051[.031±.002].							
AL WIRt	e barrel						
					В		
000	LOOSE PIECE	2-3205	572-	-4			
000	LOOSE PIECE	2-3205	572-	-3			
000	LOOSE PIECE	2-3205	572-	-2			
	PACKAGE TYPE	PARI	NC	)			
_	TE TE Conn	ectivity					
TERMINAL, RING TONGUE, I.R.,							
PIDG , V	WRE SIZE: 22, 20	& 18 AW	'G		А		
	WING NO		RESTRIC	CTED TO			
0779 <b>C</b>	<b>-</b> 320572			_			
	SCALE 4:1	2 OF 2	) REV	, AB2			

## **Mouser Electronics**

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

TE Connectivity: 2-320572-3