

RECOMMENDED BOARD LAYOUT

А

4805 (3/11)

NC)te
$\underline{1}$). د 2
2	7 (

TERIAL

HSG-FLAME RETARDANT THERMOPLASTIC COLOR-BLACK POSTS- PHOS. BRONZE

).64±0.05				
0.25 ± 0.02	1,3,6,8,9	1,3,6,7,14		
	1,3,6,8,9	15,18,20,21	2.79 [.110]	55.47 [2.184]
OBSOLETE	1,9,15			
	22,24,29,35	3,11,17	2.79 [.110]	93.57 [3.684]
OBSOLETE	3	4	2.79 [.110]	24.99 [.984]
	NONE	NONE	2.79 [.110]	101.19 [3.984]
	NONE	NONE	2.79 [.110]	98.65 [3.884]
	NONE	NONE	2.79 [.110]	96.11 [3.784]
	NONE	NONE	2.79 [.110]	93.57 [3.684]
	NONE	NONE	2.79 [.110]	91.03 [3.584]
	NONE	NONE	2.79 [.110]	88.49 [3.484]
	NONE	NONE	2.79 [.110]	85.95 [3.384]
	NONE	NONE	2.79 [.110]	83.41 [3.284]
	NONE	NONE	2.79 [.110]	80.87 [3.184]
	NONE	NONE	2.79 [.110]	78.33 [3.084]
	NONE	NONE	2.79 [.110]	75.79 [2.984]
	NONE	NONE	2.79 [.110]	73.25 [2.884]
	NONE	NONE	2.79 [.110]	70.71 [2.784]
	NONE	NONE	2.79 [.110]	68.17 [2.684]
	NONE	NONE	2.79 [.110]	65.63 [2.584]
	NONE	NONE	2.79 [.110]	63.09 [2.484]
	NONE	NONE	2.79 [.110]	60.55 [2.384]
	NONE	NONE	2.79 [.110]	58.01 [2.284]
	NONE	NONE	2.79 [.110]	55.47 [2.184]
	NONE	NONE	2.79 [.110]	52.93 [2.084]
	NONE	NONE	2.79 [.110]	50.39 [1.984]
	NONE	NONE	2.79 [.110]	47.85 [1.884]
	NONE	NONE	2.79 [.110]	45.31 [1.784]
	NONE	NONE	2.79 [.110]	42.77 [1.684]
	NONE	NONE	2.79 [.110]	40.23 [1.584]
	NONE	NONE	2.79 [.110]	37.69 [1.484]
	NONE	NONE	2.79 [.110]	35.15 [1.384]
	NONE	NONE	2.79 [.110]	27.53 [1.084]
	NONE	NONE	2.79 [.110]	9.75 [.384]
	NONE	NONE	2.79 [.110]	7.21 [.284]
	NONE	NONE	2.79 [.110]	4.67 [.184]
	NONE NONE	NONE NONE	<u>2.79 [.110]</u> 2.79 [.110]	2.13 [.084]
OBSOLETE	NONE	6	2.79 [.110]	24.99 [.984]
OBSOLETE	NONE	NONE	2.79 [.110]	32.61 [1.284]
SUPERSEDED BY 4-87230-2	NONE	NONE	2.79 [.110]	
SUPERSEDED BY 4-87230-1	NONE	NONE	2.79 [.110]	
SULENSEDED DI 4-07230-1	NONE	NONE	2.79 [.110]	30.07 [1.184]
	NONE	NONE	2.79 [.110]	22.45 [.884]
	NONE	NONE	2.79 [.110]	17.37 [.684]
	NONE	NONE	2.79 [.110]	14.83 [.584]
	NONE	NONE	2.79 [.110]	12.29 [.484]
	NONE	NONE	2.79 [.110]	19.91 [.784]
	NONE	NONE	2.79 [.110]	24.99 [.984]
	ROW E	ROW D		
			7	
	POSTS (OMITTED	<u> </u>	
				THIS DRAWING IS A CON
				DIMENSIONS: mm [INCHES]

2				1	1				
LOC	DIS	ST		REVISIONS					
AD)0	Ρ	LTR	DESCRIPTION	DATE	DWN	APVD	
				S3	PART STATUS UPDATED IN THE PARTS LIST TABLE	010CT2015	KJK	PS	

ES:

.000030 GOLD ON CONTACT AREA, GOLD FLASH ON SOLDER AREA, ALL OVER .000050 NICKEL OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI

53.34 [2.100] 21 4-86479-9 44 91.44 [3.600] 36 4-86479-6 74 22.86 [.900] 4-86479-5 20 9 4-86479-4 99.06 [3.900] 39 80 [3.800] 96.52 38 4-86479-3 78 4-86479-2 93.98 [3.700] 37 76 4-86479-1 91.44 [3.600] 36 74 88.90 [3.500] 35 4-86479-0 72 3-86479-9 86.36 [3.400] 34 70 [3.300] 83.82 33 3-86479-8 68 [3.200] 3-86479-7 81.28 32 66 78.74 [3.100] 31 3-86479-6 64 [3.000] 76.20 3-86479-5 30 62 [2.900] 73.66 3-86479-4 29 60 [2.800 71.12 28 3-86479-3 58 68.58 [2.700] 3-86479-2 27 56 66.04 [2.600] 3-86479-1 26 54 63.50 [2.500] 25 52 3-86479-0 60.96 [2.400] 2-86479-9 24 50 58.42 [2.300] 2-86479-8 23 48 55.88 [2.200] 22 2-86479-7 46 53.34 [2.100] 21 44 2-86479-6 [2.000] 50.80 20 2-86479-5 42 48.26 [1.900] 19 40 2-86479-4 45.72 [1.800] 2-86479-3 18 38 [1.700] 43.18 2-86479-2 17 36 40.64 [1.600] 2-86479-1 16 34 [1.500] 38.10 2-86479-0 15 32 35.56 [1.400] 1-86479-9 14 30 [1.300] 33.02 13 28 1-86479-8 25.40 [1.000]10 1-86479-7 22 7.62 .300] 3 8 1-86479-6 5.08 .200] 2 6 1-86479-5 2.54 [.100] 1-86479-4 1 4 1-86479-3 — 2 ____ 1-86479-2 — ____ — 1-86479-1 22.86 [.900] 9 19 30.48 [1.200] 1-86479-0 26 12 86479-9 _ _ ____ — 86479-8 ____ ____ 27.94 [1.100] 86479-7 1 1 24 20.32 [.800] 86479-6 8 18 15.24 [.600] 6 14 86479-5 12.70 [.500] 5 12 86479-4 10.16 [.400] 4 10 86479-3 17.78 [.700] 7 16 86479-2 22.86 [.900] 9 20 86479-1 NO OF В А PART NUMBER POSN ONTROLLED DOCUMENT. 16MAY94 E TE J KNAUB TE Connectivity 17MAY94 <u>j knittle</u> TOLERANCES UNLESS OTHERWISE SPECIFIED: 17MAY94 NAME J KNITTLE PRODUCT SPEC ASSEMBLY, MOD II, DOUBLE ROW 0 PLC 1 PLC 2 PLC 3 PLC 4 PLC 4 PLC ± _ .100 X .100 CL, RIGHT ANGLE ± – ± .13 [.005] ± – ± – WITH SPANKED TAILS APPLICATION SPEC SIZE CAGE CODE DRAWING NO RESTRICTED T 1 00779 **C-**86479 FINISH ____ $\sqrt{1}$ _ SCALE 4:1 SHEET 1 1 REV S.3 USTOMER DRAWING

D

В

А

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

TE Connectivity: 86479-4