






Technical drawing of a cross-section of a multi-ribbed structure. The drawing shows a series of vertical ribs separated by grooves. Dimensions include a total width of 4.2, a rib width of 3.45, a rib height of  $5 \pm 0.1$ , and a groove width of  $1 \pm 0.1$ . A section line is indicated by a triangle with the number 1. A note "12. B" is present at the bottom left.

REMARKS/Bemerkungen

- 1 CAVITY SUITABLE FOR STANDARD TIMER CONTACTS LISTED IN PROD.SPEC. 108-18049, ITEM 3.3.2  
Kammer geeignet für Standard Timer Kontakte gelistet in Prod. Spec. 108-18049, Punkt 3.3.2
- 2 CONTACT CAVITY NO.  
Kontaktkammernummerierung
- 3 MATING STOP  
Tiefenanschlag
- 4 AREA FOR TE LOGO ACC. TO SPEC 202-36  
Bereich für TE Logo nach Spec. 202-36
- 5 POLARIZATION RIB POSITION "a" AND/OR "b"  
Polarisierungsrippe Position "a" und/oder "b"
- 6 KEYING RIB POSITION "c" AND/OR "d"  
Kodierrippe Position "c" und/oder "d"
- 6a KEYING RIB POSITION "c" AND/OR "d" AT THE END WALLS OF THE HOUSING  
Kodierrippe Position "c" und/oder "d" an den Gehäusestirnseiten
- 7 LOCKING LATCH  
Rasthaken
- 8 TE PART NO (PN)  
TE Bestell Nr. (PN)
- 9 DESIGN OF THE HOUSINGS ACC. TO RAST 5 STANDARD  
Gehäuseausführung gemäss RAST 5 Vorgabe
- 10 GENERAL SUITABLE TAB HEADER SEE RAST 5 PERFORMANCE  
Generell passende Flachsteckerwanne siehe RAST 5 Vorgabe
- 11 PACKAGING: BULK PACKAGING IN CORRUGATED BOX PN 740580-2  
2 POS. 2500 PIECES PER BOX / 3 POS. 2000 PIECES PER BOX  
Verpackung: Schüttgut in Versandkarton Pn 740580-2  
2pol. 2500 Stück per Karton / 3pol. 2000 Stück per Karton
- 12 DIMENSION A, B C AND D SEE SHEET 2 OF 3
- 13 MATERIAL CORRESPONDS TO THE REQUIREMENT EN 60335  
(INCL. GLOW WIRE TEST 750° WITHOUT FLAME)  
Material entspricht den Anforderungen der EN 60335  
(inkl. Glühdrahttest 750° ohne Flamme)
- 14 RATIO NUMBER OF THE KEYING VERSION, INKJET PRINTED. SEE SHEET 2  
Kodierungskennnummer, mit Tintenstrahldrucker aufgebracht, siehe Blatt 2
- 15 PRELIMINARY - NOT RELEASED FOR PRODUCTION
- 16 ONLY FOR 9-124961-7, DIMENSION 3.2 -0.2
- 17 DOUBLE SOURCE RESIN: ALTERNATIVE RESIN UNDER APPROVAL
- 18 ALLOWED 25±0.2 FOR P/Ns X-2364739-X.



SCALE 2:1

|                                                                                                                     |  |                                                                                                |                                                                                                       |                         |
|---------------------------------------------------------------------------------------------------------------------|--|------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|-------------------------|
| THIS DRAWING IS A CONTROLLED DOCUMENT.                                                                              |  | DWG<br>Kishor M<br>18-10-07<br>CHK<br>K. Munz<br>18-10-07<br>APPROV<br>Th. Klenner<br>18-10-07 |  TE Connectivity |                         |
| DIMENSIONS:<br><br>mm<br><br>  |  | NAME<br>STANDARD TIMER HSG. RAST 5 MARK II<br>Standard Timer Gehäuse RAST 5 Mark II            |                                                                                                       |                         |
| TOLERANCES UNLESS OTHERWISE SPECIFIED:<br>0 PLC ±0.2<br>1 PLC ±0.2<br>2 PLC ±0.2<br>3 PLC ±<br>4 PLC ±<br>ANGLES ±° |  | PRODUCT SPEC<br>108-1804-9.1<br>APPLICATION SPEC                                               |                                                                                                       |                         |
| MATERIAL<br>SEE TABLES, SHEETS<br>PAGE 2 AND 3 OF 4                                                                 |  | SIZE<br>A1                                                                                     |                                                                                                       | WEIGHT<br>-             |
| FINISH<br>-                                                                                                         |  | CASE CODE<br>00779                                                                             |                                                                                                       | DRAWING NO<br>C=1241961 |
|                                                                                                                     |  | SCALE<br>5:1                                                                                   |                                                                                                       | SHEET<br>1 OF 4         |
|                                                                                                                     |  | REV<br>F4                                                                                      |                                                                                                       | RESTRICTED TO<br>-      |



|                                                                                                                    |  |                                                                                                                               |                                  |                                                                                                                 |                                                                              |                  |                        |                              |                        |
|--------------------------------------------------------------------------------------------------------------------|--|-------------------------------------------------------------------------------------------------------------------------------|----------------------------------|-----------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------|------------------------|------------------------------|------------------------|
| THIS DRAWING IS A CONTROLLED DOCUMENT.                                                                             |  | DWG<br>Kishor M<br>Cdr<br>K. Munz                                                                                             | 18-10-07<br>18-10-07<br>18-10-07 | <div>TE Connectivity</div> |                                                                              |                  |                        |                              |                        |
| DIMENSIONS:<br><br>mm<br><br> |  | TOLERANCES UNLESS OTHERWISE SPECIFIED:<br><br>0 PLC ±0.2<br>1 PLC ±0.2<br>2 PLC ±0.2<br>3 PLC ±.4<br>4 PLC ±.4<br>ANGLES ±.1° |                                  | NAME<br><br>Th. Klenner<br><br>PRODUCT SPEC<br><br>108-18049<br><br>APPLICATION SPEC<br><br>-                   | STANDARD TIMER HSG. RAST 5 MARK II<br>Standard Timer Gehaeuse RAST 5 Mark II |                  |                        |                              |                        |
| MATERIAL<br>SEE TABLES. SHEETS<br>PAGE 2 AND 3 OF 4                                                                |  | FINISH<br><br>-<br>-<br>Customer Drawing                                                                                      |                                  |                                                                                                                 | WEIGHT<br><br>-                                                              | SIZE<br><br>A1   | CAGE CODE<br><br>00779 | DRAWING NO<br><br>C=124.1961 | RESTRICTED TO<br><br>- |
|                                                                                                                    |  |                                                                                                                               |                                  |                                                                                                                 |                                                                              | SCALE<br><br>5:1 | SHEET<br><br>2         | OF<br><br>4                  | REV<br><br>F4          |



| LOC | DIST | REVISIONS |     |             |      |     |      |
|-----|------|-----------|-----|-------------|------|-----|------|
|     |      | P         | LTR | DESCRIPTION | DATE | DWN | APVD |
|     |      |           |     | SEE SHEET 1 |      |     |      |
|     |      |           |     |             |      |     |      |
|     |      |           |     |             |      |     |      |

|                                           |   |   |     |    |    |              |      |   |
|-------------------------------------------|---|---|-----|----|----|--------------|------|---|
| SPECIAL VERSION: UL94 V0 & GWEPT 750°C NF |   |   |     |    |    |              |      |   |
| 2364739-5                                 | 5 | 4 | 0.5 | 25 | 20 | PA66<br>1317 | BLUE | C |
| 2364739-4                                 | 4 |   |     | 20 | 15 |              | BLUE | C |
| 1-2364739-3                               | 3 |   |     | 15 | 10 |              | BLUE | C |
| 2364739-3                                 |   |   |     | 15 | 10 |              | BLUE | C |
| 1-2364739-2                               |   |   |     | 10 | 5  |              | BLUE | C |
| 2364739-2                                 | 2 |   |     | 10 | 5  |              | BLUE | C |
| 3-2364739-2                               |   | 2 |     | 10 | 5  |              | BLUE | C |
| 2-2364739-2                               |   |   |     | 10 | 5  |              | BLUE | C |


|                                                 |   |   |   |    |    |        |         |   |
|-------------------------------------------------|---|---|---|----|----|--------|---------|---|
| SPECIAL VERSION: UL94 V0 & GWT 750 NF & CTI 350 |   |   |   |    |    |        |         |   |
| 5-1241961-7                                     | 3 | 6 | 1 | 15 | 10 | PA6613 | NATURAL | A |
| 1-1241961-9                                     | 3 |   |   | 15 | 10 |        | NATURAL | A |
| 7-1241961-7                                     | 3 |   |   | 15 | 10 |        | NATURAL | A |

|                                       |   |   |     |    |    |        |         |   |
|---------------------------------------|---|---|-----|----|----|--------|---------|---|
| SPECIAL VERSION: UL94 V0 & GWT 750 NF |   |   |     |    |    |        |         |   |
| 152322164-1                           | 4 | 4 | 0.5 | 20 | 15 | PA6613 | NATURAL | 1 |

|                                       |   |   |     |    |    |            |         |   |
|---------------------------------------|---|---|-----|----|----|------------|---------|---|
| SPECIAL VERSION: UL94 V2 & GWT 750 NF |   |   |     |    |    |            |         |   |
| 6-2178575-7                           | 3 | 4 | 0.5 | 15 | 10 | PA6 GF1513 | NATURAL | A |

|                                       |   |   |   |    |    |                                |         |   |
|---------------------------------------|---|---|---|----|----|--------------------------------|---------|---|
| SPECIAL VERSION: UL94 V0 & GWT 750 NF |   |   |   |    |    |                                |         |   |
| 153-2178412-7                         | 3 | 6 | 1 | 15 | 10 | PA6613<br>UL94 V0 & GWT 750 NF | NATURAL | 1 |
| 154-2178412-7                         | 3 |   |   | 15 | 10 |                                | NATURAL | 1 |
| 158-2178412-2                         | 2 |   |   | 10 | 5  |                                | NATURAL | 1 |

|                      |     |             |             |            |             |                                    |         |      |
|----------------------|-----|-------------|-------------|------------|-------------|------------------------------------|---------|------|
| UL94 V0 & GWT 750 NF |     |             |             |            |             |                                    |         |      |
| 2322917-4            | 4   | 4           | 0.5         | 20         | 15          | PA66<br>UL94 V0 & GWT 750 NF<br>13 | NATURAL | C    |
| 2322917-2            | 2   |             |             | 10         | 5           |                                    | NATURAL | C    |
| 2315717-1            | 2   |             |             | 10         | 5           |                                    | NATURAL | C    |
| 2315717-2            | 2   |             |             | 10         | 5           |                                    | NATURAL | C    |
| 2315717-3            | 2   |             |             | 10         | 5           |                                    | NATURAL | C    |
| 1-2315717-2          | 2   |             |             | 10         | 5           |                                    | NATURAL | 1    |
| 152-2315717-2        | 2   | 4           | 0.5         | 10         | 5           |                                    | NATURAL | 1    |
| 2315717-4            | 4   |             |             | 20         | 15          |                                    | NATURAL | C    |
| 2315717-5            | 4   |             |             | 20         | 15          |                                    | NATURAL | C    |
| 2315717-6            | 3   |             |             | 15         | 10          |                                    | NATURAL | C    |
| 2315717-7            | 3   |             |             | 15         | 10          |                                    | NATURAL | C    |
| 1-2315717-3          | 3   |             |             | 15         | 10          |                                    | NATURAL | E    |
| PART NO.             | POS | DIM C<br>12 | DIM D<br>12 | DIMA<br>12 | DIM B<br>12 | MATERIAL                           | COLOUR  | REV. |

|                                                                                       |  |  |  |                                                                                       |          |                                                                                                       |          |                                                                             |
|---------------------------------------------------------------------------------------|--|--|--|---------------------------------------------------------------------------------------|----------|-------------------------------------------------------------------------------------------------------|----------|-----------------------------------------------------------------------------|
| THIS DRAWING IS A CONTROLLED DOCUMENT.                                                |  |  |  | DWN<br>Kishor M                                                                       | 18-10-07 |  TE Connectivity |          |                                                                             |
| DIMENSIONS:<br>mm                                                                     |  |  |  | CHK<br>K.Munz                                                                         | 18-10-07 |                                                                                                       |          |                                                                             |
|  |  |  |  | TOLERANCES UNLESS OTHERWISE SPECIFIED:                                                |          | APVD<br>T.Klanner                                                                                     | 18-10-07 | NAME                                                                        |
|                                                                                       |  |  |  | 0 PLC ±0.2<br>1 PLC ±0.2<br>2 PLC ±0.2<br>3 PLC ±-<br>4 PLC ±-<br>ANGLES ±°<br>FINISH |          | PRODUCT SPEC<br>108-18049                                                                             |          | STANDARD TIMER HSG. RAST 5 MARK II<br>Standard Timer Gehäuse RAST 5 Mark II |
| MATERIAL<br>SEE TABLES. SHEETS<br>PAGE 2 AND 3 OF 4                                   |  |  |  | WEIGHT<br>-                                                                           |          | SIZE<br>A 1                                                                                           |          | 00779                                                                       |
|                                                                                       |  |  |  | Customer Drawing                                                                      |          | CAGE CODE<br>-                                                                                        |          | 1241961                                                                     |
|                                                                                       |  |  |  |                                                                                       |          | RESTRICTED TO<br>-                                                                                    |          |                                                                             |
|                                                                                       |  |  |  |                                                                                       |          | SCALE<br>5:1                                                                                          |          | SHEET<br>3                                                                  |
|                                                                                       |  |  |  |                                                                                       |          | OF<br>4                                                                                               |          | REV<br>E 4                                                                  |



8

7

6

5

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

ALL RIGHTS RESERVED.

2 POSITION VARIANTS

2.00

0-969484-1

2.14

1-969484-1  
2315717-2

2.13

2-969484-1

2.12

3-969484-1 OBSOLETE

2.11

4-969484-1

2.10

5-969484-1 OBSOLETE

2.09

6-969484-1

2.07

7-969484-1 OBSOLETE  
3-2364739-2

2.06

8-969484-1

2.04

9-969484-1 OBSOLETE

2.03

0-969484-2

2.02

1-969484-2 OBSOLETE

2.08

2-969484-2

2.21

3-969484-2

2.99

4-969484-2  
2315717-1

2.20

5-969484-2  
2-2364739-2  
PA6

2.19

6-969484-2  
PA6

2.18

7-969484-2  
PA6

2.17

8-969484-2  
2315717-3  
PA6

2.16

9-969484-2  
PA6

2.31

0-969484-3

2.15

1-969484-3 OBSOLETE

2.05

2-969484-3 OBSOLETE

2.30

3-969484-3 OBSOLETE

Ohne/NONE

4-969484-3

Ohne/NONE

5-969484-3

Ohne/NONE

6-969484-3

Ohne/NONE

7-969484-3 OBSOLETE

5-1241961-2

0-1241961-1

2-1241961-2

3-1241961-2

6-1241961-2  
2364739-2

7-1241961-2  
2-2315717-2

8-1241961-2  
8-2178412-2

9-1241961-2

0-1241961-3

3-1241961-3 OBSOLETE

4-1241961-3

5-1241961-3

6-1241961-3

7-1241961-3  
1-2364739-2  
2178571-2

6-1241983-2

8-1241983-2

5-1241983-3

0-1241983-2

1-1241983-2

2-1241983-2

3-1241961-1

8-1241961-3  
2322917-2

4-1955422-3

9-1955506-2

0-1955422-1

PRELIMINARY

2 POSITION VARIANTS

3.00

0-969484-6 OBSOLETE

3.38

1-969484-6 OBSOLETE

3.18

2-969484-6

3.37

3-969484-6

3.35

4-969484-6 OBSOLETE

3.33

5-969484-6 OBSOLETE

3.32

6-969484-6 OBSOLETE

3.20

7-969484-6

3.10

8-969484-6

3.09

9-969484-6

3.08

0-969484-7 OBSOLETE

3.39

1-969484-7  
1-1955422-7 PRELIMINARY

3.31

2-969484-7 OBSOLETE

3.40

3-969484-7

3.99

4-969484-7 OBSOLETE

Ohne/NONE

5-969484-7

3.45

6-969484-7 OBSOLETE

3.47

7-969484-7 OBSOLETE

3.65

8-969484-7

3.48

9-969484-7 OBSOLETE

3.66

0-969484-8

Ohne/NONE

1-969484-8 OBSOLETE

Ohne/NONE

2-969484-8

9-1241961-9

3-1241961-8

9-969484-9

4-1241961-8

5-1241961-8

PA6

03-K

PA6

03-F

03-I

5-1955422-7

6-1241961-7  
1-1241961-9  
0-1955422-6  
6-2178575-7  
2345753-1

9-1241961-7

0-2315717-6

0-2315717-7

0-1241961-6

2-1241961-7  
5-1241961-7  
2364739-3  
2178571-1

1-1241961-8

2-1241961-8  
1-2364739-3

6-1241961-8  
7-1241961-7

7-1241961-8

1-1241961-7

9-1241961-8

8-1241961-8  
1-2315717-3

2-1241817-3

0-1241961-8

3-1241961-7  
4-1241961-7  
5-1241961-7  
6-2178412-7  
7-2178413-7  
8-2178413-7

4-1241961-7

5-1241961-7

6-1241961-7

7-1241961-7

8-1241961-7

9-1241961-7

0-1241961-7

1-1241961-7

2-1241961-7

3-1241961-7

4-1241961-7

5-1241961-7

6-1241961-7

7-1241961-7

8-1241961-7

9-1241961-7

0-1241961-7

1-1241961-7

2-1241961-7

3-1241961-7

4-1241961-7

5-1241961-7

6-1241961-7

7-1241961-7

8-1241961-7

9-1241961-7

0-1241961-7

1-1241961-7

2-1241961-7

3-1241961-7

4-1241961-7

5-1241961-7

6-1241961-7

7-1241961-7

8-1241961-7

9-1241961-7

0-1241961-7

1-1241961-7

2-1241961-7

3-1241961-7

4-1241961-7

5-1241961-7

6-1241961-7

7-1241961-7

8-1241961-7

9-1241961-7

0-1241961-7

1-1241961-7

2-1241961-7

3-1241961-7

4-1241961-7

5-1241961-7

6-1241961-7

7-1241961-7

8-1241961-7

9-1241961-7

0-1241961-7

1-1241961-7

2-1241961-7

3-1241961-7

4-1241961-7

5-1241961-7

6-1241961-7

7-1241961-7

8-1241961-7

9-1241961-7

0-1241961-7

1-1241961-7

2-1241961-7

3-1241961-7

4-1241961-7

5-1241961-7

6-1241961-7

7-1241961-7

8-1241961-7

9-1241961-7

0-1241961-7

1-1241961-7

2-1241961-7

3-1241961-7

4-1241961-7

5-1241961-7

6-1241961-7

7-1241961-7

8-1241961-7

9-1241961-7

0-1241961-7

1-1241961-7

2-1241961-7

3-1241961-7

4-1241961-7

5-1241961-7

6-1241961-7

7-1241961-7

8-1241961-7

9-1241961-7

0-1241961-7

1-1241961-7

2-1241961-7

3-1241961-7

4-1241961-7

5-1241961-7

6-1241961-7

7-1241961-7

8-1241961-7

9-1241961-7

0-1241961-7

1-1241961-7

2-1241961-7

3-1241961-7

4-1241961-7

5-1241961-7

6-1241961-7

7-1241961-7

8-1241961-7

9-1241961-7

0-1241961-7

1-1241961-7

2-1241961-7

3-1241961-7

4-1241961-7

5-1241961-7

6-1241961-7

7-1241961-7

8-1241961-7

9-1241961-7

0-1241961-7

1-1241961-7

2-1241961-7

3-1241961-7

4-1241961-7

5-1241961-7

6-1241961-7

7-1241961-7

8-1241961-7

9-1241961-7

0-1241961-7

1-1241961-7

2-1241961-7

3-1241961-7

4-1241961-7

5-1241961-7

6-1241961-7

7-1241961-7

8-1241961-7

9-1241961-7

0-1241961-7

1-1241961-7

2-1241961-7

3-1241961-7

4-1241961-7

5-1241961-7

6-1241961-7

7-1241961-7

8-1241961-7

9-1241961-7

0-1241961-7

1-1241961-7

2-1241961-7

3-1241961-7

4-1241961-7

5-1241961-7

6-1241961-7

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1241959-4](#)