





A 4x4 grid with numbers 1-6 and various symbols. The grid is as follows:

|   |   |   |   |   |
|---|---|---|---|---|
| b | - | 4 | - | d |
| a | - | + | - | c |
| b | - | 3 | - | d |
| a | - | 3 | - | c |
| b | - | 2 | - | d |
| a | - | 2 | - | c |
| b | - | 1 | - | d |
| a | - | 1 | - | c |

Additional symbols and connections:

- Triangle 9 is connected to the cell (1,3) containing '4'.
- Triangle 6 is connected to the cell (2,5) containing 'c'.
- Triangle 2 is connected to the cell (4,5) containing 'c'.
- Triangle 3 is connected to the cells (5,1) containing 'b' and (6,1) containing 'a'.
- Triangle 4 is connected to the cells (7,5) containing 'd' and (8,5) containing 'c'.
- A shaded square is located at the intersection of row 2 and column 5.
- A square with an 'X' is located at the intersection of row 4 and column 5.



PAY ATTENTION !  
DIFFERENT LOCKING LATCHES

Technical drawing of a mechanical part, showing front and side views with dimensions.

**Front View (Left):**

- Overall width: 3.7
- Top flange thickness: 1
- Distance from top flange to centerline: 1.5
- Radius: R0.5
- Distance from centerline to bottom flange: 1.5
- Bottom flange thickness: 1.7
- Overall height: 13
- Distance from bottom flange to base: 2.2

**Side View (Right):**

- Overall width: 2.8

**Detail E:** A detail view of the top flange, showing a chamfered edge.

**Scale:** 4:1

31 ONLY FOR 1-2178029-3, TOLERANCE IS +0.15/-0.2

4805 (3/11)







| LOC | DIST | REVISIONS |     |             |      |     |      |
|-----|------|-----------|-----|-------------|------|-----|------|
|     |      | P         | LTR | DESCRIPTION | DATE | DWN | APVD |
| A1  | -    |           |     | SEE SHEET 1 |      |     |      |
|     |      |           |     |             |      |     |      |
|     |      |           |     |             |      |     |      |
|     |      |           |     |             |      |     |      |


-  ONLY FOR 2322912-3. TOLERANCE IS +0.1/-0.15
-  ONLY FOR 2322912-6. 1-2364737-1. TOLERANCE IS -0.30
-  CANDIDATE PRELIMINARY P/N. NOT YET OFFICIAL. ONLY FOR DISCUSSION. NOT YET RELEASED FOR PRODUCTION.
-  DOUBLE SOURCE RESIN: ALTERNATIVE RESIN UNDER APPROVAL.

|                                                                                                                                                                     |                                                                                                 |      |        |       |       |         |                                                                                                                                                                                                         |               |                                                                                                                                                                             |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|------|--------|-------|-------|---------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|   | 5-1241965-5                                                                                     | 5    | 05-B   | 25    | 20    | NATURAL | UL94-V0 & GWEPT 750 no flame<br>  | E             |       |
|                                                                                                                                                                     | 1-2364737-1                                                                                     | 11   | 11-B   | 55    | 50    | BLUE    | UL94-V0 & GWEPT 750 no flame<br>  | B             |       |
|                                                                                                                                                                     | 2364737-9                                                                                       | 9    | -      | 45    | 40    | BLUE    |                                                                                                                                                                                                         | C             |       |
|                                                                                                                                                                     | 2364737-5                                                                                       | 5    | -      | 25    | 20    | BLUE    |                                                                                                                                                                                                         | B             |       |
|                                                                                                                                                                     | 1-2364737-2                                                                                     | 2    | 02-B   | 10    | 5     | BLUE    |                                                                                                                                                                                                         | B             |       |
|                                                                                                                                                                     | 2364737-2                                                                                       | 2    | 02-A   | 10    | 5     | BLUE    |                                                                                                                                                                                                         | B             |       |
|                                                                                  | 2322912-8                                                                                       | 8    | 08-D   | 40    | 35    | BLUE    | PA66 UL94 V0 GW T 750                                                                                                                                                                                   | B             |       |
|                                                                                                                                                                     | 2322912-6                                                                                       | 6    | 06-D   | 30    | 25    | BLUE    |                                                                                                                                                                                                         | B             |     |
|                                                                                                                                                                     | 2322912-3                                                                                       | 3    | -      | 15    | 10    | YELLOW  |                                                                                                                                                                                                         | B             |   |
|                                                                                                                                                                     | 2-2322912-2                                                                                     | 2    | 02-A   | 10    | 5     | NATURE  |                                                                                                                                                                                                         | B             |   |
|                                                                                                                                                                     | 1-2322912-2                                                                                     | 2    | 02-G   | 10    | 5     | BLUE    |                                                                                                                                                                                                         | B             |   |
|                                                                                  | 2322912-2                                                                                       | 2    | 02-C   | 10    | 5     | GREY    |                                                                                                                                                                                                         | B             |   |
|                                                                                                                                                                     | 5-1241965-7                                                                                     | 7    | 07-C   | 35    | 30    | NATURAL | PA66 UL94 V0 GW T 750 CT1350                                                                                                                                                                            | E             |   |
|                                                                                                                                                                     | 4-1241965-7                                                                                     | 7    | -      | 35    | 30    | NATURAL |                                                                                                                                                                                                         | E             |   |
|                                                                                                                                                                     |  5-1241965-5 | 5    | 05-B   | 25    | 20    | NATURAL |                                                                                                                                                                                                         | E             |   |
|                                                                                                                                                                     | 5-1241965-4                                                                                     | 4    | -      | 20    | 15    | NATURAL |                                                                                                                                                                                                         | E             |   |
|                                                                                                                                                                     | 4-1241965-4                                                                                     | 4    | -      | 20    | 15    | NATURAL |                                                                                                                                                                                                         | E             |   |
|                                                                                  | 3-1241965-4                                                                                     | 4    | -      | 20    | 15    | NATURAL |                                                                                                                                                                                                         | E             |   |
|                                                                                                                                                                     | 2-1241965-4                                                                                     | 4    | -      | 20    | 15    | NATURAL |                                                                                                                                                                                                         | E             |   |
|                                                                                                                                                                     | 1-1241965-4                                                                                     | 4    | 04-C   | 20    | 15    | NATURAL |                                                                                                                                                                                                         | E             |   |
|                                                                                                                                                                     | 8-1241965-2                                                                                     | 2    | 02-C   | 10    | 5     | NATURAL |                                                                                                                                                                                                         | E             |   |
|                                                                                                                                                                     | 2-1241965-2                                                                                     | 2    | -      | 10    | 5     | NATURAL |                                                                                                                                                                                                         | E             |   |
| PART NO.                                                                                                                                                            |                                                                                                 | POS. | RAST 5 | DIM A | DIM B | COLOUR  | MATERIAL                                                                                                                                                                                                | LOCKING LATCH | MATED WITH                                                                                                                                                                  |
| SPECIAL VERSION: UL94 V0 & GW T 750                                                                                                                                 |                                                                                                 |      |        |       |       |         |                                                                                                                                                                                                         |               |                                                                                                                                                                             |

KEYING PLAN SEE SHEET 2 OF 4

|                          |      |        |       |       |         |              |               |                                                                                                                                                                             |
|--------------------------|------|--------|-------|-------|---------|--------------|---------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 2345754-1                | 2    | 02-C   | 10    | 5     | NATURAL | PA66 UL94 V0 | E             |   |
| PART NO.                 | POS. | RAST 5 | DIM A | DIM B | COLOUR  | MATERIAL     | LOCKING LATCH | MATED WITH                                                                                                                                                                  |
| SPECIAL VERSION: UL94 V0 |      |        |       |       |         |              |               |                                                                                                                                                                             |





# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1-928247-1](#)