




REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	M7	ADD NEW DASH NUMBER 4-3	20JUN2021	CZ	SH



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN D.RINGLER 28JUL2003	TE Connectivity	
		CHK M.CORRELL 28JUL2003		
DIMENSIONS:		APVD	NAME	
mm			PANEL MOUNT CABLE RECEPTACLE HOUSING WITH GUIDES MULTI-BEAM XL	
		PRODUCT SPEC	SIZE	
		108-2157	CAGE CODE	
		APPLICATION SPEC	DRAWING NO	
		114-13112	RESTRICTED TO	
MATERIAL		WEIGHT	A1	
TBD		-	C=1600636	
			CUSTOMER DRAWING	
			SCALE 4:1	
			SHEET 1 OF 6	
			REV M7	

8

THIS DRAWING IS UNPUBLISHED.

7

RELEASED FOR PUBLICATION

6

20

5

4

3

2

1

REVISIONS

P	LYR	DESCRIPTION	DATE	DWN	APVD

PART NUMBER	ROWS		POWER (L)					SIGNAL					POWER (R)							
			P10	P9	P8	P7	P6	6	5	4	3	2	1	P5	P4	P3	P2		P1	
1600636-1	D C B A																			
5ACP + 24S + 5ACP																				

PART NUMBER	ROWS		POWER (L)		SIGNAL						POWER (R)			
			P4	P3	6	5	4	3	2	1	P2	P1		
1600636-2	D C B A													
2P + 24S + 2P														

PART NUMBER	ROWS		POWER (L)	SIGNAL						POWER (R)		
			P2	6	5	4	3	2	1	P1		
1600636-3	D C B A											
1P + 24S + 1P												

PART NUMBER	ROWS		POWER (L)	SIGNAL											POWER (R)				
			P4	P3	11	10	9	8	7	6	5	4	3	2	1	P2		P1	
1600636-4	D C B A																		
2P + 44S + 2P																			

PART NUMBER	ROWS		POWER (L)				SIGNAL								POWER (R)				
			P8	P7	P6	P5	6	5	4	3	2	1	P4	P3	P2	P1			
1600636-5	D C B A																		
4P + 24S + 4P																			

PART NUMBER	ROWS		POWER (L)										SIGNAL					POWER (R)							
			P16	P15	P14	P13	P12	P11	P10	P9	P8	P7	P6	P5	6	5	4	3	2	1	P4		P3	P2	P1
1600636-6	D C B A																								
4ACP + 24S + 12P																									

PART NUMBER	ROWS		POWER (L)		SIGNAL						POWER (R)				
			P6	P5	6	5	4	3	2	1	P4	P3	P2	P1	
1600636-7	D C B A														
4P + 24S + 2P															

PART NUMBER	ROWS		POWER (L)			SIGNAL						POWER (R)						
			P6	P5	P4	6	5	4	3	2	1	P3	P2	P1				
1-1600636-4	D C B A																	
3ACP + 24S + 3ACP																		

PART NUMBER	ROWS		POWER (L)			SIGNAL						POWER (R)							
			P6	P5	P4	6	5	4	3	2	1	P3	P2	P1					
1600636-8	D C B A																		
3P + 16S + 3P																			

PART NUMBER	ROWS		POWER (L)	SIGNAL						POWER (R)				
			P2	6	5	4	3	2	1	P1				
1600636-9	D C B A													
1P + 24S + 1P														

PART NUMBER	ROWS		POWER (L)	SIGNAL						POWER (R)					
			P4	P3	4	3	2	1	P2	P1					
1-1600636-0	D C B A														
2P + 16S + 2P															

PART NUMBER	ROWS		POWER (L)	SIGNAL						POWER (R)				
			P2	6	5	4	3	2	1	P1				
1-1600636-1	D C B A													
1P + 24S + 1P														

PART NUMBER	ROWS		POWER (L)	SIGNAL						POWER (R)									
			P2	6	5	4	3	2	1	P1									
1-1600636-2	D C B A																		
4P + 24S + 4P																			

PART NUMBER	ROWS		P(L)	SIGNAL				P(R)											
			P2	4	3	2	1	P1											
1-1600636-3	D C B A	 																	
1P + 16S + 1P																			

PART NUMBER	ROWS		POWER (L)			SIGNAL						POWER (R)								
			P8	P7	P6	P5	6	5	4	3	2	1	P4	P3	P2		P1			
1-1600636-2	D C B A																			
4P + 24S + 4P																				

PART NUMBER	ROWS		P(L)	SIGNAL				P(R)											
			P2	4	3	2	1	P1											
1-1600636-3	D C B A	 																	
1P + 16S + 1P																			

PART NUMBER	ROWS		POWER (L)		SIGNAL						POWER (R)				
			P6	P5	6	5	4	3	2	1	P4	P3	P2	P1	
1600636-7	D C B A														
4P + 24S + 2P															

PART NUMBER	ROWS		POWER (L)			SIGNAL						POWER (R)							
			P6	P5	P4	6	5	4	3	2	1	P3	P2	P1					
1-1600636-4	D C B A																		
3ACP + 24S + 3ACP																			

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm

MATERIAL
TBD

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ± °
1 PLC ± °
2 PLC ± °
3 PLC ± .005
4 PLC ± .0020
ANGLES ± °
FINISH -

-

DWN D. RINGLER 28JUL2003
CHK M. CORRELL 28JUL2003
APVD -

PRODUCT SPEC
108-2157
APPLICATION SPEC
114-13112

WEIGHT -

CUSTOMER DRAWING

DATE 28JUL2003

NAME

SIZE A1
CAGE CODE -
DRAWING NO. 1600636
RESTRICTED TO

SCALE 4:1
SHEET 1 OF 5
REV M7

TE Connectivity


PANEL MOUNT CABLE RECEPTACLE HOUSING WITH GUIDES MULTI-BEAM XL

RM	STANDARD POWER CONTACT
RA	MFBL POWER CONTACT
E	SIGNAL CONTACT
CODE	DESCRIPTION
CONTACT TABLE	

4805 (3/13)

REVISIONS				
P	LYR	DESCRIPTION	DATE	DWN

PART NUMBER	ROWS		POWER				SIGNAL						POWER				
			P8	P7	P6	P5	6	5	4	3	2	1	P4	P3	P2	P1	
1-1600636-5	D C B A						E	E	E	E	E	E					
							E	E	E	E	E	E					
							E	E	E	E	E	E					
							E	E	E	E	E	E					
4P + 24S + 4P																	

PART NUMBER	ROWS		POWER			SIGNAL					POWER							
			P9	P8	P7	6	5	4	3	2	1	P6	P5	P4	P3		P2	P1
2-1600636-1	D C B A					E	E	E	E	E	E							
						E	E	E	E	E	E							
						E	E	E	E	E	E							
						E	E	E	E	E	E							
6P + 24S + 3ACP																		

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

PART NUMBER	ROWS		POWER			SIGNAL											POWER								
			P11	P10	P9	11	10	9	8	7	6	5	4	3	2	1	P8	P7	P6	P5	P4	P3	P2	P1	
4-1600636-0	D		RM	RM	RA	E	E	E	E	E	E	E	E	E	E	E	RA	RA	RA	RM	RM	RM	RM	RA	
	E					E	E	E	E	E	E	E	E	E	E	E									
	E					E	E	E	E	E	E	E	E	E	E	E									
	E					E	E	E	E	E	E	E	E	E	E	E									
8P + 44S + 3ACP																									

PART NUMBER	ROWS		POWER		SIGNAL										POWER		
			P2		10	9	8	7	6	5	4	3	2	1	P1		
4-1600636-1	D		RM	E	E	E	E	E	E	E	E	E	E	E	RM		
	C			E	E	E	E	E	E	E	E	E	E				
	B			E	E	E	E	E	E	E	E	E	E				
	A			E	E	E	E	E	E	E	E	E	E				
1P + 40S + 1P																	

PART NUMBER	ROWS		POWER				SIGNAL			POWER				
			P8	P7	P6	P5	3	2	1	P4	P3	P2	P1	
4-1600636-2	D		RM	RM	RM	RM	E	E	E	RM	RM	RM	RM	
	C						E	E	E					
	B						E	E	E					
	A						E	E	E					
4P + 12S + 4P														

PART NUMBER	ROWS		POWER		SIGNAL			POWER		
			P4	P3	3	2	1	P2	P1	
4-1600636-3	D		RA	RA	E	E	E	RA	RA	
	C				E	E	E			
	B				E	E	E			
	A				E	E	E			
2P + 12S + 2P										

THIS DRAWING IS A CONTROLLED DOCUMENT.			DWN D. RINGLER	28JUL2003	 TE Connectivity					
			CHK M. CORRELL	28JUL2003						
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:			NAME PANEL MOUNT CABLE RECEPTACLE HOUSING WITH GUIDES MULTI-BEAM XL	RESTRICTED TO				
mm		APVD -								
	0 PLC	±	PRODUCT SPEC							
	1 PLC	±	108-2157							
	2 PLC	±	APPLICATION SPEC							
	3 PLC	± .005	114-13112							
	4 PLC	± .0020								
ANGLES		±								
MATERIAL	FINISH	WEIGHT -			A1	-	 1600636			
	TBD	-								
	-	-	CUSTOMER DRAWING					SCALE 4:1	SHEET 6 OF 6	REV M7

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[2-1600636-5](#)