




LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-		B2	ECR-21-108676	03AUG2021	LZ	FL
			C	ECR-21-110755	02SEP2021	KD	FL
			C1	ECR-21-118862	10NOV2021	SM	FL




1. HOUSING HAS RAST 5 COMPATIBLE KEYING LATCHING, AND POLARIZATION, TAB IS 6.30 x 0.8mm ACCORDING TO DIN 46224
2. MATERIAL: HOUSING NYLON, UL94 V0, 750 °C GWT NO FLAME
3. FINISH: CONTACTS, TIN PLATING OVERALL , NICKEL UNDER-PLATING
4. PACKING: LOOSE PIECE OR TUBE. THE PART NUMBER IN THIS DRAWING ARE WITH LOOSE PIECE PACKING. PLEASE CONTACT TE SALES REPRESENTATIVES FOR TUBE PACKING REQUIREMENT.
- 5 PRELIMINARY, NOT FOR PRODUCTION.
- 6 MATERIAL: HOUSING PA66,UL94 V0
PRODUCT COMPLY WITH GLOW WIRE REQUIREMENTS FOR PARTS OF NON-METALLIC MATERIAL SUPPORTING A CURRENT-CARRYING CONNECTION DETAILED IN IEC 60335-1, SECTION 30 (GWT).
- 7 FINISH:CONTACT, SILVER PLATING OVERALL, NICKEL UNDER-PLATING.
- 8 SPECIAL VERSION: SHORT PEG DESIGN, DETAIL IN SHEET 3
- 9 PART NUMBER WITH TUBE PACKAGING.
- 10 MATERIAL: PA66 GF, UL94 V0, 750°C GWT NO FLAME



SECTION A-A

-  TOOL MARK ON TERMINAL SURFACE IS ACCEPTABLE
WHICH DOES NOT IMPACT FUNCTION



42.30	40.30	8
37.30	35.30	7
32.30	30.30	6
27.30	25.30	5
22.30	20.30	4
17.30	15.30	3
12.30	10.30	2
N	M	NO. OF POS.

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN B.P	APR162013		 TE Connectivity	
		CHK F.M	APR162013			
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD -	NAME	
		1 PLC ±.5		RAST 5 TAB HEADER ASSY DIN STYLE, TH, VERTICAL -		
		1 PLC ±0.25				
		2 PLC ±0.13		SIZE CAGE CODE DRAWING NO RESTRICTED TO		
		3 PLC ±0.001				
		4 PLC ±.001		A200779C-2232511		
		ANGLES				
MATERIAL		FINISH		WEIGHT -		
-		-		CUSTOMER DRAWING SCALE 4:1 SHEET 1 OF 4 REV C1		

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

20

© COPYRIGHT 20

BY - ALL RIGHT REVERSED

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P

LTR

DESCRIPTION

DATE

DWN

APVD

-

-

SEE SHEET 1

-

-

-

1

X

3

3-2232511-3

5

7

2-2232511-3

5

2232511-3

1-2232511-3

2328608-3

6

8

3 POS.

VOID PIN

1

X

3

X

5

X

7

2232511-7

1-2232511-7

2328608-7

6

8

2-2232511-7

6

1-2328608-7

8

7 POS.

1

X

3

X

5

X

7

8

2232511-8

8 POS.

1

X

3

X

5

X

7

2232511-5

1-2232511-5

2328608-5

6

8

2-2232511-5

5

5 POS.

1

X

3

X

5

2232511-5

1-2232511-5

2328608-5

6

8

2-2232511-5

5

4 POS.

1

X

3

X

5

2232511-5

1-2232511-5

2328608-5

6

8

2-2232511-5

5

4 POS.

1

X

3

X

5

2232511-5

1-2232511-5

2328608-5

6

8

2-2232511-5

5

5 POS.

1

X

3

X

5

X

7

2232511-7

1-2232511-7

2328608-7

6

8

2-2232511-7

6

1-2328608-7

8

7 POS.

1

X

3

X

5

X

7

8

2232511-8

8 POS.

1

X

3

X

5

X

7

2232511-7

1-2232511-7

2328608-7

6

8

2-2232511-7

6

1-2328608-7

8

7 POS.

1

X

3

X

5

X

7

8

2232511-8

8 POS.

1

X

3

X

5

X

7

2232511-7

1-2232511-7

2328608-7

6

8

2-2232511-7

6

1-2328608-7

8

7 POS.

1

X

3

X

5

X

7

8

2232511-8

8 POS.

1

X

3

X

5

X

7

2232511-7

1-2232511-7

2328608-7

6

8

2-2232511-7

6

1-2328608-7

8

7 POS.

1

X

3

X

5

X

7

8

2232511-8

8 POS.

1

X

3

X

5

X

7

2232511-7

1-2232511-7

2328608-7

6

8

2-2232511-7

6

1-2328608-7

8

7 POS.

1

X

3

X

5

X

7

8

2232511-8

8 POS.

1

X

3

X

5

X

7

2232511-7

1-2232511-7

2328608-7

6

8

2-2232511-7

6

1-2328608-7

8

7 POS.

1

X

3

X

5

X

7

8

2232511-8

8 POS.

1

X

3

X

5

X

7

2232511-7

1-2232511-7

2328608-7

6

8

2-2232511-7

6

1-2328608-7

8

7 POS.

1

X

3

X

5

X

7

8

2232511-8

8 POS.

1

X

3

X

5

X

7

2232511-7

1-2232511-7

2328608-7

6

8

2-2232511-7

6

1-2328608-7

8

7 POS.

1

X

3

X

5

X

7

8

2232511-8

8 POS.

1

X

3

X

5

X

7

2232511-7

1-2232511-7

2328608-7

6

8

2-2232511-7

6

1-2328608-7

8

7 POS.

1

X

3

X

5

X

7

8

2232511-8

8 POS.

1

X

3

X

5

X

7

2232511-7

1-2232511-7

2328608-7

6

8

2-2232511-7

6

1-2328608-7

8

7 POS.

1

X

3

X

5

X

7

8

2232511-8

8 POS.

1

X

3

X

5

X

7

2232511-7

1-2232511-7

2328608-7

6

8

2-2232511-7

6

1-2328608-7

8

7 POS.

1

X

3

X

5

X

7

8

2232511-8

8 POS.

1

X

3

X

5

X

7

2232511-7

1-2232511-7

2328608-7

6

8

2-2232511-7

6

1-2328608-7

8

7 POS.

1

X

3

X

5

X

7

8

2232511-8

8 POS.

1

X

3

X

5

X

7

2232511-7

1-2232511-7

2328608-7

6

8

2-2232511-7

6

1-2328608-7

8

7 POS.

1

X

3

X

5

X

7

8

2232511-8

8 POS.

1

X

3

X

5

X

7

2232511-7

1-2232511-7

2328608-7

6

8

2-2232511-7

6

1-2328608-7

8

7 POS.

1

X

3

X

5

X

7

8

2232511-8

8 POS.

1

X

3

X

5

X

7

2232511-7

1-2232511-7

2328608-7

6

8

2-2232511-7

6

1-2328608-7

8

7 POS.

1

X

3

X

5

X

7

8

2232511-8

8 POS.

1

X

3

X

5

X

7

2232511-7

1-2232511-7

2328608-7

6

8

2-2232511-7

6

1-2328608-7

8

7 POS.

1

X

3

X

5

X

7

8

2232511-8

8 POS.

1

X

3

X

5

X

7

2232511-7

1-2232511-7

2328608-7

6

8

2-2232511-7

6

1-2328608-7

8

7 POS.

1

X

3

X

5

X

7

8

2232511-8

8 POS.

1

X

3

X

5

X

7

2232511-7

1-2232511-7

2328608-7

6

8

2-2232511-7

6

1-2328608-7

8

7 POS.

1

X

3

X

5

X

7

8

2232511-8

8 POS.

1

X

3

X

5

X

7

2232511-7

1-2232511-7

2328608-7

6

8

2-2232511-7

6

1-2328608-7

8

7 POS.

1

X

3

X

5

X

7

8

2232511-8

8 POS.

1

X

3

X

5

X

7

2232511-7

1-2232511-7

2328608-7

6

8

2-2232511-7


6

1-2328608-7

8

7 POS.

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-		-	SEE SHEET 1	-	-	-



THE POSITION OF THE 4 PIN TAIL HOLE AND POST ARE FIXED

PICTORIAL VIEW KEY

RECOMMEND PCB LAYOUT - SOLDER SIDE
PCB 1.5± 0.2 THICK

NATURE	8	2232511-8	
	7	3-2232511-7	
	7	2-2232511-7	
	7	1-2232511-7	
	7	2232511-7	
	6	2232511-6	
	5	4-2232511-5	
	5	2-2232511-5	
	5	1-2232511-5	
	5	2232511-5	
	4	1-2232511-4	
	4	2232511-4	
	3	3-2232511-3	 
	3	2-2232511-3	
	3	1-2232511-3	
	3	2232511-3	
COLOR	NO. OF POS.	PART NUMBER	

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN B.P CHK - APR162013 24SEP2013		 TE Connectivity	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±- 1 PLC ±0.5 2 PLC ±0.13 3 PLC ±0.013 4 PLC ±0.0001 ANGLES ±- FINISH		NAME RAST 5 TAB HEADER ASSY DIN STYLE, TH, VERTICAL -	
		PRODUCT SPEC 108-106080 APPLICATION SPEC -		SIZE A2	
MATERIAL -		WEIGHT -		CAGE CODE 00779	
		CUSTOMER DRAWING		DRAWING NO C=2232511	
				RESTRICTED TO	
				SCALE 4:1 SHEET 3 OF 4 REV C1	

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-		-	SEE SHEET 1	-	-	-

D



NATURE	7	 1-2328608-7
	7	2328608-7
	5	2328608-5
	3	2328608-3
COLOR	NO. OF POS.	 PART NUMBER

OTHER DIMENSIONS SEE SHEET 1
KEYING SEE SHEET 2

THIS DRAWING IS A CONTROLLED DOCUMENT.			DWN B.P	APR162013	TE Connectivity						
			CHK F.M	APR162013							
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:			APVD APR162013	NAME RAST 5 TAB HEADER ASSY DIN STYLE, TH, VERTICAL -					
		PRODUCT SPEC 108-106080									
		APPLICATION SPEC -			SIZE	CAGE CODE	DRAWING NO		RESTRICTED TO		
MATERIAL		FINISH			WEIGHT	A200779		C-2232511			
CUSTOMER DRAWING					SCALE	4 : 1		SHEET	4 OF 4	REV	C 1

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[2328608-7](#)