





THIS DRAWING IS UNPUBLISHED.	RELEASED FOR PUBLICATION	-
© COPYRIGHT copyright.d8te-	ALL RIGHTS RESERVED.	

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	A3	ECR-19-007522	13NOV2019	V. T	E. J
	A4	ECR-20-004141	18MAR2020	V. T	E. J
	B	ECR-20-007431	15JUN2020	V. T	E. J
	C	ECR-20-015257	01JUN2021	V. T	Z. Z



NOTES:


1. PLUG 2324808-X MATES WITH 2327042-X RECEPTACLE (X=1, 2, 3 FOR RELEVANT CODE).  
PLUG 2-2324808-X MATES WITH 2-2327042-X RECEPTACLE (X=1, 2, 3 FOR RELEVANT CODE).
2. MATERIAL: HOUSING: PBT GF30, SEE TABLE FOR COLOR  
TPA: PBT GF30, SEE TABLE FOR COLOR  
FRONT SEAL: VMQ(ORANGE)

3. DATE CODE: IDENTIFIES THE YEAR, MONTH, DAY AND HOUR OF ASSEMBLY.  
YEAR: FIRST AND SECOND DIGITS(18=2018)  
MONTH: THIRD DIGIT , EXCLUDING I , A=JAN, B=FEB, C=MARCH...(K=OCTOBER)  
DAY: FOURTH AND FIFTH DIGITS(14=14th DAY)  
HOUR: SIXTH AND SEVENTH DIGITS(11=11AM)

④. PULL TPA TO PRE-LOCK BEFORE TERMINAL INSERTION IN CASE OF TPA BEING HIT TO END-LOCK POSITION.

5. APPLICABLE TERMINAL PART NUMBERS AND WIRE SIZE:

1418844-1	TIN	GENERAL (USCAR-2 V2)	0.35	Ø1.10~Ø1.40	963142-2	963143-1
1418844-3	SILVER	HIGH VIBRATION (USCAR-2 V3)				
1670146-1	TIN	GENERAL (USCAR-2 V2)	0.5~0.75	Ø1.40~Ø1.90	963142-1	963143-1
1670146-3	SILVER	HIGH VIBRATION (USCAR-2 V3)				
1418850-1	TIN	GENERAL (USCAR-2 V2)	1.0~1.5	Ø1.90~Ø2.40	963142-1	963143-1
1418850-3	SILVER	HIGH VIBRATION (USCAR-2 V3)				
TERMINAL PN	TERMINAL PLATING	APPLICATION	WIRE SIZE (MM2)	INSULATION WIRES(MM)	SWS P/N	BLIND PLUG P/N

1						NATURAL	PBT-GF30	TPA, CODE C	3
	1			1		GREEN	PBT-GF30	TPA, CODE B	
		1			1	YELLOW	PBT-GF30	TPA, CODE A	
1	1	1	1	1	1	ORANGE	SILICONE	FRONT SEAL	2
1	1	1				GRAY	PBT-GF30	HOUSING	1
			1	1	1	BLACK	PBT-GF30		
QTY. REQUEST PER ASSY						COLOR	MATERIAL	DESCRIPTION	ITEM NO
4.8	4.8	4.8	5.3	5.3	5.3	WEIGHT OF EACH ASSY NO. (g)			
C	C	C	C	C	C	REVISION OF EACH ASSY NO.			
2-2324808-3 (HB)	2-2324808-2 (HB)	2-2324808-1 (HB)	2324808-3 (VO)	2324808-2 (VO)	2324808-1 (VO)	TE ASSEMBLY PN			
<div> <div> <div>THIS DRAWING IS A CONTROLLED DOCUMENT.</div> <div> <div> <div>DIMENSIONS: mm</div> <div>  </div> </div> <div> <div>TOLERANCES UNLESS OTHERWISE SPECIFIED:</div> <div> 0 PLC ±.  1 PLC ±0.25  2 PLC ±0.15  3 PLC ±.  4 PLC ±.  ANGLES ±.  FINISH </div> </div> </div> <div> <div> <div>DWN C. WAN CHK F. JIANG APVD T. YIN</div> <div> 17JAN2018 26FEB2018 02MAR2018 </div> </div> <div> <div>NAME SUPERSEAL PRO 2POS, PLUG ASSEMBLY MCON1.2, CB TERMINAL</div> <div> <div>SIZE A2</div> <div>CAGE CODE 00779</div> <div>DRAWING NO C=2324808</div> </div> <div>RESTRICTED TO</div> </div> </div> <div> <div> <div> <div>MATERIAL - -</div> <div> <div>WEIGHT -</div> <div>CUSTOMER DRAWING</div> </div> </div> <div> <div>SCALE 4:1</div> <div>SHEET 1 OF 1</div> <div>REV C</div> </div> </div> </div> </div></div>									

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[2324808-2](#)