

Free Height

TE Internal #: 6-6123845-1  
Free Height, PCB Mount Header, Vertical, Board-to-Board, 160  
Position, .6mm [.024in] Centerline, Gold, Printed Circuit Board  
[View on TE.com >](#)



Connectors > PCB Connectors > Board-to-Board Connectors > Board-to-Board Headers & Receptacles



PCB Connector Assembly Type: **PCB Mount Header**  
PCB Mount Orientation: **Vertical**  
Connector System: **Board-to-Board**  
Number of Positions: **160**  
Centerline (Pitch): **.6 mm [ .024 in ]**

Features

Product Type Features

Ground Component Type	Grounding Contact, Grounding Plate
PCB Connector Assembly Type	PCB Mount Header
Connector System	Board-to-Board
Connector & Contact Terminates To	Printed Circuit Board

Configuration Features

Number of Rows	2
Stackable	Yes
PCB Mount Orientation	Vertical
Number of Positions	160
Board-to-Board Configuration	Parallel

Electrical Characteristics

Insulation Resistance	2 MΩ
Operating Voltage	50 VAC

Contact Features

Contact Layout	Inline
Contact Mating Area Length	1 mm, 1.3 mm
PCB Contact Termination Area Plating Material Thickness	1 μm[39.37 μin]
Mating Tab Width	.3 mm[.012 in]
Mating Tab Thickness	.2 mm[.008 in]



PCB Contact Termination Area Plating Material	Tin
Contact Base Material	Copper Alloy
Contact Mating Area Plating Material	Gold
Contact Mating Area Plating Material Thickness	.2 μm[7.874 μin]
Contact Type	Pin
Contact Current Rating (Max)	.5 A

Termination Features

Square Termination Post & Tail Dimension	.2 mm[.008 in]
Termination Method to Printed Circuit Board	Surface Mount

Mechanical Attachment

PCB Mount Alignment Type	Locating Posts
PCB Mount Retention Type	Solder Peg
Mating Alignment	With
Mating Alignment Type	Polarization
PCB Mount Retention	With
PCB Mount Alignment	With
Connector Mounting Type	Board Mount

Housing Features

Centerline (Pitch)	.6 mm[.024 in]
Housing Color	Black
Housing Material	High Temperature Thermoplastic

Dimensions

Connector Height	9.45 mm[.371 in]
Stack Height	10 mm[.394 in]
	.2 in

Usage Conditions

Operating Temperature Range	-40 – 85 °C[-40 – 185 °F][-40 – 185 °F]
-----------------------------	---

Operation/Application

Assembly Process Feature	Vacuum Cover
Circuit Application	Signal

Industry Standards

UL Flammability Rating	UL 94V-0
------------------------	----------



Packaging Features

Packaging Quantity	30
Packaging Method	Tray

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2021 (211) Candidate List Declared Against: JAN 2020 (205) SVHC > Threshold: Not Yet Reviewed
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Reflow solder capable to 245°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>


Compatible Parts

TE Part # 1-5316318-1  
.6FHR12H,160,S,GIG,08/Sn,HT,SEYes


TE Part # 1-5353190-1  
.6FHR04H,160,S,GIG,08/Sn,TR,NSNo

TE Part # 1-5316560-1  
.6FHR04H,160,S,GIG,08/Sn,HT,SEYes

TE Part # 1-5316564-1  
.6FHR12H,160,S,GIG,08/Sn,ST,NSYes



TE Part # 1-5353189-1  
[.6FHR04H,160,S,STD,08/SP,TR,NSNo](#)



TE Part # 6-5353189-1  
[.6FHR04H,160,S,STD,08/SP,TR,SEN0](#)

Also in the Series

Free Height



[Board-to-Board Headers & Receptacles\(764\)](#)

Customers Also Bought



TE Part #5745781-4  
[09 MSFL RCPT RA 318 \(IN,FM\)](#)



TE Part #1571983-1  
[GDH02S04=DIP SWITCH](#)



TE Part #2299056-1  
[SFP+ 1X1 CAGE ASSEMBLY AND CONN, PRESS-F](#)



TE Part #2331390-1  
[DET SW5.7X4.0X2.0 GW HORZ. NC AG RL](#)




TE Part #2176314-4  
[MELF SMA\\_A 180R 0.1% 15PPM 0102 0.3W](#)



TE Part #1-1825006-9  
[GDS10S04=DIP SW,SLIDE,SMT](#)



TE Part #1-928836-2  
[MOD2 PIN WITH A-PIN L/P](#)



TE Part #1761072-3  
[RECPT,HSSDC2,FIBRE,TRAY PKG](#)



TE Part #3-1415020-1  
[PT570N20](#)



Documents

Product Drawings

[.6FHP10H,160,S,GIG,08/Sn,ST,SEYes](#)

Japanese

CAD Files

3D PDF

English

Customer View Model

[ENG\\_CVM\\_6-6123845-1\\_O.3d\\_igs.zip](#)

English

Customer View Model

[ENG\\_CVM\\_6-6123845-1\\_O.3d\\_stp.zip](#)

English

Customer View Model

[ENG\\_CVM\\_6-6123845-1\\_O.2d\\_dxf.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Application Specification

English

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[6-6123845-1](#)