

© 2019 TE Connectivity Ltd. family of companies. All Rights Reserved

RNF-100-1-1/2-WH-SP





Raychem | RNF-100

TE Part # RNF-100-1-1/2-WH-SP TE Internal #: 5053384055 Mil-Spec: M23053/5-111-9 Alias #: 3-1193885-3

Color: White
Wall Type: Single

Expanded Inside Diameter (Min): 38.1 mm [

1.5 in]

Recovered Inside Diameter (Max): 19.05 mm


[.75 in]

Shrink Ratio: 2:1

■ Add to List ▼ | Similar Products



Compatible Parts & Tooling











Product Type

Features

Wall Type : Single

Product Family: RNF-100

Electrical

Characteristics

Voltage (Max) (kV): .6

Body Features

Color: White

Shrink Ratio: 2:1

Material: Irradiated Modified

Polyolefin

Flexibility: Flexible

Fluid Type: Aviation Fuel, Hydraulic


Fluid, Water

Expanded Inside Diameter (Min): **Dimensions** 38.1 mm [1.5 in] Recovered Inside Diameter (Max): 19.05 mm [.75 in] Recovered Wall Thickness (Nominal): 1.01 mm [.04 in] Recovered Wall Thickness (Tolerance): .31 mm [.012 in] Shrink Temperature (Min) (°C): **Usage Conditions** Resistant To: Abrasion, Fluids, Mechanical Damage, Strain Operating Temperature Range (°C): -55 – 135 Flammability: Flame-Retardant Recovery Temperature (°C): 121 Fluid Resistance: Splash Protection Applicable Region: Global Product Availability Packaging Method: Spool Packaging Features Other Product Source: **US** Low Outgassing : No

Compatible Parts

> Contact Product Support

Also in the Series | RNF-100



Customers Also Bought



TE Part # TXR40AZ00-1004AI

TXR40AZ00-1004AI

View Product



TE Part # RNF-100-1-1/2-RD-SP

RNF-100-1-1/2-RD-SP

View Product



TE Part # RNF-100-1-1/2-BK-SP

RNF-100-1-1/2-BK-SP

View Product



View Product









Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

<u>TE Connectivity</u>: M23053/5-111-9