




8 VERALTETE

1241150

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWG. T. BERGNER 29SEP1998		 TE Connectivity Ltd.	
DIESE ZEICHNUNG IST EIN KONTROLLIERTES DOKUMENT.		CHK. M. SCHAARSCHMIDT 29SEP1998			
DIMENSIONS: MASSENHEITEN: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: ALLGEMEINTOLERANZEN		NAME AMPMODU II PIN HEADER, SINGLE ROW, SMD, PACKED IN BLISTER	
		APVD G. FELDMEIER PRODUCT SPEC PRODUKTSPEZ. 108-18012			
0 PLC ± 0.2 1 PLC ± 0.1 2 PLC ± 0.1 3 PLC ± 4 PLC ± ANGLES / WINKEL ± ±		APPLICATION SPEC. VERABEITUNGSSPEZ. —			
MATERIAL SEE TABLE SIEHE TABELLE		WEIGHT GEWICHT —			
FINISH / OBERFLÄCHE / FARBE SEE TABLE SIEHE TABELLE		SIZE A2		CAGE CODE 00779	DRAWING NO ZEICHNUNGS-NR. C-1241150
				RESTRICTED TO NUR FUER —	
CUSTOMER DRAWING / KUNDENZEICHNUNG				SCALE MASSTAB 1:2 1:1	SHEET BLATT 2 von 3
				REV D1	


REVISIONS					
ÄNDERUNGEN					
P	LTR	DESCRIPTION	DATE	DWN	APVD
BESCHREIBUNG					
-	-	SEE SHEET 1	-	-	-

D

C

B

A




1241150-7

1241150-6

1241150-5

1241150-4



1-1241150-7


1-1241150-6

1-1241150-5


1-1241150-4

1-1241150-3

1-1241150-2



1241150-3



1-1241150-1

1-1241150-0

1241150-9

1241150-8

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIESE ZEICHNUNG IST EIN KONTROLLIERTES DOKUMENT.

DIMENSIONS:
MASSENHEITEN
mm

TOLERANCES, UNLESS
OTHERWISE SPECIFIED:
ALLGEMEINTOLERANZEN

0 PLC ± 0.2

1 PLC ± 0.1

2 PLC ± 0.1

3 PLC ± -

4 PLC ± -

ANGLES / WINKEL ± -

FINISH / OBERFLÄCHE / FARBE

MATERIAL

-

DWN
T.BERGNER
29SEP1998

CHK
M.SCHAARSCHMIDT
29SEP1998

APVD
G.FELDMEIER

PRODUCT SPEC
PRODUKTSPEZ
108-18012

APPLICATION SPEC
VERARBEITUNGSSPEZ.
-

WEIGHT
GEWICHT
-

CUSTOMER DRAWING / KUNDENZEICHNUNG

NAME

AMPMODU II PIN HEADER, SINGLE ROW,
SMD, PACKED IN BLISTER

SIZE
A2

CAGE CODE
00779

DRAWING NO
ZEICHNUNGS-NR.
C-1241150

RESTRICTED TO
NUR FÜR
-

SCALE
MASSTAB
1:1

SHEET
BLATT
3 von 3

REV
D1

TE Connectivity Ltd.

1471-9 (1/15)

D

C

B

A

1241150

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1241150-3](#)