






SECTION B-B / Schnitt B-B

- 1 CAVITY SUITABLE FOR STANDARD TIMER CONTACTS LISTED IN
PROD.SPEC. 108-18049, ITEM 3.3.2
Kammer geeignet für Standard Timer Kontakte gelistet in
Prod. Spec. 108-18049, Punkt 3.3.2
- 2 CONTACT CAVITY NO.
Kontaktkammernummerierung
- 3 MATING STOP
Tiefenanschlag
- 4 AREA FOR TE LOGO ACC. TO SPEC. 202-36
Bereich für TE Logo nach Spec. 202-36
- 5 POLARIZATION RIB POSITION "a" AND/OR "b"
Polarisierungsrippe Position "a" und/oder "b"
- 6 KEYING RIB POSITION "c" AND/OR "d"
Kodierrippe Position "c" und/oder "d"
- 6a KEYING RIB POSITION "c" AND/OR "d" AT THE END WALLS OF THE HOUSING
Kodierrippe Position "c" und/oder "d" an den Gehäusestirnseiten
- 7 LOCKING LATCH
Rasthaken
- 8 TE PART NO (PN)
TE Bestell Nr. (PN)
- 9 DESIGN OF THE HOUSINGS ACC. TO RAST 5 STANDARD
Gehäuseausführung gemäss RAST 5 Vorgabe
- 10 GENERAL SUITABLE TAB HEADER SEE RAST 5 PERFORMANCE
Generell passende Flachsteckerwannen siehe RAST 5 Vorgabe
- 11 PACKAGING: BULK PACKAGING IN CORRUGATED BOX PN 740580-2
2 POS. 2500 PIECES PER BOX / 3 POS. 2000 PIECES PER BOX
Verpackung: Schüttgut in Versandkarton Pn 740580-2
2pol. 2500 Stück per Karton / 3pol. 2000 Stück per Karton
- 12 DIMENSION A, B C AND D SEE SHEET 2 OF 3
- 13 MATERIAL CORRESPONDS TO THE REQUIRMENT EN 60335
(INCL. GLOW WIRE TEST 750° WITHOUT FLAME)
Material entspricht den Anforderungen der EN 60335
(inkl. Glühdrahttest 750° ohne Flamme)
- 14 OPTIONAL RATIO NUMBER OF THE KEYING VERSION, MOLDED OR INKJET PRINTED. SEE SHEET 2
Optionale Kodierungskennnummer, mit Tintenstrahldrucker aufgebracht oder spritzgegossen, siehe Blatt 2
- 15 PRELIMINARY- NOT RELEASED FOR PRODUCTION
- 16 ONLY FOR 9-1241961-7, DIMENSION 3.2 -0.2
- 17 DOUBLE SOURCE RESIN: ALTERNATIVE RESIN UNDER APPROVAL
- 18 ALLOWED 25±0.2 FOR P/Ns X-2364739-X.


4805 (3/11)

ONLY 5-1241961-7, 1-1241961-9, 7-1241961-7, 2345753-1, 2-2178571-3




ALL OTHER DIMENSIONS SEE SHEET 1 OF 3

KEY LAYOUT DESCRIPTION



DIFFERENT CAVITY GEOMETRY AND LOCKING LATCH OVERHANG
(OPTIONAL)

FOR 2 POS. AND 3 POS.



ALL OTHER DIMENSIONS SEE SHEET 1 OF 3
Alle anderen Masse siehe Seite 1 von 3

SPECIAL MATERIAL: UL94 V0								
2345753-1	3	6	1	15	10	PA66	NATURAL	C

SPECIAL MATERIAL									
15	19-55507-4	4	6	1	20	15	PA66 UL 94 V0	NATURAL	1
15	9-1955506-2	2			10	5		NATURAL	1

	6-1241961-7	3	4	0.5	15	10	PA 6 UL94V-2	NATURAL 	1
	4-1241961-7	3			15	10	PA 6 UL94V-2	NATURAL 	A
	3-1241961-7	3			15	10	PA 6 UL94V-2	NATURAL 	A
	1-1955422-7	3			15	10	PA 66 UNFILLED UL94 V0	NATURAL	A
	5-1955422-7	3			15	10	PA 66 UNFILLED UL94 V0	NATURAL	A
	4-1955422-3	2	6	1	10	5	PA 66 UNFILLED UL94 V0	NATURAL	A
	2-1241817-3	3	4 or 6	0.5 or 1	15	10	PA 66 UL94 V-2	Green	E
	0-1955422-6	3	4	0.5	15	10	PA 66 UNFILLED UL94 V0	NATURAL	A
	8-1241961-8	3			15	10	PA 6 UL94V-2	natural 	C
	0-1241961-8	3			15	10			A
	8-1241961-3	2			10	5			C
	3-1241961-1	2			10	5	PA 6 UL94V-2	NATURAL 	C
	0-1955422-1	2			10	5	PA 66 UNFILLED UL94 V0	NATURAL	A
PART NO	POS	DIM C 	DIM D 	DIM A 	DIM B 	MATERIAL	COLOUR Farbe	REV./Rev.	

SPECIAL VERSION: UL94 V0 & GW T 750NF								
	2178571-3	4		20	15	PA 66. UL94 V-0	NATURAL	
15	2178571-1	3		15	10	PA 66. UL94 V-0	NATURAL	
15	2178571-2	2		10	5	PA 66. UL94 V-0	NATURAL	
	2-2178571-3	3		15	10	PA 66. UL94 V-0	NATURAL	
	1-2178571-3	3		15	10	PA 66. UL94 V-0	NATURAL	
	PART NO	POS		DIM C	DIM D	DIM A	DIM B	MATERIAL
			12	12	12	12		

LOC		DIST		REVISONS				DATE		DWN		APVD	
				P		LTR		DESCRIPTION					
SEE SHEET-01													
OBSOLETE	0-1241959-5	5	4	0.5	25	20	PA 6 UL94V-2	13	Natural/natur		B		
	4-1241959-4	4			20	15						A	
	2-1241959-4	4			20	15							B
	0-1241959-4	4	20	15									
	2-1241817-5	5	6	1	25	20	PA 6.6 UL94V-2		Natural/natur	C			
	0-1241817-5	4	4	0.5	25	20			Black/schwarz				
	3-1241817-4	4	6	1	20	15			Violet/violett				
	2-1241817-4	4	6	1	20	15		Grey/grau					
	0-1241817-4	4	4	0.5	20	15		Natural/natur					
	2-1241983-2	2	4	0.5	10	5	PA 6 UL94V-2	13	Green/grün	C			
1-1241983-2	10				5	Violet/violett							
0-1241983-2	10				5	TARGET RAL 4001							
8-1241983-2	10				5	Yellow/gelb							
5-1241983-3	10				5	Black/schwarz							
6-1241983-2	10				5	Blue/blau							
				Red/rot									
0-1241961-7	3	4	0.5	15	10	PA 6 UL94V-2	13	Natural/natur	C				
9-1241961-8			15	10									
6-1241961-8		4	0.5	15	10								
5-1241961-8		4 or 6	0.5 or 1	15	10								
4-1241961-8		4	0.5	15	10								
7-1241961-8			15	10									
1-1241961-8		4 or 6	0.5 or 1	15	10								
3-1241961-8		6	1	15	10								
2-1241961-8		4	0.5	15	10								
2-1241961-7				15	10								
1-1241961-7		15	10	PA 6 UL94V-2	13	Natural/natur	C						
9-1241961-9		15	10										
0-1241961-6		15	10										
3-1241961-3		10	5										
2-1241961-2		10	5										
5-1241961-2		10	5										
4-1241961-3		10	5										
7-1241961-2		10	5										
7-1241961-3		10	5										
6-1241961-3	2	4	0.5					10	5				
3-1241961-2				10	5								
5-1241961-3				10	5								
6-1241961-2				10	5								
0-1241961-3				10	5								
8-1241961-2				10	5								
9-1241961-2		10	5										
0-1241961-1		10	5										
9-969484-9	3	6	1	15	10	PA 6.6 UL94V-2		Yellow/gelb					
2-969484-8	3			15	10	PA 6.6 UL94V-2		Natural/natur	H				
4-969484-8			15	10									
0-969484-8		4 or 6	0.5 or 1	15	10								
9-969484-7			15	10									
8-969484-7		4	0.5	15	10								
7-969484-7			15	10									
6-969484-7			15	10									
5-969484-7		4	0.5	15	10								
4-969484-7			15	10									
3-969484-7		4	0.5	15	10								
2-969484-7	3	4	0.5	15	10	PA 6.6 UL94V-2		Natural/natur	H				
1-969484-7				15	10								
0-969484-7				15	10								
9-969484-6					15					10			
8-969484-6				6	1					15	10		
7-969484-6					15					10			
6-969484-6		15	10										
5-969484-6		15	10										
4-969484-6		15	10										
3-969484-6	6	1		15	10					PA 6.6 UL94V-2		Natural/natur	H
2-969484-6				15	10								
1-969484-6				15	10								
0-969484-6				15	10								
9-969484-5				15	10								
8-969484-5				15	10								
7-969484-5	4	0.5		10	5								
6-969484-5				10	5								
5-969484-5				10	5								
4-969484-5				10	5								
3-969484-5				10	5								
2-969484-5				10	5								
1-969484-5		10	5										
0-969484-5		10	5										
9-969484-4	2	4	0.5	10	5	PA 6.6 UL94V-2		Natural/natur	H				
8-969484-4				10	5								
7-969484-4				10	5								
6-969484-4				10	5								
5-969484-4				10	5								
4-969484-4				10	5								
3-969484-4				10	5								
2-969484-4				10	5								
1-969484-4				10	5								
0-969484-4				10	5								
9-969484-3	6	1		10	5	PA 6.6 UL94V-2		Natural/natur	H				
8-969484-3				10	5								
7-969484-3				10	5								
6-969484-3				10	5								
5-969484-3				10	5								
4-969484-3				10	5								
3-969484-3				10	5								
2-969484-3				10	5								
1-969484-3				10	5								
0-969484-3				10	5								
9-969484-2	4	0.5		10	5	PA 6.6 UL94V-2		Natural/natur	H				
8-969484-2				10	5								
7-969484-2				10	5								
6-969484-2				10	5								
5-969484-2				10	5								
4-969484-2				10	5								
3-969484-2				10	5								
2-969484-2				10	5								
1-969484-2				10	5								
0-969484-2				10	5								
9-969484-1	6	1		10	5	PA 6.6 UL94V-2		Natural/natur	H				
8-969484-1				10	5								
7-969484-1				10	5								
6-969484-1				10	5								
5-969484-1				10	5								
4-969484-1				10	5								
3-969484-1	4	0.5		10	5								
2-969484-1				10	5								
1-969484-1				10	5								
0-969484-1				10	5								
PART NO	POS.	DIM C	DIM D	DIM A	DIM B	MATERIAL	COLOUR	REV					

LOC	DIST	REVISIONS						
		P	LTR	DESCRIPTION	DATE	DWN	APVD	
				SEE SHEET-01				

SPECIAL VERSION: UL94 V0 & GWPT 750°C NF								
2364739-5	5	4	0.5	25	20	PA66 13 17	BLUE	C
2364739-4	4			20	15		BLUE	C
1-2364739-3	3			15	10		BLUE	C
2364739-3				15	10		BLUE	C
1-2364739-2	2			10	5		BLUE	C
2364739-2				10	5		BLUE	C
3-2364739-2	2			10	5		BLUE	C
2-2364739-2				10	5		BLUE	C

SPECIAL VERSION: UL94 V0 & GWT 750 NF & CTI 350								
5-1241961-7	3	6	1	15	10	PA6613	NATURAL	A
1-1241961-9	3			15	10		NATURAL	A
7-1241961-7	3			15	10		NATURAL	A

SPECIAL VERSION: UL94 V0 & GWT 750 NF								
152322164-1	4	4	0.5	20	15	PA6613	NATURAL	1

SPECIAL VERSION: UL94 V2 & GWT 750 NF								
6-2178575-7	3	4	0.5	15	10	PA6 GF1513	NATURAL	A

SPECIAL VERSION: UL94 V0 & GWT 750 NF								
153-2178412-7	3	6	1	15	10	PA66 UL94 V0 & GWT 750 NF13	NATURAL	1
154-2178412-7	3			15	10		NATURAL	1
158-2178412-2	2			10	5		NATURAL	1

UL94 V0 & GWT 750 NF								
2322917-4	4	4	0.5	20	15	PA66 UL94 V0 & GWT 750 NF13	NATURAL	C
2322917-2	2			10	5		NATURAL	C
2315717-1	2			10	5		NATURAL	C
2315717-2	2			10	5		NATURAL	C
2315717-3	2			10	5		NATURAL	C
1-2315717-2	2			10	5		NATURAL	E
2-2315717-2	2	4	0.5	10	5		NATURAL	E
2315717-4	4			20	15		NATURAL	C
2315717-5	4			20	15		NATURAL	C
2315717-6	3			15	10		NATURAL	C
2315717-7	3			15	10		NATURAL	C
1-2315717-3	3			15	10		NATURAL	E
PART NO.	POS	DIM C 12	DIM D 12	DIMA 12	DIM B 12	MATERIAL	COLOUR	REV.

8

7

6

5

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

ALL RIGHTS RESERVED.

LOC

DIST

P

LYR

REVISIONS

DESCRIPTION

DATE

DWN

APVD

SEE SHEET-01

2.00

0-969484-1

2.14

1-969484-1
2315717-2

2.13

2-969484-1

2.12

3-969484-1 OBSOLETE

2.11

4-969484-1

2.10

5-969484-1 OBSOLETE

2.09

6-969484-1

2.07

7-969484-1 OBSOLETE
3-2364739-2

2.06

8-969484-1

2.04

9-969484-1 OBSOLETE

2.03

0-969484-2

2.02

1-969484-2 OBSOLETE

2.08

2-969484-2

2.21

3-969484-2

2.99

4-969484-2
2315717-1

2.20

5-969484-2
2-2364739-2

2.19

6-969484-2

2.18

7-969484-2

2.17

8-969484-2
2315717-3

2.16

9-969484-2

2.31

0-969484-3

2.15

1-969484-3 OBSOLETE

2.05

2-969484-3 OBSOLETE

2.30

3-969484-3 OBSOLETE

Ohne/None

4-969484-3

Ohne/None

5-969484-3

Ohne/None

6-969484-3

Ohne/None

7-969484-3 OBSOLETE

Ohne/None

5-1241961-2

Ohne/None

0-1241961-1

PA6

2-1241961-2

PA6

3-1241961-2

PA6

6-1241961-2
2364739-2

PA6

7-1241961-2
2-2315717-2

PA6

8-1241961-2
8-2178412-2

PA6

9-1241961-2

PA6

0-1241961-3
1-2315717-2

PA6

3-1241961-3 OBSOLETE

PA6

4-1241961-3

PA6

5-1241961-3

PA6

6-1241961-3

PA6

7-1241961-3
1-2364739-2

PA6

6-1241983-2

PA6

8-1241983-2

PA6

5-1241983-3

0-1241983-2

1-1241983-2

2-1241983-2

3-1241961-1

8-1241961-3
2322917-2

4-1955422-3

9-1955506-2

0-1955422-1

PRELIMINARY

3.00

0-969484-6 OBSOLETE

3.38

1-969484-6 OBSOLETE

3.18

2-969484-6

3.37

3-969484-6

3.35

4-969484-6 OBSOLETE

3.33

5-969484-6 OBSOLETE

3.32

6-969484-6 OBSOLETE

3.20

7-969484-6

3.10

8-969484-6

3.09

9-969484-6

3.08

0-969484-7 OBSOLETE

3.39

1-969484-7
1-1955422-7

3.31

2-969484-7 OBSOLETE

3.40

3-969484-7

3.99

4-969484-7 OBSOLETE

Ohne/NONE

5-969484-7

3.45

6-969484-7 OBSOLETE

3.47

7-969484-7 OBSOLETE

3.65

8-969484-7

3.48

9-969484-7 OBSOLETE

3.66

0-969484-8

Ohne/NONE

1-969484-8 OBSOLETE

Ohne/NONE

2-969484-8

Ohne/NONE

9-1241961-9

Ohne/NONE

3-1241961-8

Ohne/NONE

9-969484-9

Ohne/NONE

4-1241961-8

Ohne/NONE

5-1241961-8

PA6

2-1241961-7
5-1241961-7
2364739-3
2178571-1

PA6

1-1241961-8

PA6

2-1241961-8
1-2364739-3

PA6

6-1241961-8
7-1241961-7

PA6

7-1241961-8

PA6

1-1241961-7

PA6

8-1241961-8
1-2315717-3

03-K

2-1241817-3

PA6

0-1241961-8

03-F

3-1241961-7
3-2178412-7
3-2178413-7

03-I

4-1241961-7
4-2178412-7
4-2178413-7

03-G

5-1955422-7
3-1241961-7
1-1241961-9
0-1955422-6
6-2178575-7
2345753-1

Ohne/NONE

9-1241961-7

Ohne/NONE

0-2315717-6

Ohne/NONE

0-2315717-7

PRELIMINARY

4.00

0-1241959-4
0-1241817-4
2364739-4
2178571-3

4.01

2-1241959-4

4.02

4-1241959-4
2315717-4

4.03

0-1955507-4
PRELIMINARY

4.04

0-2315717-5

4.05

2-1241817-4

4.06

3-1241817-4 OBSOLETE
2322164-1

4.07

0-1241959-5

4.08

0-1241817-5

4.09

2-1241817-5

4.10

1-2178571-3
2-2178571-3

5.00

0-1241959-5
2364739-5

5.01

0-1241817-5

5.02

2-1241817-5

6.00

1-2178571-3
2-2178571-3

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN: Kishor M. 18-10-07

CHK: K. Munz 18-10-07

APVD: T. Klenner 18-10-07

PRODUCT SPEC: 108-18049

APPLICATION SPEC: -

WEIGHT: -

Customer Drawing

TE Connectivity

STANDARD TIMER HSG. RAST 5 MARK II

Standard Timer Gehäuse RAST 5 Mark II

SIZE: A1

CAGE CODE: 00779

DRAWING NO: 1241961

RESTRICTED TO: -

SCALE: 5:1

SHEET: 4 OF 4

REV: E9

4805 (3/11)

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[2-1241961-8](#)