

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	L1	REVISED PER ECN-23-219673	01JUN2023	MM	LR







TABLE OF DIMENSIONS

PART NUMBER	H		J		P ±10% b	R Ref b	S Ref b	W ±20% b
	Min	Max	Min	Max				
	a	b	a	b				
202A312	.79 [20,1]	.64 [16,3]	.79 [20,1]	.24 [6,1]	5.00 [127,0]	.62 [15,7]	.50 [12,7]	.08 [2,03]
202A322	.96 [24,4]	.64 [16,3]	.96 [24,4]	.28 [7,1]	5.00 [127,0]	.62 [15,7]	.50 [12,7]	.08 [2,03]
202A333	1.20 [30,5]	.79 [20,1]	1.20 [30,5]	.35 [8,9]	5.75 [146,1]	.62 [15,7]	.50 [12,7]	.09 [2,29]
202A343	1.62 [41,1]	1.00 [25,4]	1.62 [41,1]	.40 [10,2]	6.38 [162,1]	.88 [22,4]	.76 [19,3]	.09 [2,29]
202A354	2.05 [52,1]	1.26 [32,0]	2.05 [52,1]	.58 [14,7]	7.06 [179,3]	1.00 [25,4]	.76 [19,3]	.10 [2,54]
202A364	2.63 [66,8]	1.63 [41,4]	2.63 [66,8]	.70 [17,8]	7.06 [179,3]	1.00 [25,4]	.76 [19,3]	.10 [2,54]

TE Connectivity. All Rights Reserved.



DIMENSIONS: INCHES	DWN	M MAZARIEGOS	01JUN2023	MATERIAL	-	FINISH	-
	CHK	C LIMA	01JUN2023	 TE Connectivity			
TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD	L RODRIGUEZ	01JUN2023				
	PRODUCT SPEC			Boot, Straight Long			
	APPLICATION SPEC			-			
	WEIGHT			A4 00779 C-202A312THRU364			
0 PLC ± -	CUSTOMER DRAWING			SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
1 PLC ± -				A4	00779	C-202A312THRU364	-
2 PLC ± -				SCALE	DNS	SHEET	1 OF 2
3 PLC ± -						REV	L1
4 PLC ± -							
ANGLES ± -							



REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	—	SEE SHEET 1	—	—	—

NOTES

1. All dimensions are in $\frac{\text{inches}}{\text{[millimeters]}}$
2. Dimensions appearing in table are as follows:
 - a - As Supplied
 - b - After Unrestricted Recovery
3. Coating is optional. As supplied dimensions appearing in table are for uncoated parts. When coating is added, entry diameters will be reduced by .06 max.
4. Molding ports are optional. When -00 modification number is specified molding ports will be located as shown.

COMPATABILITY CHART

MATERIAL DASH NO.	MATERIAL DESCRIPTION	RT SPEC	COATING SLASH NO.	COATING S NO.
-3	Polyolefin, Semi-rigid	RT-301	/42,/86,/180	S-1017; S-1048; S-1030
-4	Polyolefin, Flexible	RT-1304	/42,/86,/180	S-1017; S-1048; S-1030
-12	*VITON, Flexible	RT-1312	N/A	
-25	Elastomer, Fluid Resistant	RT-1325	/42,/86,/225	S-1017; S-1048; S-1206

*VITON is a Registered Trademark of Dupont

ORDERING INFORMATION

Base part number 202A312 -X -XX /XXX


Material dash number
(See Compatability Chart)

Modification number
(If necessary, see front of scd binder for a complete list)

Adhesive slash number
(If necessary, see Compatability Chart)

TE Connectivity. All Rights Reserved.



DIMENSIONS:		DWN	01JUN2023	MATERIAL		FINISH	
INCHES		CHK	—	 TE Connectivity			
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	—				
0 PLC ± — 1 PLC ± — 2 PLC ± — 3 PLC ± — 4 PLC ± — ANGLES ± —		PRODUCT SPEC	—				
		APPLICATION SPEC	—	NAME		Boot, Straight Long	
		WEIGHT	0.000000	SIZE	A4	CAGE CODE	00779
		CUSTOMER DRAWING		DRAWING NO	C-202A312THRU364		RESTRICTED TO
				SCALE	DNS	SHEET	2 OF 2
						REV	L1

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[202A333-3-0-CS5847](#)