

$\sim$
/

1

REVISIONS		
DESCRIPTION	DATE	APPV
IAL RELEASE FROM X1	6-SEP-11	BPM
DED PART NUMBER TABLE AND SECOND SHEET; DATED NOTE 3	23-JUL-18	CLL

.010 [0.25]

**SECTION A-A** 

 NOTES: (UNLESS OTHERWISE SPECIFIED)
ALL DIMENSIONS ARE IN INCHES [mm].
DIMENSIONS APPLY AFTER FINISHING.
MANUFACTURE TO BE COMPLIANT WITH EU ROHS DIRECTIVE, USE MATERIALS THAT DO NOT CONTAIN REACH SUBSTANCES OF VERY HIGH CONCERN >1000ppm, AND USE DRC CONFLICT-FREE SOURCED


SAFETY BREAK ALL SHARP CORNERS AND EDGES .02 MAXIMUM.
MINIMUM INSIDE BEND RADII 0.00 [0.0].

6 EMBOSS LINX LOGO AS SHOWN, MINIMUM 0.002 [0.05] DEEP, PER FILE *LINX-LOGO-BLACK-ABBREVIATED.PDF*.

/IBER		PACKAGING					
			BULK				
			TAPE & REEL				
TARY INFORMATION GIES, AND SHALL BE DUCTION OF THIS RT, WITHOUT THE NOLOGIES OR ITS			159 ORT LANE MERLIN, OR 97532			A	
AND Y14.5. PROJECTION:	RY HOLE 5, CR122	DER 25, SURFAC	ΕN	NOUN	т		
$\begin{array}{c} 33 \\ 1 \\ CE: \end{array} \xrightarrow{32} $	SIZE DW	G. NO.				REV	
DT: 8-JUN-11	В с-в	AT-HLD-	012-SMT-pp			Α	
DT: 23-JUL-18	SCALE: 3:1	DO NO	T SCALE DRAWING		SHEET 1	OF 2	
2				1	LDC	FDFB_B	

D

С



1							
	15.70±0.10	BO	9.80±0.10	A0	16.00±0.10	Р	0
	13.90±0.10	B1	5.50±0.10	A1	4.00±0.10	P0	
		B2		A2	2.00±0.10	P2	)
A	0.65±0.10	К2	4.00±0.10	ко	¢1.50 <sup>+0.10</sup> -0.00	D0	0
	COLOR: BK/ANT		3.45±0.10	K1		D1	5

SIZE DWG. NO.						REV	
В	BA	r-HLC	D-012-S	MT-T	R		В
SCALE: 3:1 DO			NOT SCALE D	RAWING		SHEET 2	OF 2
0					1	LDC	FDFB_A

## **Mouser Electronics**

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

TE Connectivity: BAT-HLD-012-SMT