

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

-,-

© COPYRIGHT - BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

AJ

16

P

LTR

DESCRIPTION

DATE

DWN

APVD

D

RDW & REV PER 0S14-0114-04

05MAY04

JDP

JL

D1

REVISED PER ECO-09-024717

05NOV09

KK

AEG

1. ACCEPT COAX CABLE WITH .095/.110 O.D. JACKETS
AND .055/.065 DIELECTRIC O.D.
EXAMPLE: RG-174 AND RG-316



2. INSTRUCTION SHEET NO.: 408-2472-2

3 TIN-LEAD PLATE PER MIL-P-81728


4 TIN PLATE PER ASTM-B-545

5. BRASS PER ASTM-B36,
.010 INCHES THICK.


6 OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI



SECTION A-A





SECTION B-B



BEND TABS AND TERMINATE
IN APPLICATOR
DETAIL A

6	OBSOLETE	4	9-1274043-0
		3	1274043-1
		FINISH	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN JESS CABARLO 1MAY98	 Tyco Electronics Corporation Harrisburg, Pa 17105-3608				
DIMENSIONS: INCHES		CHK JESS CABARLO 1MAY98	NAME TERMINAL PCB, COAXIAL				
		APVD —					
		PRODUCT SPEC —					
MATERIAL SEE NOTE 5		APPLICATION SPEC —	SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO	
		WEIGHT —	A3	00779	C-1274043	—	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		CUSTOMER DRAWING			SCALE 5:1	SHEET 1 OF 1	REV D1
0 PLC ± — 1 PLC ± — 2 PLC ± — 3 PLC ± .008 4 PLC ± — ANGLES ± 5°							

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1274043-1](#)