



A

4805 (1/15)


REVISIONS					
P	LTR	DESCRIPTION	DATE	DRN	APVD
—	—	SEE SHEET 1	—	—	—




SURFACE MOUNT
S TERMINATION




RECOMMENDED PAD LAYOUT
SURFACE MOUNT
"S" TERMINATION



SURFACE MOUNT
SA TERMINATION



RECOMMENDED PAD LAYOUT
SURFACE MOUNT
"SA" TERMINATION

THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN M. BINNER 14FEB05		 TE Connectivity	
DIMENSIONS: mm [INCHES]		CHK M. SARVER 15FEB05			
		TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD M. SARVER 15FEB05	
		0 PLC ± —		NAME	
		1 PLC ± —		DIP SWITCH ASSEMBLY	
		2 PLC ± —		ADP/PA SERIES	
3 PLC ± —		PRODUCT SPEC		—	
4 PLC ± —		APPLICATION SPEC		SIZE	
ANGLES ± 1°		WEIGHT		CAGE CODE	
FINISH		CUSTOMER DRAWING		DRAWING NO	
—		—		A1 00779	
—		—		1571999	
—		—		RESTRICTED TO	
—		—		—	
—		—		SCALE	
—		—		1:1	
—		—		SHEET	
—		—		2 OF 2	
—		—		REV	
—		—		D6	

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[ADPA0204](#)