


2					1			
	LOC	DIST			REVISIONS			
	DF	DO	Ρ	LTR	DESCRIPTION	DATE	DWN	APVD
-				D	UPDATE PER 0H2Y-0164-04	05-12-04	JDM	MKS



SIZE	(B DIM)	C DIM ±.0050	(L DIM)
09	(.229)	.3085	(.100)
15	(.304)	.3835	(.175)
25	(.429)	.5085	(.300)
37	(.579)	.6585	(.450)
51	(.754)	.8335	(.625)
65	(.929)	1.0085	(.800)

NONICS	THIS DRAWING IS A CO	ONTROLLED DOCUMENT.	DWN M. STORRY	05-13-99	tyco	Tyco Electronics Corp	poration
—35, AND DRY CKSCREWS	DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED:	CHK E. PAULUS APVD	06-10-99	Electron	ics Harrisburg, PA 17 ⁻	105
JNSCHLWS	INCHES				PL	UG ASSEMBLY, TWO ROW	DUALOBE,
		$\begin{array}{cccccccccccccccccccccccccccccccccccc$	APPLICATION SPEC			DUCKBILL LEADS, PLASTIC OR METAL	
	Т	4 PLC $\pm -$ ANGLES $\pm 1^{\circ}$	_		SIZE CAGE CO	DDE DRAWING NO	RESTRICTED TO
	MATERIAL SEE NOTES	FINISH SEE NOTES	WEIGHT		A2 0077	79 C- 1589066	
	SEL NOTES		CUSTOMER DR	AWING		SCALE 8:1 SHEET	1 ^{OF} REV D


С

1589066

В

А

D



TYPICAL FLEX PAD LAYOUT

А

2					1			
	LOC	DIST			REVISIONS			
	DF	DO	Р	LTR	DESCRIPTION	DATE	DWN	APVD
				D	UPDATE PER 0H2Y-0164-04	05-12-04	JDM	MKS

SIZE	a dim Max	D DIM	E DIM
09	.150	.0500	.0375
15	.225	.0875	.0750
25	.350	.1500	.1375
37	.500	.2250	.2125
51	.675	.3125	.3000
65	.850	.4000	.3875

THIS DRAWING IS A C	ONTROLLED DOCUMENT.	DWN 05- M. STORRY	13-99	tyco	Tyco Electronics Corpo	oration
	To: 50 000 000 000 000	CHK 06- E. PAULUS	10-99	Electronics	Harrisburg, PA 1710)5
DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD	— NA	AME		
INCHES		PRODUCT SPEC		PLUG A	SSEMBLY, TWO ROW D	UALOBE,
	$\begin{array}{cccc} 0 & PLC & \pm & -\\ 1 & PLC & \pm & -\\ 2 & PLC & \pm & .010 \end{array}$				DUCKBILL LEADS,	
	3 PLC ± .005	APPLICATION SPEC			PLASTIC OR METAL	
	4 PLC $\pm -$ ANGLES $\pm 1^{\circ}$	_	S	SIZE CAGE CODE DRA	AWING NO	RESTRICTED TO
MATERIAL	FINISH	WEIGHT	A	200779	-1589066	_
		CUSTOMER DRAWIN	٧G		SCALE 8:1 SHEET	2°F2 ^{Rev} D

С

D

1589066

В

А

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

TE Connectivity: STM00911378PCN